

EXHIBIT 113

West Hyland Daily Decree Diversions 1996-2006 (in Cubic Feet per Second)

(Source: US Federal Watermaster Daily Records Digitized by Desert Research Institute 2010-01-08)

	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
3/1									8	5	
3/2							10		8	5	5
3/3							10	8	8	5	5
3/4							10	8	8	5	5
3/5							10	8	8	5	5
3/6							10	8	8	5	5
3/7							18	8	8	5	5
3/8							18	16	8	5	5
3/9						9.07	18	16	8	9	5
3/10						18	18	16	18	9	5
3/11						18	18	16	18	9	5
3/12					20	18	18	16	18	9	5
3/13					20	18	18	16	18	9	5
3/14					20	18	18	16	18	16.95	5
3/15					20	18		16	18	16.95	5
3/16					20	18		16	18	16.95	5
3/17					20	18		16	18	16.95	5
3/18					20	18		16	18	16.95	5
3/19		20			15.18	18		16.8	18	16.95	10
3/20		20			15.18	18		16.8	26.23	16.95	10
3/21		20			15.18			16.8	26.23	9	10
3/22		30			15.18			16.92	26.23	9	10
3/23		30		16	15.18			16.92	21.23	9	10
3/24		30	27.18	16	15.18				32.76	9	12.51
3/25		37	27.18	16	15.18				40.69	9	12.51
3/26		30	27.18	16	25.18	26.7			40.69	18	12.51
3/27		34.54	27.18	16	25.18	26.7			40.69	18	12.51
3/28		20	27.18	24	25.18	26.7			40.69	18	12.51
3/29		20	27.18	24	25.18	26.7			22.21	18	12.51
3/30		20	27.18	24	27.18	16.7			22.09	18	12.51
3/31		20	27.18	23.22	17.18	16.7		3	22.09	18	19
4/1		28	27.18	23.22	17.18	16.7		3	22.09	18	19
4/2		28	27.18	23.22	17.18	18.7		3	26.6	18	19
4/3		20	27.18	23.22	17.18	18.7		3	26.6	18	20.41
4/4	14	20	27.18	18.95	17.18	18.7		3	26.6	25.95	19
4/5	14	24.61	27.18	18.95	17.18	28.7		3	26.6	25.95	20.41
4/6	14	24.61	27.18	18.95	17.18			3	26.6	30.09	29.41
4/7	18.13	31.61	27.18	18.95	17.18			3	26.6	30.09	29.41
4/8	31.79	39.61	27.18	18.95	17.18		3	3	35.96	30.09	29.41
4/9	42.6	39.61	27.18	18.95	23.59		3		35.96	39.44	32.29
4/10	42.6	39.61	16	18.95	23.59		18.99		27.98	39.44	30.88
4/11	42.6	39.61	16	18.95	23.59		18.99		27.98	39.44	30.88
4/12	42.6	31.61	16	18.95	23.59	3	26.28		27.98	39.44	28.37
4/13	42.6	31.61	24.29	18.95	23.59	3	26.28		27.98	39.44	28.37
4/14	42.6	24.61	24.29	18.95	23.59	3	26.28		20.48	31.49	28.37
4/15	43.32	20	24.29	18.95	23.59	3	26.28		20.48	31.49	28.37
4/16	43.8	10	16	18.95	23.59	3	34.85	3	20.48	39.44	28.37
4/17	43.8	20.8	22.39	18.95	23.59	3	34.22	3	20.48	39.44	28.37
4/18	43.8	20.8	22.39	37.08	23.59	3	37.18	3	20.48	24.97	28.37
4/19	43.8	18.37	22.39	37.08	24.73	3	37.18			24.97	28.37
4/20	43.8	18.37	33.19	39.59	24.73	3	37.18			24.97	28.37
4/21	32.15	26.37	33.19	39.71	24.73	3	37.18			37.43	28.37
4/22	34.11	34.13	25.19	39.71	24.73	3	35.2			37.43	28.37
4/23	34.11	33.41	33.19	39.59	24.73	3	35.2			29.48	28.37
4/24	31.79	33.41	33.43	39.59	24.73	3	35.2			29.8	15
4/25	31.79	22.61	33.43	39.59	27.63	3	35.2			29.8	15

West Hyland Daily Decree Diversions 1996-2006 (in Cubic Feet per Second)

(Source: US Federal Watermaster Daily Records Digitized by Desert Research Institute 2010-01-08)

	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
4/26	27.18	22.61	33.43	39.59	36.96	3	25.4			29.48	15
4/27	27.18	22.61	30.04	47.73	34.81	27.9	25.4			24.91	15
4/28	31.79	22.61	30.04	33.37	36.4	27.9	25.4			24.91	15
4/29	31.79	22.61	30.76	33.37	36.4	38.08	25.4			24.91	15
4/30	31.79	22.61	30.52	33.37	36.4	38.08	25.4		39.41	24.91	28.43
5/1	43.31	22.61	41.7	33.37	36.4	38.08	25.4			24.91	28.43
5/2	43.31	22.85	41.7	33.37	38.14	38.08	25.4			35.66	28.43
5/3	43.31	23.57	41.7	32.65	45.28	44.1	25.4			35.66	30.94
5/4	43.31	23.57	41.7	32.65	45.28	44.1	25.4			39.44	30.94
5/5	43.31	23.57	40.98	32.41	45.28	44.1	25.4			39.44	44.33
5/6	43.07	32.57	40.98	32.41	45.28	44.1				39.44	44.33
5/7	38.46	43.37		30.8	45.28	44.1				39.44	37.52
5/8	43.07	42.41		30.8	45.28	44.1			33.41	39.44	37.46
5/9	43.07	42.41		34.8	47.79	46.99			33.41		37.46
5/10	43.07	42.41		35.52	47.79	46.99			32.62		30.23
5/11	43.07	42.41		35.52	35.92	46.99	17.88		32.62		30.23
5/12	42.59	43.37	7	35.52	35.92	46.99	17.88		40.55		29.09
5/13	42.59	43.37	7	38.52	35.92	46.99	24.29		40.55		29.09
5/14	41.59	43.13	7	38.52	35.92	46.99	24.29		40.55		28.37
5/15	41.59	43.13	7	38.52	35.92	46.99	24.29		40.55		28.37
5/16	42.31	43.43	27.18	39.48	38.12	46.99	24.29		40.55	20	36.32
5/17	22.51	42.95	27.18	39.48	38.12	46.99	41.24	16.76	34.21	20	36.32
5/18	22.51	42.95	37.97	42.48	38.12	46.99	41.24	16.76	34.21	20	27.95
5/19	22.51	42.71	37.97	42.48	38.12	46.99	41.24	24.22	28.21	32.63	27.95
5/20	22.55	42.71	37.97	33.48	38.12	46.99	41.24	24.22	34.11	32.63	27.95
5/21	21.79	31.61	27.42	34.2	45.28	46.99	41.24	41.17	34.21	32.63	27.95
5/22	21.79	28.85	28.14	34.2	45.28	46.99	41.24	41.38	34.21	32.63	27.95
5/23	22.27	28.85	28.14	28.72	45.28	46.99	41.24	45.72	34.21	32.63	27.95
5/24	22.27	29.33	28.14	20.33	45.28	46.99	41.24	51.99	34.21	32.63	36.32
5/25	22.27	29.33	28.14	20.33	45.28	44.99	41.24	51.99	34.21	32.63	28.37
5/26	22.27	29.33	31.12	30.41	45.28	44.99	41.24	51.99	34.21	32.63	28.37
5/27	33.07	41.29	30.4	30.41	45.28	44.99	41.24	51.99	34.21	32.63	28.37
5/28	21.79	40.57	14.4	28	45.28	44.99	41.24	46.99	34.21	32.63	28.37
5/29	21.79	34.57	14.4	28	45.28	44.99	41.24	46.99	28.1	31.49	28.37
5/30	21.79	34.57	3.61	28	45.28	44.99	41.24	46.99	28.1	31.49	
5/31	13.61	16.57	3.61	38.04	45.28	44.99	41.24	46.99	28.1	31.49	28.51
6/1	13.61	16.57	15.61	27	45.28	44.99	41.24	46.99	28.1	31.49	36.46
6/2	24.41	4.61	15.61	38.04	45.28	45.34	41.24	42.85	35.55	10	36.38
6/3	24.41	4.61	15.61	38.04	45.28	45.34	41.24	42.85	40.42	10	36.38
6/4	25.13	4.61	15.61	38.76	45.28	44.99	41.51	34.9	40.42	10	36.38
6/5	20.52	4.61	15.61	38.76	45.28	44.99	41.48	34.9	40.42	10	36.38
6/6	20.52	8	15.61	38.52	45.28	34.88	41.48	34.9	40.42	10	28.37
6/7	20.52	19.52	15.61	38.52	45.28	34.88	41.48	38.85	39.28	35	28.37
6/8	20.52	19.52	16.33	37.8	45.28	34.88	41.48	38.85	39.28	35	38.83
6/9	20.52	27.52	16.33	37.8	45.28	34.88	41.48	42.85	39.28	35	31.12
6/10	43.98	40.99	16.33	37.8	45.28	34.88	40.94	42.85	39.28	35	31.12
6/11	37.98	40.99	17.72	39.65	38.41	32.66	41.04	42.85	39.28	35	39.07
6/12	42.59	40.27	17.24	39.65	38.41	32.66	41.04	42.85	39.28	35	38.89
6/13	42.59	27.85	16.24	37.8	38.41	32.66	35.71	42.85	39.28	35	37.52
6/14	42.59	28.09	16.24	37.8	38.41	32.63	35.71	42.85	26.82	35	29.57
6/15	42.59	28.09	10	37.8	45.28	27.63	35.71	42.85	26.82	35	29.57
6/16	42.59	38.65	10	37.8	45.28	18.99	35.71	42.85	26.82	35	29.57
6/17		38.65	10	40.8	45.28	18.99	35.71	42.85	26.82	35	29.57
6/18	35.41	38.65	30.4	40.8	45.28	23.99	35.71	42.85	32.92	35	29.51
6/19	35.67	30.8	30.4	40.8	45.28	23.99	32.71	46.99	32.92	35	29.51
6/20	35.67	37.98	37.24	39.52	45.28	5	32.71	46.99	32.92	35	29.51

West Hyland Daily Decree Diversions 1996-2006 (in Cubic Feet per Second)

(Source: US Federal Watermaster Daily Records Digitized by Desert Research Institute 2010-01-08)

	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
6/21	35.67	43.31	37.24	39.52	45.28	0	32.71	46.99	32.91	35	29.51
6/22	35.67	43.31	37.72	39.52	45.28	0	32.71	46.99	32.91	35	25.2
6/23	32.35	38.7	40.72	50.52	45.28	0	32.71	46.99	32.91	35	29.57
6/24	27.74	38.96	40	50.52	45.28	0	32.71	46.99	38.91	35	29.57
6/25	27.74	38.94	40	50.04	45.28	0	32.71	46.99	38.91	35	28.51
6/26	27	38.22	40.24	50.04	45.28	0	32.71	46.99	38.91	35	28.51
6/27	27	38.22	40		45.28	0	32.71	46.48	38.91	35	28.43
6/28	27	32.03	40	39.41	45.28	0	33.21	46.36	38.91	35	28.43
6/29	27	32.03	40	38.04	45.28	0	32.95	46.36	33.83	35	36.38
6/30	27	32.03	40	41.04	45.28	0	32.95	45.85	26.82	35	28.37
7/1	27	42.83	38.69	41.04	45.28	0	32.72	45.85	26.82	35	28.37
7/2	27.72	42.83	37	41.52	45.28	0	32.71	46.99	23.78	35	28.37
7/3	27.72	42.59	37.48	41.52	45.28	0	34.47	46.99	23.78	35	28.37
7/4	17.33	42.59	37.48	41.52	45.28	0	34.47	46.99	23.78	35	28.37
7/5	17.33	42.59	37.48	41.52	45.28	0	34.47	40.7	23.78	35	28.37
7/6	17.33	42.59	37.96	41.52	38.14	0	25.4	40.7	3	35	28.37
7/7	30.37	43.31	39.57	42.41	38.14	0	25.4	39.36	3	35	28.37
7/8	30.55	43.31	39.57	42.67	38.14	0	3	39.36	3	35	28.37
7/9	30.55	43.55	39.57	42.65	38.14	0	3	25.2	3	35	28.43
7/10	30.55	43.55	39.57	42.65	38.14	0		25.2	3	35	30.88
7/11	30.55	43.55	38.61	41.04	35.92	0		25.2	3	35	30.88
7/12	30.55	42.83	38.61	41.04	35.92	0	0	25.2	3	35	30.88
7/13	30.55	42.83	37	41.04	35.92	0	0	25.2	3	35	30.94
7/14	37.81	42.83	37	41.04	25.4	0	0	25.2	3	35	30.94
7/15	37.81	42.83	37	40.8	25.4	0	0	25.2	0	35	30.94
7/16	24.61	42.59	37	40.8	25.4	0	0	0	0	35	30.94
7/17	24.61	42.59	40	40.8	25.4	0	0	0	0	35	30.94
7/18	32.51	42.59	41.21	41.52	25.4	0	0	0	0	35	30.94
7/19	32.51	32.51	41.21	41.52	25.4	0		0	0	35	30.94
7/20	32.51	32.51	41.96	45.8	25.4	0		0	0	35	30.94
7/21	43.37	31.79	41.96	32.87	25.4	0		0	0	35	30.94
7/22	43.37	31.79	41.96	32.87	25.4	0		0	0	35	30.94
7/23	31.79	28.64	41.72	35.87	25.4	0		0	0	35	28.43
7/24	31.79	28.64	38.96	35.87	25.4	0		0	0	35	28.37
7/25	31.79	39.44	27.45	35.87	25.4	0		0	0	47	28.37
7/26	32.53	39.44	27.45	37.48	25.4	0	0	0	0	47	28.37
7/27	32.53	39.44	27.45	37.48	25.4	0	0	0	0	47	29.51
7/28	37.48	39.44	39.69	17.36		0	0	0	0	47	29.51
7/29	37.48	39.44	39.93	18.97		0		0	0	47	29.51
7/30	37.48	39.44	39.69	18.97	0	0		0	0	47	29.57
7/31	37.48	37.92	39.69	18.97	0	0		0	0	47	37.7
8/1	37.48	38.16	39.69	18.97	0	0		0	0	47	39.15
8/2	37.48	38.16	39.69	18.97	0	0		0	0	47	42.07
8/3	37.48	38.16	39.69	18.97	0	0		0	0	47	37.76
8/4	36.13	33.55	41.24	18.97	0	0		0	0	47	42.07
8/5	36.13	32.83	41.72	15.36	0	0	0	0	0	47	42.07
8/6	18.83	32.83	41.72	18.97	0	0	0	0	0	47	39.32
8/7	18.83	37.68	41.72	18.97	0	0	0	0	0	47	39.32
8/8	18.97	37.68	41.72	18.97	0	0	0	0	0	0	18.56
8/9	18.97	37.7	41.72	18.97	0	0	0	0	0	0	18.56
8/10	18.97	37.68	41	18.97	0	0	0	0	0	0	18.56
8/11	18.97	42.83	41	18.95	0		0	0	0	0	24.97
8/12	18.97	42.83	41.24	18.79	0		0	0	0	19.88	24.97
8/13	18.97	42.83	42.61	18.79	0		0	0	0	19.88	24.97
8/14	18.97	38.22	42.61	18.79	0		0	0	0	19.88	24.97
8/15	18.97	37.98	42.61	15.18	0		0	0	0	26.29	24.97

West Hyland Daily Decree Diversions 1996-2006 (in Cubic Feet per Second)

(Source: US Federal Watermaster Daily Records Digitized by Desert Research Institute 2010-01-08)

	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
8/16	18.97	37.98	42.61	15.18	0		0	0	0	26	3
8/17	18.97	37.98	42.61	15.18	0	0	0	0	0	26	3
8/18	18.97	38.7	42.61	15.18	0	0	0	0	0	26	3
8/19	18.97	38.7	42.85	18.98	0	0	0	0	0	20	3
8/20	18.97	32.76	42.85	18.98	0	0	0	0	0	20	3
8/21	18.97	32.76	42.61	18.98	0	0	0	0	0	20	3
8/22	18.97	31.28	42.61	18.98	0	0	0	0	0	3	3
8/23	18.97	21.77	42.61	18.98	0	0	0	0	0	3	3
8/24	18.97	21.77	37.87	0	0	0	0	0	0	3	3
8/25	18.97	21.77	37.87	0	0	0	0	0	0	3	3
8/26	18.97	21.77	34.87	0	0	0	0	0	0	3	3
8/27	18.97	21.77	34.87	0	0	0	0	0	0	3	3
8/28	18.97	25.38	34.87	0	0	0	0	0	0	3	3
8/29	18.97	25.38	33.85	0	0	0	0	0	0	3	3
8/30	18.97	25.38	33.85	0	0	0	0	0	0	3	3
8/31	18.97	25.38	36.85	0	0	0	0	0	0	3	3
9/1	18.97	25.38	36.85	0	0	0	0	0	0	3	3
9/2	18.97	25.38	36.85	0	0	0	0	0	0	3	3
9/3	18.97	25.38	36.85	0	0	0	0	0	0	3	3
9/4	0	25.38	36.85	0	0		0	0	0	3	3
9/5	0	25.38	36.85	0	0		0	0	0	3	3
9/6	0	25.38	36.85	0			0	0	0	3	24.07
9/7	0	25.38	36.85		0		0	0	0	3	24.07
9/8	0	25.38	36.85	0	0	0	0	0	0	3	24.07
9/9	0	25.38	36.85	0	0	0	0	0	0	3	24.07
9/10	0	25.38	36.85		0		0		0	3	17.66
9/11	0	25.38	36.85		0		0		0	3	17.66
9/12	0	25.38	36.85	0	0	0	0		0	3	17.66
9/13	0	25.38	36.85	0	0	0	0		0	3	17.66
9/14	0	25.38	36.85	0	0		0		0	3	17.66
9/15	0	18.02	36.85	0	0		0			3	17.66
9/16	0	18.02	27.2	0	0		0			3	17.66
9/17	0	18.02	27	0	0	0	0			3	24.07
9/18	0	18.02	27.2	0	0	0	0			3	24.07
9/19		19.02	32.2	0	0	0				3	24.07
9/20		19.02	32.2	0	0	0	0			3	24.07
9/21		19.02	36	0	0	0	0			3	19.66
9/22	8.29	19.02	32.2	0	0	0	0	0		3	19.66
9/23	8.29	19.02	31.61	0	0	0	0	0	0	3	19.66
9/24	8.29	19.02	31.61		0	0	0	0		23	19.66
9/25	8.29	19.02	14.61		0	0	0	0		23	19.66
9/26	12.9	19.02	12	0	0	0	0	0		23	19.66
9/27	12.9	21.9	12	0	0		0	0		23	19.66
9/28	12.9	21.9	20		0			0		23	19.66
9/29	4.61	20.26	20	9.65	0					23	19.66
9/30	10	20.26	20	28	0			0	0	23	19.66
10/1	10	20.26	20	28	0	0		0	0	16	19.66
10/2	4.62	21.41	12	28	0	0		0		16	19.66
10/3	4.62	21.41	12	28	0	0				16	19.66
10/4	18.9	12	28		0					16	19.66
10/5	18.9	12	28		0					16	19.66
10/6	31.9	12	28		0					16	18.55
10/7	32.14	12	28		0					16	18.55
10/8	32.14	12	28		0					23	18.55
10/9	10	21.14	20	28						23	18.55
10/10	10	21.14	20	22						16	18.55

West Hyland Daily Decree Diversions 1996-2006 (in Cubic Feet per Second)

(Source: US Federal Watermaster Daily Records Digitized by Desert Research Institute 2010-01-08)

	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006
10/11	10	21.14	20	22						16	18.55
10/12	10	21.14	20	22						16	25.14
10/13	10	18.53	20	22						16	25.14
10/14	10	18.29	12	22						16	25.14
10/15	10	18.29	32	22		0				16	31.37
10/16	10	18.29	32	22		0				16	31.37
10/17	10	20.29	23.05	14		0				19	31.37
10/18		20.29	23.05	14						27	31.37
10/19		20.29	20	20						27	31.37
10/20		20.29	20	20						27	31.37
10/21		20.29	20	20						27	31.37
10/22		22	25	20						18	36.37
10/23	10	22	32	20						18	36.37
10/24	10	12	32	20						27	36.37
10/25	10	12	32	20						27	36.37
10/26	10	12	32	20						27	36.37
10/27	1.5	12	32	20.24						27	36.37
10/28	1.5	12	32	20.24					0	27	36.37
10/29	1.5	12	32	20.24					0	27	36.37
10/30		12	32	20.24					0	27	36.37
10/31		12							0	19	