

Appendix B. Hydrographs and Tables of Daily Mean Discharge and Water Temperature for Continual-Recording Streamflow Gages from October 1, 2002, to September 30, 2004, Great Basin National Park Area, Nevada

This page left intentionally blank




Figure B1. Daily mean discharge and water temperature for (A) Strawberry Creek, (B) Shingle Creek, (C) Lehman Creek, (D) Rowland Spring, (E) Baker Creek, (F) Snake Creek above pipeline, (G) Snake Creek at park boundary, (H) Snake Creek below Spring Creek, (I) Snake Creek at State line, (J) South Fork Big Wash, and (K) Williams Canyon, Great Basin National Park area, Nevada, October 1, 2002–September 30, 2004.




Figure B1. Continued.




Figure B1. Continued.




Figure B1. Continued.




Figure B1. Continued.




Figure B1. Continued.

Table B1. Daily mean discharge values for the continual-recording gage Strawberry Creek above Great Basin National Park boundary near Baker, Nevada (gage station 10243280).

[2003 water year is defined as beginning on October 1, 2002 and ending September 30, 2003. Abbreviation: e, estimate. Symbol: –, data not collected at this site on this day]

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
Discharge, in cubic feet per second, mean values												
Water year 2003												
1	e0.40	e0.56	e0.55	e0.52	e0.50	e0.43	0.65	0.77	4.2	0.83	0.28	0.34
2	e0.39	e0.58	e0.54	e0.52	e0.46	e0.48	0.67	0.75	4.0	0.79	0.28	0.38
3	e0.38	e0.56	e0.53	e0.51	e0.44	e0.46	0.66	0.76	3.7	0.75	0.25	0.35
4	e0.37	e0.55	e0.54	e0.51	e0.44	e0.48	0.68	0.76	3.5	0.67	0.25	0.33
5	e0.37	e0.55	e0.54	e0.50	e0.45	e0.50	0.63	0.73	3.3	0.59	0.22	0.34
6	e0.37	e0.55	e0.55	e0.51	e0.47	0.51	0.63	0.77	3.1	0.54	0.22	0.34
7	e0.38	e0.54	e0.55	e0.52	e0.47	0.52	0.62	0.85	2.9	0.51	0.20	0.31
8	e0.39	e0.56	e0.54	0.50	e0.45	0.52	0.66	0.82	2.6	0.47	e0.28	0.30
9	e0.40	e0.68	e0.53	0.50	e0.43	0.54	0.70	0.93	2.5	0.46	e0.28	0.32
10	e0.42	e0.62	e0.52	0.51	e0.42	0.57	0.70	0.93	2.4	0.44	e0.27	0.34
11	e0.44	e0.58	e0.52	0.50	e0.42	0.63	0.69	1.1	2.3	0.40	e0.27	0.34
12	e0.46	e0.56	e0.51	0.49	e0.42	0.67	0.71	1.1	2.2	0.38	e0.26	0.32
13	e0.48	e0.55	e0.51	0.49	e0.44	0.76	0.73	1.1	2.1	0.36	e0.26	0.32
14	e0.49	e0.54	e0.50	0.49	e0.43	0.81	0.73	1.1	2.1	0.35	e0.25	0.33
15	e0.50	e0.53	e0.50	0.48	e0.42	0.82	0.77	1.1	1.9	0.33	e0.33	0.31
16	e0.50	e0.54	e0.50	e0.48	e0.42	0.84	0.78	1.2	1.9	0.32	0.51	0.30
17	e0.51	e0.55	e0.49	e0.48	e0.41	0.75	0.77	1.2	1.8	0.33	0.40	0.26
18	e0.52	e0.56	e0.49	e0.47	e0.40	0.69	0.77	1.2	1.7	0.32	0.36	0.27
19	e0.52	e0.56	e0.48	e0.47	e0.40	0.68	0.82	1.2	1.6	0.33	0.34	0.27
20	e0.52	e0.55	e0.48	e0.47	e0.40	0.66	0.84	1.1	1.6	0.35	0.34	0.25
21	e0.53	e0.54	e0.49	e0.47	e0.41	0.66	0.86	1.1	1.6	0.32	0.35	0.23
22	e0.54	e0.54	e0.49	e0.46	e0.41	0.69	0.84	1.1	1.5	0.29	0.43	0.23
23	e0.54	e0.55	e0.51	e0.46	e0.42	0.72	0.84	1.2	1.6	0.36	0.39	0.21
24	e0.55	e0.56	e0.52	e0.46	e0.44	0.72	0.82	1.3	1.6	0.29	0.36	0.21
25	e0.55	e0.57	e0.53	e0.46	e0.48	0.68	0.82	1.5	1.4	0.30	0.35	0.21
26	e0.55	e0.57	e0.53	e0.45	e0.46	0.69	0.77	1.7	1.3	0.29	0.34	0.21
27	e0.55	e0.56	e0.52	e0.45	e0.44	0.69	0.74	2.0	1.2	0.27	0.33	0.21
28	e0.54	e0.55	e0.51	e0.45	e0.43	0.66	0.71	2.6	1.1	0.25	0.32	0.21
29	e0.54	e0.56	e0.50	e0.45	–	0.69	0.71	3.4	1.0	0.24	0.34	0.20
30	e0.53	e0.56	e0.51	e0.45	–	0.66	0.81	3.9	0.9	0.22	0.35	0.22
31	e0.53	–	e0.52	e0.46	–	0.66	–	4.4	–	0.25	0.33	–
Total	14.76	16.83	16.00	14.94	12.18	19.84	22.13	43.67	64.56	12.6	9.74	8.46
Mean	0.48	0.56	0.52	0.48	0.43	0.64	0.74	1.41	2.15	0.41	0.31	0.28
Maximum	0.55	0.68	0.55	0.52	0.50	0.84	0.86	4.4	4.2	0.83	0.51	0.38
Minimum	0.37	0.53	0.48	0.45	0.40	0.43	0.62	0.73	0.89	0.22	0.20	0.20
Acre-foot	29	33	32	30	24	39	44	87	128	25	19	17

74 Surface-Water Resources in the Great Basin National Park Area, White Pine County, Nevada

Table B1. Daily mean discharge values for the continual-recording gage Strawberry Creek above Great Basin National Park boundary near Baker, Nevada (gage station 10243280).—Continued

[2004 water year is defined as beginning on October 1, 2003 and ending September 30, 2004. Abbreviation: e, estimate. Symbol: —, data not collected at this site on this day]

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
Discharge, in cubic feet per second, mean values												
Water year 2004												
1	0.23	e0.38	e0.39	e0.40	e0.42	e0.44	0.73	0.79	0.49	0.39	0.20	0.12
2	0.26	e0.39	e0.39	e0.39	e0.39	e0.45	1.00	0.78	0.50	0.36	0.25	0.12
3	0.28	e0.38	e0.39	e0.39	e0.38	e0.46	1.4	0.78	0.50	0.34	0.21	0.40
4	0.29	e0.39	e0.40	e0.39	e0.38	0.52	1.1	0.78	0.50	0.32	0.17	0.31
5	0.28	e0.39	e0.40	e0.38	e0.38	0.51	1.0	0.77	0.50	0.31	0.16	0.27
6	0.29	e0.38	e0.41	e0.38	e0.37	0.55	1.2	0.75	0.50	0.30	0.15	0.24
7	0.28	e0.38	e0.41	e0.39	e0.37	0.56	1.3	0.74	0.55	0.26	0.14	0.22
8	0.28	e0.38	e0.41	e0.40	e0.36	0.60	1.4	0.76	0.59	0.24	0.14	0.20
9	0.29	e0.39	e0.40	e0.40	e0.36	0.64	1.2	0.76	0.63	0.25	0.12	0.19
10	0.30	e0.39	e0.40	e0.41	e0.36	0.65	1.1	0.73	0.80	0.23	0.11	0.19
11	0.33	e0.40	e0.40	e0.41	e0.35	0.63	1.1	0.79	0.76	0.20	0.10	0.19
12	0.33	e0.41	e0.39	e0.40	e0.35	0.64	1.0	0.85	0.68	0.19	0.09	0.18
13	0.33	e0.43	e0.39	e0.40	e0.35	0.66	1.0	0.84	0.61	0.19	0.10	0.18
14	0.34	e0.41	e0.39	e0.40	e0.35	0.70	0.99	0.78	0.58	0.19	0.13	0.19
15	0.34	e0.40	e0.40	e0.40	e0.35	0.71	0.95	0.72	0.52	0.38	0.16	0.21
16	0.34	e0.40	e0.40	e0.39	e0.36	0.70	0.92	0.69	0.52	0.36	0.19	0.21
17	0.34	e0.39	e0.41	e0.39	e0.36	0.71	0.92	0.68	0.75	0.62	0.21	0.19
18	0.35	e0.39	e0.41	e0.40	e0.36	0.75	0.91	0.66	0.76	0.44	0.20	0.17
19	0.35	e0.40	e0.41	e0.40	e0.36	0.89	0.86	0.67	0.62	0.34	0.19	0.20
20	0.35	e0.40	e0.41	e0.39	e0.37	0.91	0.82	0.67	0.60	0.38	0.17	0.26
21	0.35	e0.40	e0.40	e0.39	e0.37	0.91	0.85	0.66	0.58	0.35	0.17	0.28
22	0.36	e0.41	e0.39	e0.39	e0.37	0.92	0.83	0.69	0.55	0.30	0.16	0.28
23	0.35	e0.47	e0.38	e0.42	e0.38	0.96	0.83	0.68	0.54	0.30	0.17	0.28
24	0.35	e0.43	e0.38	e0.40	e0.38	0.92	0.80	0.71	0.53	0.27	0.20	0.26
25	0.36	e0.42	e0.39	e0.39	e0.38	0.84	0.77	0.70	0.51	0.24	0.16	0.25
26	0.37	e0.41	e0.40	e0.39	e0.39	0.86	0.76	0.68	0.48	0.21	0.16	0.24
27	0.37	e0.41	e0.40	e0.39	e0.42	0.74	0.78	0.61	0.49	0.23	0.17	0.22
28	0.38	e0.40	e0.44	e0.38	e0.47	0.69	0.78	0.59	0.50	0.22	0.17	0.25
29	0.37	e0.40	e0.42	e0.38	e0.45	0.68	0.81	0.59	0.49	0.19	0.15	0.30
30	e0.38	e0.40	e0.41	e0.37	—	0.68	0.81	0.56	0.42	0.17	0.14	0.30
31	e0.38	—	e0.40	e0.38	—	0.70	—	0.50	—	0.16	0.14	—
Total	10.20	12.03	12.42	12.19	10.94	21.58	28.92	21.96	17.05	8.93	4.98	6.90
Mean	0.33	0.40	0.40	0.39	0.38	0.70	0.96	0.71	0.57	0.29	0.16	0.23
Maximum	0.38	0.47	0.44	0.42	0.47	0.96	1.4	0.85	0.80	0.62	0.25	0.40
Minimum	0.23	0.38	0.38	0.37	0.35	0.44	0.73	0.50	0.42	0.16	0.09	0.12
Acre-foot	20	24	25	24	22	43	57	44	34	18	9.9	14

Table B2. Daily mean discharge values for the continual-recording gage Shingle Creek near Great Basin National Park boundary near Osceola, Nevada (gage station 10243640).

[2003 water year is defined as beginning on October 1, 2002 and ending September 30, 2003. Abbreviation: e, estimate. Symbol: —, data not collected at this site on this day]

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
Discharge, in cubic feet per second, mean values												
Water year 2003												
1	0.75	e0.84	0.85	0.69	e0.68	e0.59	e0.67	1.0	3.1	1.2	0.89	0.66
2	0.77	e0.81	0.84	0.70	e0.67	e0.59	e0.68	1.0	3.1	1.2	0.88	0.68
3	0.77	e0.79	0.82	0.71	e0.67	e0.59	e0.69	1.0	3.1	1.1	0.86	0.67
4	0.76	e0.80	0.82	0.71	e0.66	e0.60	e0.70	0.97	2.9	1.1	0.78	0.67
5	0.76	e0.81	0.81	0.69	e0.66	e0.59	e0.72	0.96	2.8	1.1	0.75	0.72
6	0.75	e0.80	0.82	0.70	e0.65	e0.59	e0.73	0.98	2.6	1.1	0.75	0.71
7	0.74	e0.84	0.82	0.69	e0.65	e0.60	e0.74	1.0	2.5	1.1	0.73	0.69
8	0.72	e0.88	0.81	0.69	e0.64	e0.62	e0.76	1.1	2.4	1.1	0.73	0.71
9	0.71	e0.84	0.79	0.70	e0.64	e0.64	e0.79	1.1	2.3	1.1	0.72	0.74
10	0.70	e0.81	0.81	0.71	e0.63	e0.68	e0.81	1.1	2.2	1.0	0.72	0.76
11	0.70	e0.80	0.78	0.70	e0.63	e0.69	e0.82	1.1	2.1	0.98	0.71	0.75
12	0.74	e0.81	0.80	0.69	e0.62	e0.70	e0.81	1.2	2.0	0.96	0.71	0.74
13	0.74	e0.80	0.75	0.70	e0.61	e0.71	e0.83	1.4	1.9	0.96	0.70	0.73
14	0.73	e0.80	0.75	0.69	e0.61	e0.72	e0.86	1.4	1.9	0.96	0.70	0.75
15	0.72	0.80	0.75	0.69	e0.60	e0.72	e0.88	1.4	1.8	0.93	0.70	0.73
16	0.73	0.80	0.75	0.69	e0.60	e0.71	e0.90	1.4	1.8	0.93	0.78	0.70
17	0.74	0.80	0.77	0.69	e0.60	e0.70	e0.90	1.5	1.7	0.94	0.75	0.72
18	0.74	0.79	0.75	0.69	e0.59	e0.69	e0.91	1.4	1.6	0.97	0.70	0.74
19	0.74	0.80	0.73	0.69	e0.59	e0.68	e0.94	1.4	1.5	0.94	0.69	0.74
20	0.75	0.82	0.75	0.69	e0.59	e0.67	0.96	1.5	1.5	0.92	0.71	0.73
21	0.76	0.81	0.75	0.69	e0.58	e0.68	0.96	1.6	1.5	0.92	0.72	0.73
22	0.77	0.80	0.74	0.69	e0.58	e0.69	0.97	1.8	1.5	0.91	0.81	0.68
23	0.79	0.80	0.75	0.69	e0.58	e0.70	0.98	2.0	1.5	0.86	0.76	0.66
24	0.79	0.80	0.75	0.69	e0.59	e0.70	1.0	2.1	1.6	0.84	0.75	0.66
25	0.79	0.79	0.75	0.69	e0.60	e0.69	e1.0	2.2	1.5	0.87	0.71	0.64
26	e0.81	0.84	0.75	0.69	e0.59	e0.69	e1.0	2.2	1.4	0.86	0.72	0.61
27	e0.80	0.81	0.73	0.69	e0.58	e0.69	e1.0	2.4	1.4	0.83	0.69	0.62
28	e0.80	0.81	0.74	0.70	e0.58	e0.68	e1.0	2.6	1.4	0.81	0.65	0.64
29	e0.80	0.81	0.74	e0.69	—	e0.68	1.0	2.8	1.3	0.81	0.72	0.64
30	e0.80	0.83	0.71	e0.68	—	e0.67	1.0	3.0	1.2	0.81	0.67	0.66
31	e0.80	—	0.72	e0.68	—	e0.66	—	3.2	—	0.86	0.65	—
Total	23.47	24.34	23.90	21.49	17.27	20.61	26.01	49.81	59.1	29.97	22.81	20.88
Mean	0.76	0.81	0.77	0.69	0.62	0.66	0.87	1.61	1.97	0.97	0.74	0.70
Maximum	0.81	0.88	0.85	0.71	0.68	0.72	1.0	3.2	3.1	1.2	0.89	0.76
Minimum	0.70	0.79	0.71	0.68	0.58	0.59	0.67	0.96	1.2	0.81	0.65	0.61
Acre-foot	47	48	47	43	34	41	52	99	117	59	45	41

76 Surface-Water Resources in the Great Basin National Park Area, White Pine County, Nevada

Table B2. Daily mean discharge values for the continual-recording gage Shingle Creek near Great Basin National Park boundary near Osceola, Nevada (gage station 10243640).—Continued

[2004 water year is defined as beginning on October 1, 2003 and ending September 30, 2004. Abbreviation: e, estimate. Symbol: —, data not collected at this site on this day]

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
Discharge, in cubic feet per second, mean values												
Water year 2004												
1	0.67	e0.70	e0.64	0.54	0.47	0.45	0.80	0.94	e1.2	e0.84	0.78	0.54
2	0.70	e0.71	e0.63	0.55	0.49	0.47	1.1	0.98	e1.3	e0.83	0.80	0.55
3	0.71	e0.71	e0.63	0.52	0.51	0.47	1.3	1.1	e1.4	e0.82	0.75	0.75
4	0.68	e0.71	e0.62	0.52	0.52	0.48	1.1	1.1	e1.5	e0.81	0.72	0.63
5	0.68	e0.72	e0.62	0.52	0.48	0.48	1.0	1.2	e1.5	e0.80	0.71	0.58
6	0.68	e0.71	e0.61	0.53	0.46	0.47	1.1	1.2	e1.6	e0.79	0.66	0.57
7	0.69	e0.71	e0.61	0.54	0.47	0.49	1.2	1.2	e1.6	e0.78	0.64	0.57
8	0.69	e0.70	e0.62	0.53	0.46	0.53	1.3	1.3	e1.6	e0.78	0.63	0.55
9	0.70	e0.70	e0.62	0.53	0.45	0.57	1.2	1.4	e1.5	e0.77	0.62	0.55
10	0.71	e0.69	e0.61	0.53	0.45	0.57	1.1	1.4	e1.5	e0.77	0.63	0.55
11	0.73	e0.69	e0.60	0.53	0.45	0.57	1.0	1.5	e1.3	e0.76	0.63	0.60
12	0.72	e0.70	e0.59	0.53	0.45	0.58	1.0	1.5	e1.2	e0.75	0.62	0.57
13	0.72	e0.70	e0.59	0.53	0.46	0.60	0.98	1.4	e1.1	e0.75	0.63	0.55
14	0.73	e0.69	e0.58	0.54	0.48	0.60	0.97	1.4	e1.1	e0.74	0.62	0.55
15	0.73	e0.69	e0.58	0.53	0.45	0.60	0.93	e1.4	e1.1	e0.76	0.67	0.55
16	0.73	e0.68	e0.57	0.53	0.45	0.66	0.90	e1.4	e1.2	0.74	0.66	0.61
17	0.68	e0.68	e0.57	0.53	0.47	0.76	0.90	e1.3	e1.2	0.78	0.70	0.59
18	0.68	e0.67	e0.57	0.53	0.48	0.80	0.90	e1.3	e1.1	0.76	0.68	0.57
19	0.68	e0.68	e0.56	0.52	0.48	0.91	0.86	e1.3	e1.0	0.77	0.66	0.57
20	0.68	e0.68	e0.56	0.52	0.45	0.97	0.84	e1.3	e1.0	0.80	0.64	0.63
21	0.68	e0.67	e0.56	0.50	0.46	1.0	0.83	e1.3	e0.98	0.77	0.67	0.65
22	0.68	e0.66	e0.55	0.49	0.47	1.1	0.83	e1.3	e0.96	0.76	0.64	0.64
23	e0.67	e0.66	e0.55	0.52	0.48	1.1	0.81	e1.4	e0.94	0.78	0.62	0.63
24	e0.68	e0.65	e0.55	0.52	0.46	1.0	0.80	1.3	e0.92	0.78	0.65	0.59
25	e0.68	e0.66	e0.54	0.51	0.47	0.96	0.81	1.3	e0.91	0.76	0.61	0.59
26	e0.68	e0.65	e0.54	0.49	0.50	0.90	0.85	1.3	e0.90	0.76	0.58	0.58
27	e0.67	e0.64	e0.56	0.52	0.48	0.81	0.90	1.2	e0.88	0.78	0.59	0.57
28	e0.68	e0.65	e0.54	0.50	0.46	0.76	0.94	1.2	e0.87	0.75	0.58	0.61
29	e0.68	e0.66	e0.53	0.50	0.46	0.75	1.0	1.2	e0.86	0.73	0.56	0.60
30	e0.69	e0.65	e0.54	0.51	—	0.73	0.99	1.2	e0.85	0.72	0.55	0.60
31	e0.70	—	0.54	0.52	—	0.79	—	e1.2	—	0.71	0.55	—
Total	21.48	20.47	17.98	16.18	13.62	21.93	29.24	39.52	35.07	23.90	20.05	17.69
Mean	0.69	0.68	0.58	0.52	0.47	0.71	0.97	1.27	1.17	0.77	0.65	0.59
Maximum	0.73	0.72	0.64	0.55	0.52	1.1	1.3	1.5	1.6	0.84	0.80	0.75
Minimum	0.67	0.64	0.53	0.49	0.45	0.45	0.80	0.94	0.85	0.71	0.55	0.54
Acre-foot	43	41	36	32	27	43	58	78	70	47	40	35

Table B3. Daily mean discharge values for the continual-recording gage Lehman Creek near Baker, Nevada (gage station 10243260).

[2003 water year is defined as beginning on October 1, 2002 and ending September 30, 2003. Abbreviation: e, estimate. Symbol: –, data not collected at this site on this day]

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
Discharge, in cubic feet per second, mean values												
Water year 2003												
1	2.7	e1.8	1.4	0.92	1.0	e0.95	1.2	1.6	24	e11	5.4	4.8
2	2.7	e1.8	1.3	0.92	1.1	e0.95	1.2	1.6	23	e10	5.2	5.4
3	2.8	e1.8	e1.3	0.96	e1.0	e0.95	1.2	1.6	23	10	5.2	5.3
4	2.8	e1.8	e1.3	0.93	e1.0	e0.95	1.4	1.6	23	9.8	5.1	5.3
5	2.6	1.8	e1.3	0.92	e0.90	e0.95	1.2	1.5	22	9.3	5.0	5.4
6	2.4	1.6	e1.2	0.90	e0.90	e0.95	1.1	1.5	21	9.4	4.9	5.2
7	2.8	1.5	e1.2	0.93	e0.95	e0.95	1.1	1.6	21	9.1	4.8	4.9
8	2.5	1.8	e1.2	0.99	e0.95	e0.95	1.2	1.6	21	8.7	4.7	4.9
9	2.4	e1.7	e1.2	0.96	e0.95	1.0	1.2	1.6	20	8.4	4.6	5.0
10	2.3	e1.7	e1.1	0.96	e0.95	1.1	1.2	1.6	20	8.4	4.5	5.0
11	2.2	1.7	e1.1	0.96	e0.95	1.2	1.2	1.6	21	7.9	4.4	4.9
12	2.1	1.7	e1.1	0.96	e0.95	1.2	1.3	1.6	20	7.3	4.3	4.8
13	2.1	1.8	e1.1	0.96	e0.95	1.2	1.3	1.7	19	7.1	4.5	4.8
14	2.1	1.7	e1.0	0.96	e0.95	1.3	1.3	1.9	18	6.8	4.4	e4.6
15	2.1	1.7	1.0	0.96	0.95	1.3	1.4	2.2	18	6.4	4.3	4.3
16	2.0	1.7	e1.1	e1.0	0.96	1.3	1.3	2.8	17	6.1	4.8	4.2
17	2.0	1.7	e1.1	e1.0	0.95	1.3	1.3	3.4	17	6.3	4.6	4.2
18	1.9	1.8	e1.1	e1.0	e0.95	1.2	1.3	3.3	16	6.1	4.4	4.2
19	1.9	1.7	e1.1	e1.0	e0.95	1.2	1.4	3.5	16	5.8	4.4	4.3
20	1.9	1.6	e1.1	e1.0	e0.95	1.2	1.3	3.6	15	5.6	4.5	4.3
21	1.9	1.6	e1.1	1.0	e0.95	1.2	1.4	4.0	15	5.8	4.6	4.1
22	1.8	1.6	e1.1	0.99	e0.95	1.2	1.3	5.0	14	6.2	5.2	3.9
23	1.8	1.6	e1.1	0.99	e0.95	1.2	1.4	6.0	14	6.1	4.9	3.7
24	1.8	1.6	e1.1	0.99	e0.95	1.2	1.3	7.1	14	6.0	4.9	3.6
25	1.8	e1.6	e1.1	0.99	e0.95	1.2	1.4	8.4	13	6.0	4.8	3.5
26	1.9	e1.5	e1.1	1.0	e0.95	1.2	1.4	10	13	5.9	4.9	3.5
27	1.8	e1.5	e1.1	1.0	e0.95	1.2	1.5	9.1	12	5.7	4.9	3.3
28	1.8	1.4	1.1	1.0	e0.95	1.1	1.4	12	12	5.3	4.8	3.2
29	1.7	e1.5	0.93	1.0	–	1.2	1.5	15	11	5.3	4.7	3.1
30	1.6	e1.5	0.92	1.0	–	1.1	1.7	20	e11	5.3	4.8	3.1
31	e1.7	–	0.94	1.0	–	1.1	–	24	–	5.5	4.7	–
Total	65.9	49.8	34.89	30.15	26.81	35	39.4	162	524	222.6	147.2	130.8
Mean	2.13	1.66	1.13	0.97	0.96	1.13	1.31	5.23	17.5	7.18	4.75	4.36
Maximum	2.8	1.8	1.4	1.0	1.1	1.3	1.7	24	24	11	5.4	5.4
Minimum	1.6	1.4	0.92	0.90	0.90	0.95	1.1	1.5	11	5.3	4.3	3.1
Acre-foot	131	99	69	60	53	69	78	321	1,040	442	292	259

78 Surface-Water Resources in the Great Basin National Park Area, White Pine County, Nevada

Table B3. Daily mean discharge values for the continual-recording gage Lehman Creek near Baker, Nevada (gage station 10243260).—Continued

[2004 water year is defined as beginning on October 1, 2003 and ending September 30, 2004. Abbreviation: e, estimate. Symbol: —, data not collected at this site on this day]

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
Discharge, in cubic feet per second, mean values												
Water year 2004												
1	3.1	2.2	1.8	e1.6	1.5	e1.1	1.5	3.0	8.8	8.0	5.0	3.1
2	3.1	2.1	1.8	e1.6	e1.2	e1.1	1.9	3.5	9.1	8.0	5.2	3.1
3	3.1	2.2	1.8	e1.5	e1.2	1.1	2.5	4.2	9.5	8.0	4.9	3.7
4	3.0	2.1	1.8	e1.5	e1.2	1.0	2.1	5.1	11.0	7.8	4.9	3.3
5	2.8	2.2	1.8	e1.5	e1.2	1.1	2.0	6.8	9.9	7.7	5.1	3.3
6	2.8	2.2	1.8	e1.4	e1.2	1.1	2.1	7.0	9.7	7.7	4.9	3.1
7	2.7	2.1	1.7	e1.4	e1.2	1.1	2.2	7.3	9.6	7.6	4.9	3.0
8	2.6	2.0	1.7	e1.4	e1.2	1.1	2.2	7.7	8.5	7.5	4.9	3.0
9	2.6	2.0	e1.7	e1.4	e1.2	1.1	2.1	8.0	7.9	7.4	4.7	3.0
10	2.6	2.0	e1.7	e1.5	e1.3	1.2	2.0	8.2	8.9	7.2	4.7	3.0
11	2.6	1.9	e1.7	e1.5	e1.3	1.1	1.9	8.2	8.6	7.3	4.6	3.0
12	2.6	1.9	e1.7	1.6	e1.3	1.2	1.8	8.2	8.4	7.1	4.6	3.0
13	2.5	2.0	e1.7	1.5	e1.3	1.2	1.8	8.0	8.0	7.0	4.5	2.9
14	2.5	1.9	e1.6	1.5	e1.3	1.3	1.9	7.8	7.5	7.1	4.0	2.8
15	2.5	1.9	e1.6	1.5	e1.3	1.3	1.9	7.6	7.3	7.4	4.0	2.8
16	2.4	1.9	e1.6	1.5	e1.3	1.3	1.8	7.5	7.0	7.2	3.7	2.7
17	2.3	1.9	e1.6	e1.5	1.4	1.3	1.8	7.5	7.1	6.9	3.8	2.7
18	2.4	1.9	e1.6	e1.5	1.2	1.3	1.9	7.7	6.7	6.6	4.1	2.7
19	2.3	1.9	e1.6	e1.5	1.1	1.4	1.8	8.0	6.5	6.7	4.2	2.8
20	2.3	1.9	1.8	1.5	1.0	1.4	1.7	8.1	6.2	6.7	4.1	2.9
21	2.4	1.9	1.6	1.5	1.1	1.5	1.7	8.2	6.1	6.7	4.1	2.8
22	2.1	2.1	1.6	e1.5	1.1	1.5	1.7	8.5	6.1	7.3	3.9	2.8
23	2.1	e1.8	e1.6	e1.6	1.2	1.5	1.7	8.4	5.8	6.6	4.0	2.6
24	2.1	e1.8	1.6	e1.6	1.2	1.5	1.6	8.7	6.1	6.2	3.8	2.5
25	2.1	e1.8	1.8	1.6	1.2	1.5	1.6	8.8	6.7	6.1	3.7	2.4
26	2.1	e1.8	e1.7	e1.6	1.2	1.5	1.8	8.6	6.8	5.9	3.7	2.4
27	2.1	1.9	e1.6	e1.6	1.3	1.3	2.1	8.7	7.4	5.8	3.6	2.3
28	2.1	1.9	e1.6	e1.7	e1.2	1.3	2.6	8.6	7.7	5.6	3.5	2.4
29	2.1	2.0	e1.6	1.7	e1.2	1.2	2.9	8.8	8.1	5.8	3.3	2.4
30	2.0	1.9	e1.7	1.7	—	1.2	2.9	8.6	8.2	6.2	3.3	2.4
31	2.1	—	e1.7	1.6	—	1.3	—	8.4	—	5.6	3.2	—
Total	76.1	59.1	52.2	47.6	35.6	39.1	59.5	233.7	235.2	214.7	130.9	84.9
Mean	2.45	1.97	1.68	1.54	1.23	1.26	1.98	7.54	7.84	6.93	4.22	2.83
Maximum	3.1	2.2	1.8	1.7	1.5	1.5	2.9	8.8	11	8.0	5.2	3.7
Minimum	2.0	1.8	1.6	1.4	1.0	1.0	1.5	3.0	5.8	5.6	3.2	2.3
Acre-foot	151	117	104	94	71	78	118	464	467	426	260	168

Table B4. Daily mean discharge values for the continual-recording gage Rowland Spring at Great Basin National Park boundary near Baker, Nevada (gage station 10243265).

[2003 water year is defined as beginning on October 1, 2002 and ending September 30, 2003. Abbreviation: e, estimate. Symbol: —, data not collected at this site on this day]

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
Discharge, in cubic feet per second, mean values												
Water year 2003												
1	e2.2	e1.5	2.1	1.6	1.5	1.4	1.7	2.1	3.3	3.6	3.1	2.9
2	e2.1	e1.6	2.1	1.7	1.5	1.4	1.7	2.2	3.4	3.6	3.1	2.9
3	e2.0	e1.6	2.0	1.7	1.5	1.4	1.7	2.2	3.4	3.6	3.2	2.9
4	e1.9	e1.8	1.8	1.7	1.5	1.5	1.7	2.1	3.4	3.6	3.2	2.9
5	e2.0	e1.7	1.5	1.9	1.6	1.4	1.8	2.2	3.4	3.6	3.2	2.9
6	e2.3	e2.0	1.9	1.9	1.7	1.4	1.8	2.2	3.4	3.6	3.2	2.9
7	e2.4	e2.2	2.0	2.0	1.7	1.4	1.9	2.2	3.5	3.6	3.2	2.9
8	e2.4	e2.2	1.5	2.0	1.6	1.3	1.8	2.2	3.5	3.6	3.2	2.9
9	e2.4	e2.3	1.8	2.0	1.6	1.3	1.8	2.2	3.5	3.6	3.2	2.8
10	e2.3	e2.5	2.2	1.9	1.5	1.3	1.8	2.2	3.5	3.6	3.2	2.8
11	e2.2	e2.6	2.1	1.9	1.5	1.3	1.8	2.2	3.5	3.6	3.2	2.8
12	e2.2	e2.5	1.7	2.0	1.3	1.4	1.8	2.2	3.5	3.6	3.2	2.8
13	e2.2	2.4	1.9	2.1	1.2	1.5	1.9	2.3	3.5	3.6	3.2	2.8
14	e2.2	2.3	e1.6	2.2	1.5	1.6	1.9	2.3	3.5	3.6	3.2	2.8
15	e2.3	2.3	1.3	1.9	1.5	1.8	2.0	2.3	3.5	3.7	3.2	2.8
16	e2.2	2.3	e1.4	1.7	1.5	1.8	2.0	2.4	3.5	3.6	3.2	2.9
17	e2.3	2.4	1.5	1.7	1.4	1.8	2.1	2.4	3.5	3.6	3.3	3.0
18	e2.2	e2.5	1.4	1.8	1.4	1.9	2.0	2.5	3.5	3.6	3.3	2.9
19	e2.1	e2.4	1.4	1.7	1.3	1.9	2.0	2.6	3.5	3.6	3.2	2.9
20	e2.0	e2.3	1.5	1.5	1.3	1.9	2.0	2.6	3.5	3.6	3.3	2.9
21	e1.9	e2.2	1.5	1.6	1.4	1.8	1.9	2.7	3.6	3.5	3.3	2.8
22	e1.8	2.4	1.5	1.5	1.4	1.7	1.9	2.7	3.6	3.5	3.2	2.8
23	e1.6	2.9	1.5	1.5	1.4	1.8	1.9	2.7	3.6	3.5	3.2	2.8
24	e1.5	2.8	1.4	1.6	1.4	1.8	2.0	2.6	3.6	3.3	3.1	3.0
25	e1.6	2.5	1.5	1.6	1.5	1.8	2.0	2.6	3.5	3.1	3.1	2.9
26	e1.5	2.6	1.5	1.5	1.5	1.8	2.0	2.8	3.6	3.1	3.1	3.0
27	e1.4	e2.7	1.5	1.6	1.5	1.7	2.0	2.9	3.6	3.1	3.1	2.8
28	e1.4	e2.2	1.6	1.5	1.5	1.7	2.1	3.0	3.6	3.1	3.1	2.8
29	e1.5	e2.1	1.6	1.5	—	1.6	2.1	3.1	3.6	3.1	3.1	2.8
30	e1.4	2.3	1.6	1.5	—	1.6	2.1	3.2	3.6	3.1	3.0	2.8
31	e1.3	—	1.7	1.5	—	1.7	—	3.3	—	3.1	2.9	—
Total	60.8	68.1	51.6	53.8	41.2	49.7	57.2	77.2	105.2	107.6	98.3	85.9
Mean	1.96	2.27	1.66	1.74	1.47	1.60	1.91	2.49	3.51	3.47	3.17	2.86
Maximum	2.4	2.9	2.2	2.2	1.7	1.9	2.1	3.3	3.6	3.7	3.3	3.0
Minimum	1.3	1.5	1.3	1.5	1.2	1.3	1.7	2.1	3.3	3.1	2.9	2.8
Acre-foot	121	135	102	107	82	99	113	153	209	213	195	170

80 Surface-Water Resources in the Great Basin National Park Area, White Pine County, Nevada

Table B4. Daily mean discharge values for the continual-recording gage Rowland Spring at Great Basin National Park boundary near Baker, Nevada (gage station 10243265).—Continued

[2004 water year is defined as beginning on October 1, 2003 and ending September 30, 2004. Abbreviation: e, estimate. Symbol: —, data not collected at this site on this day]

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
Discharge, in cubic feet per second, mean values												
Water year 2004												
1	2.8	1.7	1.5	1.8	0.85	1.3	2.1	2.4	3.3	e3.5	3.2	2.6
2	2.8	1.7	1.4	1.8	0.87	1.3	2.1	2.4	3.3	e3.4	3.2	2.6
3	2.8	1.7	1.4	1.7	0.86	1.3	2.1	2.4	3.3	e3.4	3.2	2.6
4	2.8	1.6	1.3	1.7	0.84	1.3	2.2	2.5	3.2	e3.4	3.2	2.6
5	2.8	1.6	1.3	1.7	0.88	1.3	2.3	2.5	3.3	e3.3	3.1	2.6
6	2.8	1.6	1.3	1.7	0.88	1.3	2.3	2.6	3.3	e3.3	3.1	2.6
7	2.7	1.5	1.2	1.7	0.91	1.3	2.3	2.8	3.3	e3.3	3.1	2.6
8	2.7	1.5	1.2	1.7	0.89	1.3	2.2	2.9	3.3	e3.3	3.1	2.6
9	2.7	1.5	1.2	1.6	0.89	1.5	2.3	3.0	3.3	e3.2	3.1	2.6
10	2.7	1.5	1.3	1.6	0.86	1.5	2.3	3.0	3.4	e3.2	3.1	2.5
11	2.6	1.4	1.3	1.6	0.84	1.4	2.2	3.0	3.4	e3.2	3.1	2.4
12	2.5	1.3	1.3	1.7	0.85	1.4	2.2	3.0	3.4	e3.2	3.1	2.4
13	2.5	1.3	1.3	1.6	0.84	1.5	2.2	3.0	3.4	3.4	3.0	2.4
14	2.5	1.2	1.3	1.6	0.80	1.6	2.2	3.1	3.4	3.4	3.0	2.4
15	2.5	1.2	1.3	1.6	0.76	1.6	2.2	3.1	3.4	3.3	3.0	2.4
16	2.4	1.2	1.3	1.5	0.76	1.7	2.2	3.1	3.4	3.3	3.0	2.4
17	2.4	1.1	1.3	1.5	0.75	1.7	2.3	3.0	3.4	3.3	3.0	2.4
18	2.4	1.1	1.3	1.4	0.81	1.8	2.3	3.1	3.4	3.3	3.0	2.4
19	2.4	1.1	1.3	1.3	0.92	1.8	2.3	3.1	3.4	3.2	2.9	2.4
20	2.4	1.0	1.2	1.3	1.0	1.8	2.3	3.1	3.4	3.2	2.8	2.4
21	2.3	1.0	1.2	1.3	1.1	1.9	2.3	3.2	3.4	3.2	2.8	2.3
22	2.2	1.0	1.2	1.3	1.1	2.0	2.3	3.2	3.4	3.2	2.8	2.3
23	2.2	1.1	1.1	1.2	1.2	2.1	2.3	3.3	3.4	3.2	2.8	2.3
24	2.1	1.3	1.1	1.1	1.2	2.2	2.3	3.3	3.4	3.3	2.8	2.3
25	2.1	1.5	1.1	0.96	1.2	2.2	2.4	3.3	3.4	3.3	2.7	2.3
26	2.0	1.7	1.3	0.91	1.3	2.2	2.4	3.3	3.4	3.4	2.7	2.3
27	2.0	1.8	1.7	0.85	1.3	2.2	2.4	3.3	3.4	3.2	2.7	2.3
28	1.9	1.8	1.6	0.82	1.2	2.2	2.3	3.3	e3.5	3.2	2.7	2.2
29	1.9	1.7	1.6	0.79	1.2	2.1	2.3	3.3	e3.5	3.2	2.7	2.2
30	1.9	1.5	1.6	0.80	—	2.1	2.3	3.2	e3.5	3.2	2.7	2.2
31	1.8	—	1.7	0.87	—	2.1	—	3.2	—	3.2	2.6	—
Total	74.6	42.2	41.2	43.0	27.86	53.0	67.9	93.0	101.3	101.7	91.3	72.6
Mean	2.41	1.41	1.33	1.39	0.96	1.71	2.26	3.0	3.38	3.28	2.95	2.42
Maximum	2.8	1.8	1.7	1.8	1.3	2.2	2.4	3.3	3.5	3.5	3.2	2.6
Minimum	1.8	1.0	1.1	0.79	0.75	1.3	2.1	2.4	3.2	3.2	2.6	2.2
Acre-foot	148	84	82	85	55	105	135	184	201	202	181	144

Table B5. Daily mean discharge values for the continual-recording gage Baker Creek at Narrows near Baker, Nevada (gage station 10243240).

[2003 water year is defined as beginning on October 1, 2002 and ending September 30, 2003. Abbreviation: e, estimate. Symbol: –, data not collected at this site on this day]

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
Discharge, in cubic feet per second, mean values												
Water year 2003												
1	e2.4	e2.7	e1.7	e1.5	e1.1	e1.0	e1.2	2.6	95	11	2.9	2.5
2	e2.5	e2.4	e1.7	e1.5	e1.1	e1.0	e1.2	2.7	87	10	2.8	2.5
3	e2.4	e2.2	e1.6	e1.5	e1.1	e1.0	e1.2	2.5	71	9.8	2.7	2.3
4	e2.4	e2.1	e1.7	e1.4	e1.1	e1.0	e1.2	2.5	57	9.4	2.6	2.1
5	e2.4	e2.0	e1.7	e1.4	e1.1	e0.98	e1.3	2.5	50	8.8	2.5	2.5
6	e2.3	e1.9	e1.6	e1.4	e1.1	e0.96	e1.3	2.6	45	8.3	2.4	2.4
7	e2.3	e1.8	e1.6	e1.5	e1.1	e0.96	e1.3	e2.4	42	7.8	2.3	2.1
8	e2.3	e2.0	e1.6	1.5	e1.0	e0.95	1.4	e2.6	40	7.3	2.2	2.1
9	2.2	e2.5	e1.5	1.5	e1.0	0.95	1.3	2.7	37	6.9	2.1	2.2
10	2.3	e2.0	e1.5	1.5	e1.0	1.0	1.4	2.8	36	6.4	2.1	2.2
11	2.5	e1.8	e1.5	1.5	e0.98	1.1	1.5	2.8	33	5.9	2.0	2.2
12	2.5	e1.7	e1.5	1.5	e0.96	1.2	1.7	2.7	30	5.4	2.0	2.1
13	2.5	e1.7	e1.4	1.4	e0.95	1.4	1.8	3.0	27	5.0	1.9	2.2
14	2.6	e1.7	e1.4	1.4	e0.96	1.7	2.1	3.3	25	4.6	2.0	2.2
15	2.6	e1.7	e1.4	1.4	e0.97	1.8	1.9	3.7	23	4.1	1.9	2.1
16	2.6	e1.6	e1.4	e1.4	e0.96	1.6	1.9	4.7	22	3.8	2.4	2.0
17	e2.7	e1.7	e1.4	e1.4	e0.95	1.4	1.9	5.7	20	3.6	2.4	2.0
18	e2.7	e1.8	e1.3	e1.4	e0.94	1.4	2.1	6.4	19	3.4	2.1	2.1
19	e2.8	e1.7	e1.3	e1.4	e0.94	1.4	2.0	7.5	18	3.4	2.0	2.0
20	e2.9	e1.7	e1.3	e1.4	e0.94	1.4	2.1	9.2	18	3.6	2.2	1.9
21	e2.9	e1.6	e1.3	e1.3	e0.96	1.2	2.0	12	17	3.4	2.2	1.9
22	e3.0	e1.7	e1.4	e1.3	e1.0	1.3	2.0	16	15	3.2	2.7	1.9
23	e3.0	e1.7	e1.4	e1.3	e1.1	1.3	1.9	20	17	3.1	2.4	1.8
24	e3.1	e1.7	e1.5	e1.3	e1.0	1.3	2.0	25	17	2.9	2.4	1.8
25	e3.0	e1.8	e1.5	e1.2	e1.0	1.3	2.0	32	14	2.9	2.4	1.8
26	e2.9	e1.8	e1.5	e1.2	e0.97	e1.3	2.1	45	13	2.9	2.3	1.8
27	e2.8	e1.7	e1.5	e1.2	e0.94	e1.3	2.1	59	12	2.8	2.3	1.8
28	e2.7	e1.7	e1.4	e1.3	e0.96	e1.2	2.3	85	12	2.6	2.3	1.7
29	e2.6	e1.7	e1.4	e1.2	–	1.3	2.6	97	12	2.4	2.4	1.7
30	e2.5	e1.8	e1.4	e1.2	–	1.2	2.5	114	11	2.3	2.4	1.7
31	e2.9	–	e1.5	e1.1	–	1.2	–	116	–	3.0	2.3	–
Total	81.3	55.9	45.9	42.5	28.18	38.1	53.3	695.9	935	160	71.6	61.6
Mean	2.62	1.86	1.48	1.37	1.01	1.23	1.78	22.4	31.2	5.16	2.31	2.05
Maximum	3.1	2.7	1.7	1.5	1.1	1.8	2.6	116	95	11	2.9	2.5
Minimum	2.2	1.6	1.3	1.1	0.94	0.95	1.2	2.4	11	2.3	1.9	1.7
Acre-foot	161	111	91	84	56	76	106	1,380	1,850	317	142	122

82 Surface-Water Resources in the Great Basin National Park Area, White Pine County, Nevada

Table B5. Daily mean discharge values for the continual-recording gage Baker Creek at Narrows near Baker, Nevada (gage station 10243240).—Continued

[2004 water year is defined as beginning on October 1, 2003 and ending September 30, 2004. Abbreviation: e, estimate. Symbol: —, data not collected at this site on this day]

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
Discharge, in cubic feet per second, mean values												
Water year 2004												
1	1.7	e2.1	e1.6	e1.4	e1.2	e1.1	3.3	6.1	15	8.8	3.8	2.1
2	1.8	e2.1	e1.6	e1.4	e1.2	e1.1	4.2	6.9	17	8.5	3.8	2.1
3	1.9	e2.0	e1.5	e1.4	e1.1	e1.2	5.5	8.4	19	8.1	3.5	3.1
4	1.9	e2.0	e1.5	e1.3	e1.1	1.4	4.6	11	22	7.9	3.3	2.8
5	1.9	e2.0	e1.6	e1.3	e1.1	1.4	4.4	14	24	7.8	3.2	2.7
6	1.9	e2.0	e1.6	e1.3	e1.1	1.5	4.6	16	25	7.3	3.1	2.6
7	1.8	e2.0	e1.6	e1.3	e1.1	1.5	4.7	18	25	6.8	3.1	2.4
8	1.8	e1.9	e1.7	e1.4	e1.0	1.6	4.9	18	25	6.6	3.1	2.4
9	1.8	e1.9	e1.7	e1.4	e1.0	1.7	4.7	19	24	6.2	3.0	2.4
10	1.8	e1.9	e1.7	e1.4	e1.0	1.8	4.8	21	21	5.9	2.9	2.4
11	2.0	e1.9	e1.6	e1.4	e1.0	1.8	4.7	22	19	5.6	2.8	2.5
12	1.9	e1.9	e1.6	e1.4	e0.98	1.9	4.7	21	17	5.4	2.8	2.6
13	1.9	e2.1	e1.5	e1.3	e0.98	1.9	4.8	20	15	5.1	2.8	2.5
14	1.9	e2.0	e1.5	e1.3	e0.96	2.1	4.8	18	15	5.0	2.9	2.5
15	1.9	e1.9	e1.5	e1.3	e0.96	2.2	4.8	17	15	5.8	2.9	2.5
16	1.9	e1.9	e1.5	e1.3	e0.96	2.2	4.8	17	15	6.1	2.8	2.5
17	1.9	e1.8	e1.6	e1.3	e0.95	2.3	4.9	17	17	5.7	2.8	2.4
18	e2.1	e1.8	e1.6	e1.3	e0.95	2.4	5.0	18	18	5.3	2.7	2.4
19	e2.1	e1.8	e1.5	e1.2	e0.95	2.8	4.9	18	16	5.6	2.7	2.6
20	e2.1	e1.7	e1.5	e1.2	e0.95	2.9	4.7	18	16	5.3	2.7	2.7
21	e2.2	e1.8	e1.5	e1.2	e0.96	3.1	4.6	18	15	5.0	2.8	2.8
22	e2.2	e1.9	e1.4	e1.2	e0.98	3.3	4.5	18	14	4.9	2.5	2.8
23	e2.2	e1.8	e1.4	e1.3	e1.0	3.5	4.3	17	13	4.9	2.5	2.7
24	e2.2	e1.7	e1.4	e1.3	e1.0	3.5	4.1	17	12	4.7	2.8	2.6
25	e2.2	e1.7	e1.4	e1.2	e1.0	3.4	4.1	17	12	4.5	2.5	2.6
26	e2.2	e1.7	e1.4	e1.2	e1.0	3.5	4.1	16	12	4.4	2.4	2.5
27	e2.2	e1.6	e1.5	e1.2	e1.1	3.3	4.2	15	11	4.3	2.5	2.5
28	e2.1	e1.6	e1.7	e1.2	e1.2	3.2	4.6	16	11	4.1	2.4	2.8
29	e2.1	e1.6	e1.6	e1.1	e1.1	3.1	5.3	16	10	3.9	2.3	2.8
30	e2.1	e1.6	e1.5	e1.2	—	3.2	5.6	16	9.3	3.7	2.2	2.7
31	e2.1	—	e1.5	e1.3	—	3.2	—	15	—	3.6	2.2	—
Total	61.8	55.7	47.8	40	29.88	73.1	139.2	505.4	499.3	176.8	87.8	77
Mean	1.99	1.86	1.54	1.29	1.03	2.36	4.64	16.3	16.6	5.7	2.83	2.57
Maximum	2.2	2.1	1.7	1.4	1.2	3.5	5.6	22	25	8.8	3.8	3.1
Minimum	1.7	1.6	1.4	1.1	0.95	1.1	3.3	6.1	9.3	3.6	2.2	2.1
Acre-foot	123	110	95	79	59	145	276	1,000	990	351	174	153

Table B6. Daily mean discharge values for the continual-recording gage Snake Creek above pipeline near Baker, Nevada (gage station 10243230).

[2003 water year is defined as beginning on October 1, 2002 and ending September 30, 2003. Abbreviation: e, estimate. Symbol: –, data not collected at this site on this day]

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
Discharge, in cubic feet per second, mean values												
Water year 2003												
1	1.2	e1.3	e1.0	0.91	e0.81	e0.75	e1.1	1.8	40	6.3	2.5	1.3
2	1.1	e1.3	e1.0	0.93	e0.80	e0.76	e1.1	1.9	36	6.1	2.3	1.3
3	1.1	e1.3	e1.0	0.95	e0.80	e0.78	e1.2	2.0	31	5.9	2.2	1.2
4	1.1	e1.2	e0.98	0.96	e0.84	e0.80	e1.1	2.0	27	5.7	2.2	1.2
5	1.1	e1.2	e0.98	0.98	e0.80	0.83	e1.1	1.9	23	5.5	2.0	1.2
6	1.1	e1.2	e0.98	0.93	e0.80	0.85	e1.1	1.9	20	5.4	1.9	1.2
7	1.1	e1.2	e0.96	0.93	e0.80	0.87	e1.2	2.0	18	5.3	1.9	1.1
8	1.1	e1.7	e0.96	0.96	e0.86	0.89	e1.2	1.8	18	5.2	1.8	1.1
9	1.0	e1.4	e0.95	0.99	e0.84	0.91	1.3	2.5	17	5.1	1.7	1.2
10	0.95	e1.3	e0.95	1.0	e0.81	0.99	1.4	2.0	16	4.9	1.7	1.2
11	0.95	1.2	e0.95	0.99	e0.80	1.1	1.6	2.0	16	4.8	1.6	1.2
12	1.0	e1.2	e0.94	0.97	e0.78	1.1	1.7	2.0	14	4.6	1.6	1.2
13	1.0	1.2	e0.94	0.97	e0.77	1.2	1.8	2.1	13	4.4	1.5	1.2
14	e1.0	1.2	e0.94	0.97	e0.76	1.3	1.7	2.2	12	4.3	1.5	1.2
15	e1.1	1.2	e0.92	0.96	e0.76	1.3	2.0	2.3	12	4.1	1.5	1.1
16	e1.1	e1.1	e0.92	0.94	e0.75	1.2	1.8	2.3	11	3.9	2.0	1.1
17	e1.2	e1.1	e0.94	e0.95	e0.75	1.1	1.4	2.4	11	3.8	1.7	1.1
18	e1.2	e1.1	e0.94	e0.94	e0.74	1.0	1.4	2.3	10	3.7	1.5	1.2
19	e1.3	1.1	e0.95	e0.92	e0.74	1.0	1.4	2.1	9.8	3.6	1.4	1.2
20	e1.3	1.1	e0.94	e0.90	e0.74	1.1	1.4	2.1	9.5	3.5	1.5	1.1
21	e1.3	1.1	e0.94	e0.89	e0.74	1.0	1.5	2.1	9.2	3.5	1.5	1.1
22	e1.3	1.1	e0.92	e0.88	e0.75	1.1	1.4	2.0	8.9	3.3	1.8	1.1
23	e1.4	e1.1	e0.90	e0.87	e0.75	1.2	1.5	2.5	9.2	3.3	1.5	0.96
24	e1.4	e1.1	e0.89	e0.87	e0.77	1.1	1.5	3.3	9.4	3.0	1.4	0.93
25	e1.4	e1.0	e0.88	e0.86	e0.77	e1.1	1.7	4.2	8.5	2.9	1.4	0.93
26	e1.4	e1.0	e0.88	e0.86	e0.76	e1.0	1.7	7.7	7.8	2.9	1.4	0.93
27	e1.3	e1.0	e0.86	e0.85	e0.76	e1.0	1.7	15	7.4	2.8	1.3	0.93
28	e1.3	e1.0	e0.86	e0.84	e0.75	e0.98	1.7	22	7.1	2.6	1.3	0.92
29	e1.3	e1.0	0.85	e0.83	–	e0.97	1.7	28	6.7	2.5	1.3	0.92
30	e1.3	e1.0	0.86	e0.82	–	e0.98	1.7	38	6.5	2.4	1.3	0.93
31	e1.4	–	0.92	e0.82	–	e1.0	–	46	–	2.4	1.3	–
Total	36.8	35.0	28.9	28.44	21.8	31.26	44.1	212.4	445	127.7	51.5	33.25
Mean	1.19	1.17	0.93	0.92	0.78	1.01	1.47	6.85	14.8	4.12	1.66	1.11
Maximum	1.4	1.7	1.0	1.0	0.86	1.3	2.0	46	40	6.3	2.5	1.3
Minimum	0.95	1.0	0.85	0.82	0.74	0.75	1.1	1.8	6.5	2.4	1.3	0.92
Acre-foot	73	69	57	56	43	62	87	421	883	253	102	66

84 Surface-Water Resources in the Great Basin National Park Area, White Pine County, Nevada

Table B6. Daily mean discharge values for the continual-recording gage Snake Creek above pipeline near Baker, Nevada (gage station 10243230).—Continued

[2004 water year is defined as beginning on October 1, 2003 and ending September 30, 2004. Abbreviation: e, estimate. Symbol: —, data not collected at this site on this day]

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
Discharge, in cubic feet per second, mean values												
Water year 2004												
1	0.9	e1.3	e1.0	e0.97	e0.80	e0.76	1.4	1.8	7.2	6.0	1.9	0.88
2	1.0	e1.3	e1.0	e0.96	e0.82	e0.76	1.8	1.8	7.1	5.8	2.0	0.87
3	1.1	e1.3	e1.0	e0.94	e0.84	e0.75	2.2	1.8	7.1	5.7	1.8	1.5
4	1.1	e1.3	e1.1	e0.93	e0.84	e0.80	1.8	1.8	7.9	5.6	1.6	1.6
5	1.1	e1.3	e1.1	e0.90	e0.82	e0.90	1.6	1.9	9.2	5.3	1.6	1.4
6	1.1	e1.2	e1.1	e0.90	e0.83	e0.98	1.9	3.2	10	5.1	1.5	1.3
7	1.1	e1.2	e1.1	e0.90	e0.83	1.0	2.0	3.7	11	4.8	1.5	1.2
8	1.1	e1.2	e1.1	e0.94	e0.81	1.1	2.3	4.2	11	4.7	1.5	1.2
9	1.0	e1.2	e1.1	e0.96	e0.79	1.2	1.9	4.6	11	4.5	1.4	1.1
10	1.1	e1.2	e1.1	e0.96	e0.78	1.2	1.7	5.2	11	4.3	1.3	1.1
11	1.2	e1.2	e1.1	e0.95	e0.78	1.1	1.6	5.9	11	4.1	1.3	1.2
12	1.2	e1.3	e1.1	e0.94	e0.77	1.1	1.6	6.4	10	4.0	1.3	1.2
13	e1.3	e1.3	e1.0	e0.93	e0.79	1.2	1.6	6.7	9.8	3.8	1.2	1.1
14	e1.3	e1.3	e1.0	e0.92	e0.79	1.3	1.6	6.8	9.3	3.7	1.5	1.1
15	e1.3	e1.2	e1.0	e0.90	e0.78	1.3	1.6	6.8	8.8	3.9	1.4	1.2
16	e1.3	e1.2	e1.0	e0.90	e0.77	1.3	1.6	6.8	8.9	3.8	1.3	1.1
17	e1.3	e1.2	e1.1	e0.88	e0.75	1.4	1.6	6.8	11	3.6	1.3	1.1
18	e1.3	1.2	e1.0	e0.88	e0.72	1.4	1.7	6.7	8.7	3.3	1.3	1.1
19	e1.3	1.2	e1.0	e0.87	e0.71	1.7	1.7	6.8	7.5	3.3	1.3	1.3
20	e1.3	e1.2	e1.0	e0.86	e0.70	1.8	1.6	7.1	7.2	3.1	1.2	1.4
21	1.2	e1.1	1.0	e0.86	e0.73	1.9	1.7	7.4	7.1	2.9	1.2	1.5
22	1.2	e1.1	1.0	e0.86	e0.73	2.0	1.7	7.8	7.0	2.9	1.1	1.5
23	1.1	e1.1	1.0	e0.84	e0.73	2.3	1.7	7.8	6.9	2.8	1.1	1.4
24	1.2	e1.1	e0.98	e0.90	e0.74	1.9	1.8	8.0	6.8	2.7	1.3	1.3
25	1.2	e1.1	e0.98	e0.84	e0.76	1.8	1.8	8.2	6.8	2.6	1.1	1.3
26	1.2	e1.1	e0.97	e0.83	e0.78	1.7	1.8	7.9	6.7	2.4	1.0	1.2
27	1.2	e1.1	e0.96	e0.81	e0.79	1.4	1.8	7.7	6.6	2.5	1.1	1.2
28	1.2	e1.1	e0.95	e0.80	e0.78	1.3	1.9	7.7	6.5	2.3	1.0	1.5
29	1.2	e1.1	e0.96	e0.82	e0.76	1.4	1.9	7.6	6.3	2.1	0.99	1.6
30	e1.3	e1.0	e0.98	e0.88	—	1.3	1.9	7.3	6.1	1.9	0.96	1.4
31	e1.3	—	e0.98	e0.84	—	1.5	—	7.2	—	1.8	0.91	—
Total	36.74	35.7	31.76	27.67	22.52	41.55	52.8	181.4	251.5	115.3	40.96	37.85
Mean	1.19	1.19	1.02	0.89	0.78	1.34	1.76	5.85	8.38	3.72	1.32	1.26
Maximum	1.3	1.3	1.1	0.97	0.84	2.3	2.3	8.2	11	6.0	2.0	1.6
Minimum	0.94	1.0	0.95	0.8	0.7	0.75	1.4	1.8	6.1	1.8	0.91	0.87
Acre-foot	73	71	63	55	45	82	105	360	499	229	81	75

Table B7. Daily mean discharge values for the continual-recording gage Snake Creek at Great Basin National Park boundary near Baker, Nevada (gage station 10243232).

[2003 water year is defined as beginning on October 1, 2002 and ending September 30, 2003. Abbreviation: e, estimate. Symbol: —, data not collected at this site on this day]

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
Discharge, in cubic feet per second, mean values												
Water year 2003												
1	0.09	0.06	0.03	0.04	0.00	0.00	0.00	0.06	16	6.5	1.0	0.01
2	0.28	0.04	0.04	0.04	0.00	0.00	0.00	0.06	16	6.1	0.92	0.00
3	0.23	0.03	0.06	0.02	0.00	0.00	0.00	0.09	17	4.8	0.82	0.00
4	0.19	0.03	0.08	0.01	0.00	0.00	0.00	0.09	15	5.7	0.80	0.00
5	0.18	0.03	0.08	e0.00	0.00	0.00	0.00	0.09	14	5.7	0.68	0.00
6	0.14	0.03	0.09	e0.00	0.00	0.00	0.00	0.10	14	5.3	0.56	0.00
7	0.12	0.03	0.09	e0.00	0.00	0.00	0.00	0.10	13	5.3	0.43	0.00
8	0.10	0.27	0.05	e0.00	0.00	0.00	0.00	0.18	13	4.9	0.31	0.00
9	0.08	1.60	0.07	0.00	0.00	0.00	0.00	0.23	13	4.0	0.22	0.00
10	0.06	0.76	0.11	0.00	0.00	0.00	0.00	0.30	13	3.5	0.18	0.00
11	0.05	0.61	0.10	0.00	0.00	0.00	0.00	0.32	14	3.8	0.14	0.00
12	0.06	0.49	0.09	e0.00	0.00	0.00	0.00	0.35	12	3.4	0.12	0.00
13	0.09	0.42	0.08	e0.00	0.00	0.00	0.00	0.54	11	3.3	0.09	0.00
14	0.08	0.35	0.07	e0.00	0.00	0.00	0.00	0.73	10	3.2	0.08	0.00
15	0.07	0.31	0.06	0.00	0.00	0.00	e0.02	0.78	9.7	3.0	0.06	0.00
16	0.07	0.30	0.06	0.00	0.00	0.00	e0.00	1.0	8.7	2.9	0.31	0.00
17	0.07	0.27	0.08	0.00	0.00	0.00	0.00	1.1	8.3	2.6	0.26	0.00
18	0.07	0.29	0.04	0.00	0.00	0.00	e0.00	1.1	7.4	2.5	0.10	0.00
19	0.06	0.27	0.06	0.00	0.00	0.00	0.00	1.1	7.8	2.4	0.05	0.00
20	0.06	0.24	0.05	0.00	0.00	0.00	0.00	0.98	7.6	2.1	0.04	0.00
21	0.07	0.21	0.06	0.00	0.00	0.00	0.00	0.89	7.4	2.0	0.03	0.00
22	0.07	0.19	0.12	0.00	0.00	0.00	0.00	0.84	6.5	1.9	0.12	0.00
23	0.08	0.18	0.06	0.00	0.00	0.00	0.00	1.1	7.7	1.9	0.06	0.00
24	0.09	0.18	0.08	0.00	0.00	0.00	0.00	2.3	7.4	1.7	0.03	0.00
25	0.09	0.15	0.08	0.00	0.00	0.00	0.00	3.4	7.3	1.6	0.01	0.00
26	0.12	0.07	0.09	0.00	0.00	0.00	0.01	6.9	6.3	1.5	0.01	0.00
27	0.14	0.04	0.08	0.00	0.00	0.00	0.02	7.7	7.2	1.4	0.00	0.00
28	0.12	0.02	0.04	0.00	0.00	0.00	0.02	5.4	7.0	1.3	0.02	0.00
29	0.10	0.02	0.03	0.00	—	0.00	0.02	6.4	6.8	1.2	0.01	0.00
30	0.07	0.05	0.04	0.00	—	0.00	0.06	14	6.6	1.1	0.02	0.00
31	0.09	—	0.04	0.00	—	0.00	—	18	—	1.0	0.01	—
Total	3.19	7.54	2.11	0.11	0.00	0.00	0.15	76.23	310.7	97.6	7.49	0.01
Mean	0.10	0.25	0.07	0.00	0.00	0.00	0.01	2.46	10.4	3.15	0.24	0.00
Maximum	0.28	1.6	0.12	0.04	0.00	0.00	0.06	18	17	6.5	1.0	0.01
Minimum	0.05	0.02	0.03	0.00	0.00	0.00	0.00	0.06	6.3	1.0	0.00	0.00
Acre-foot	6.3	15	4.2	0.2	0.00	0.00	0.3	151	616	194	15	0.02

Table B7. Daily mean discharge values for the continual-recording gage Snake Creek at Great Basin National Park boundary near Baker, Nevada (gage station 10243232).—Continued

[2004 water year is defined as beginning on October 1, 2003 and ending September 30, 2004. Abbreviation: e, estimate. Symbol: —, data not collected at this site on this day]

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
Discharge, in cubic feet per second, mean values												
Water year 2004												
1	0.00	e0.00	e0.00	0.00	0.00	0.00	0.00	0.00	6.2	4.4	0.59	0.00
2	0.00	e0.00	e0.00	0.00	0.00	0.00	0.00	0.00	6.1	4.3	0.75	0.00
3	0.00	e0.00	e0.00	0.00	0.00	0.00	0.00	0.00	6.2	4.1	0.53	0.00
4	0.00	e0.00	e0.00	0.00	0.00	0.00	0.00	0.00	7.1	3.9	0.35	0.00
5	0.00	e0.00	e0.00	0.00	0.00	0.00	0.00	0.00	8.5	3.8	0.22	0.00
6	0.00	e0.00	e0.00	0.00	0.00	0.00	0.00	0.11	8.9	3.6	0.13	0.00
7	0.00	e0.00	e0.00	0.00	0.00	0.00	0.00	1.5	8.4	3.4	0.09	0.00
8	0.00	e0.00	e0.00	0.00	0.00	0.00	0.00	2.7	7.6	3.2	0.08	0.00
9	0.00	e0.00	e0.00	0.00	0.00	0.00	0.00	3.9	6.7	2.9	0.04	0.00
10	0.00	e0.00	e0.00	0.00	0.00	0.00	0.00	4.6	5.8	2.8	0.02	0.00
11	e0.00	e0.00	e0.00	0.00	0.00	0.00	0.00	5.3	5.6	2.7	0.02	0.00
12	e0.00	e0.00	e0.00	0.00	0.00	0.00	0.00	5.8	5.5	2.5	0.01	0.00
13	e0.00	e0.00	e0.00	0.00	0.00	0.00	0.00	6.1	5.4	2.3	0.00	0.00
14	e0.00	e0.00	e0.00	0.00	0.00	0.00	0.00	6.2	5.1	2.2	0.03	0.00
15	e0.00	e0.00	e0.00	0.00	0.00	0.00	0.00	6.1	5.0	2.3	0.03	0.00
16	e0.00	e0.00	e0.00	0.00	0.00	0.00	0.00	6.0	4.8	2.4	0.01	0.00
17	e0.00	e0.00	e0.00	0.00	0.00	0.00	0.00	6.0	4.8	2.2	0.01	0.00
18	e0.00	e0.00	e0.00	0.00	0.00	0.00	0.00	5.9	3.5	1.9	0.00	0.00
19	e0.00	e0.00	0.00	0.00	0.00	0.00	0.00	5.9	3.2	1.9	0.00	0.00
20	e0.00	e0.00	0.00	0.00	0.00	0.00	0.00	5.7	3.7	1.7	0.00	0.00
21	e0.00	e0.00	0.00	0.00	0.00	0.00	0.00	5.9	6.0	1.5	0.00	0.00
22	e0.00	e0.00	0.00	0.00	0.00	0.00	0.00	6.2	5.8	1.4	0.00	0.00
23	e0.00	e0.00	0.00	0.00	0.00	0.00	0.00	5.2	5.7	1.4	0.00	0.00
24	e0.00	e0.00	0.00	0.00	0.00	0.00	0.00	6.0	5.6	1.2	0.00	0.00
25	e0.00	e0.00	0.00	0.00	0.00	0.00	0.00	6.4	5.5	1.1	0.00	0.00
26	e0.00	e0.00	0.00	0.00	0.00	0.00	0.00	6.1	5.4	1.0	0.00	0.00
27	e0.00	e0.00	0.00	0.00	0.00	0.00	0.00	6.1	5.2	1.0	0.00	0.00
28	e0.00	e0.00	0.00	0.00	0.00	0.00	0.00	6.0	5.2	0.88	0.00	0.00
29	e0.00	e0.00	0.00	0.00	0.00	0.00	0.00	6.2	4.9	0.69	0.00	0.00
30	e0.00	e0.00	0.00	0.00	—	0.00	0.00	6.3	4.7	0.56	0.00	0.00
31	e0.00	—	0.00	0.00	—	0.00	—	6.3	—	0.48	0.00	—
Total	0.00	0.00	0.00	0.00	0.00	0.00	0.00	138.51	172.1	69.71	2.91	0.00
Mean	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.47	5.74	2.25	0.09	0.00
Maximum	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.4	8.9	4.4	0.75	0.00
Minimum	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.2	0.48	0.00	0.00
Acre-foot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	275	341	138	5.8	0.00

Table B8. Daily mean discharge values for the continual-recording gage Snake Creek below Spring Creek near Garrison, Utah (gage station 10243233).

[2003 water year is defined as beginning on October 1, 2002 and ending September 30, 2003. Abbreviation: e, estimate. Symbol: –, data not collected at this site on this day]

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
Discharge, in cubic feet per second, mean values												
Water year 2003												
1	–	–	–	–	2.5	2.4	2.4	2.6	24	8.7	4.1	2.8
2	–	–	–	–	e2.5	2.4	2.4	2.6	22	8.6	3.9	2.8
3	–	–	–	–	e2.5	2.4	2.4	2.6	19	8.5	3.8	2.8
4	–	–	–	–	e2.5	2.4	2.4	2.5	17	8.3	3.8	2.7
5	–	–	–	–	e2.4	2.4	2.3	2.5	16	8.1	3.7	2.7
6	–	–	–	–	2.3	2.4	2.3	2.6	16	7.9	3.6	2.7
7	–	–	–	–	2.4	2.4	2.3	2.7	16	7.8	3.4	2.7
8	–	–	–	–	2.4	2.4	2.3	2.8	15	7.6	3.4	2.9
9	–	–	–	2.6	2.3	2.4	2.4	2.9	15	7.4	3.3	3.3
10	–	–	–	2.7	2.4	2.4	2.4	2.9	15	7.2	3.3	3.0
11	–	–	–	2.5	2.3	2.4	2.3	2.9	14	7.0	3.2	2.9
12	–	–	–	2.4	2.4	2.4	2.2	3.0	14	6.9	3.2	2.7
13	–	–	–	2.5	2.6	2.4	2.3	3.0	12	6.5	3.1	2.7
14	–	–	–	2.5	2.5	2.4	2.3	3.1	13	6.3	3.0	2.5
15	–	–	–	2.5	2.5	2.6	2.5	3.1	13	6.0	3.1	2.4
16	–	–	–	2.5	2.5	2.6	2.5	3.3	12	5.9	3.2	2.6
17	–	–	–	2.5	2.5	2.5	2.5	3.3	12	5.8	3.4	2.6
18	–	–	–	2.6	2.5	2.5	2.5	3.3	12	5.7	3.1	2.6
19	–	–	–	2.6	2.5	2.5	2.5	3.5	11	5.6	3.0	2.6
20	–	–	–	2.6	2.6	2.5	2.5	3.9	11	5.4	3.0	2.6
21	–	–	–	2.6	2.6	2.5	2.5	3.9	11	5.2	2.9	2.5
22	–	–	–	2.6	2.5	2.5	2.6	3.7	11	5.0	3.0	2.5
23	–	–	–	2.5	2.4	2.5	2.6	4.1	11	4.9	3.0	2.5
24	–	–	–	2.4	2.5	2.5	2.6	4.2	11	4.7	3.0	2.5
25	–	–	–	2.4	2.5	2.4	2.5	4.7	9.9	4.7	2.9	2.4
26	–	–	–	2.5	2.4	2.4	2.5	9.0	9.5	4.6	2.8	2.4
27	–	–	–	2.5	2.4	2.4	2.5	13	9.4	4.5	2.8	2.4
28	–	–	–	2.5	2.4	2.5	2.5	9.9	9.1	4.2	2.8	2.4
29	–	–	–	2.5	–	2.5	2.5	11	8.8	4.1	2.8	2.4
30	–	–	–	2.5	–	2.5	2.6	18	8.7	4.0	2.8	2.4
31	–	–	–	2.5	–	2.5	–	23	–	3.9	2.8	–
Total	–	–	–	–	68.8	76.0	73.1	163.6	398.4	191	99.2	79.0
Mean	–	–	–	–	2.46	2.45	2.44	5.28	13.3	6.16	3.2	2.63
Maximum	–	–	–	–	2.6	2.6	2.6	23	24	8.7	4.1	3.3
Minimum	–	–	–	–	2.3	2.4	2.2	2.5	8.7	3.9	2.8	2.4
Acre-foot	–	–	–	–	136	151	145	325	790	379	197	157

88 Surface-Water Resources in the Great Basin National Park Area, White Pine County, Nevada

Table B8. Daily mean discharge values for the continual-recording gage Snake Creek below Spring Creek near Garrison, Utah (gage station 10243233).—Continued

[2004 water year is defined as beginning on October 1, 2003 and ending September 30, 2004. Abbreviation: e, estimate. Symbol: —, data not collected at this site on this day]

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
Discharge, in cubic feet per second, mean values												
Water year 2004												
1	2.4	2.1	2.3	2.4	2.2	2.1	2.5	3.8	9.9	8.6	4.0	3.0
2	2.4	2.1	2.3	2.4	2.2	2.1	2.6	3.9	10	8.6	4.2	2.9
3	2.4	2.1	2.3	2.4	2.2	2.1	2.6	3.8	10	8.5	4.0	3.1
4	2.4	2.1	2.3	2.4	2.2	2.0	2.6	3.9	11	8.4	3.9	2.9
5	2.4	2.2	2.3	2.4	2.2	2.1	2.8	3.9	11	8.2	3.8	2.9
6	2.4	2.2	2.3	2.5	2.2	2.1	3.1	4.0	12	8.0	3.8	2.9
7	2.4	2.2	2.3	2.5	2.1	2.1	3.0	4.0	11	7.8	3.7	2.9
8	2.4	2.5	2.4	2.5	2.1	2.2	2.8	4.2	10	7.6	3.7	2.9
9	2.4	2.4	2.4	2.6	2.1	2.2	2.7	4.9	9.7	7.3	3.4	2.9
10	2.4	2.3	2.7	2.5	2.0	2.2	2.7	6.5	9.2	7.0	3.4	2.9
11	2.4	2.3	2.5	2.4	2.0	2.2	2.7	8.0	9.0	6.6	3.3	2.9
12	2.4	2.3	2.4	2.2	2.0	2.2	3.0	8.5	8.9	6.4	3.3	2.9
13	2.4	2.5	2.5	2.2	2.1	2.1	3.0	8.5	8.6	6.0	3.3	2.9
14	2.1	2.2	2.5	2.1	2.1	2.0	2.9	8.8	8.2	5.8	3.3	2.9
15	2.2	2.5	2.4	2.0	2.1	2.1	3.0	8.7	8.0	5.7	3.3	2.8
16	2.3	2.7	2.4	1.9	2.1	2.1	2.8	8.7	7.9	6.0	3.3	2.6
17	2.3	2.6	2.6	2.0	2.2	2.2	2.9	8.8	8.3	5.8	3.3	2.6
18	2.2	2.5	2.5	2.0	2.2	2.4	2.9	8.7	6.7	5.7	3.3	2.6
19	2.1	2.5	2.4	2.1	2.2	2.4	3.0	8.8	6.2	5.5	3.3	2.6
20	2.1	2.4	2.3	2.2	2.2	2.4	3.4	8.8	6.6	5.4	3.3	2.7
21	2.1	2.4	2.3	2.2	2.2	2.4	3.6	9.1	9.5	5.1	3.3	2.7
22	2.1	2.4	2.3	2.0	2.2	2.4	3.7	9.3	9.4	4.9	3.2	2.6
23	2.1	2.4	2.5	2.1	2.2	2.3	3.7	9.5	9.3	4.7	3.2	2.6
24	2.1	2.5	2.4	2.1	2.2	2.2	3.7	10	9.2	4.6	3.3	2.6
25	2.1	2.6	2.5	2.1	2.2	2.2	3.7	11	9.2	4.5	3.2	2.6
26	2.1	2.5	2.5	2.1	2.3	2.2	3.6	10	9.2	4.4	3.2	2.5
27	2.1	2.5	2.4	2.1	2.5	2.2	3.6	10	9.2	4.4	3.1	2.4
28	2.1	2.4	2.4	2.1	2.2	2.3	3.7	10	9.2	4.3	3.0	2.4
29	2.0	2.3	2.5	2.1	2.1	2.3	3.8	10	9.1	4.2	3.1	2.4
30	2.0	2.3	2.4	2.1	—	2.4	3.8	10	8.8	4.1	3.1	2.4
31	2.0	—	2.4	2.2	—	2.6	—	10	—	4	3	—
Total	69.3	71.0	74.7	68.9	62.8	68.8	93.9	238.1	274.3	188.1	105.6	82.0
Mean	2.24	2.37	2.41	2.22	2.17	2.22	3.13	7.68	9.14	6.07	3.41	2.73
Maximum	2.4	2.7	2.7	2.6	2.5	2.6	3.8	11	12	8.6	4.2	3.1
Minimum	2.0	2.1	2.3	1.9	2.0	2.0	2.5	3.8	6.2	4.0	3.0	2.4
Acre-foot	137	141	148	137	125	136	186	472	544	373	209	163

Table B9. Daily mean discharge values for the continual-recording gage Snake Creek at Nevada–Utah State line near Garrison, Utah (gage station 10243234).

[2003 water year is defined as beginning on October 1, 2002 and ending September 30, 2003. Abbreviation: e, estimate. Symbol: –, data not collected at this site on this day]

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
Discharge, in cubic feet per second, mean values												
Water year 2003												
1	–	–	–	–	1.7	1.8	1.9	2.3	23	8.5	2.9	2.9
2	–	–	–	–	1.6	1.8	1.9	2.4	22	7.8	2.7	2.6
3	–	–	–	–	1.6	1.8	1.9	2.4	22	7.4	2.5	2.6
4	–	–	–	–	1.6	1.9	2.0	2.3	20	7.4	2.5	2.7
5	–	–	–	–	1.6	1.8	2.0	2.3	18	7.1	2.5	2.5
6	–	–	–	–	1.6	1.9	2.0	2.4	17	6.4	2.5	2.5
7	–	–	–	–	1.7	1.9	2.0	2.6	16	6.9	2.3	2.5
8	–	–	–	–	e1.6	1.8	2.0	2.6	16	5.9	2.2	2.5
9	–	–	–	1.5	e1.6	1.8	2.1	2.4	15	5.7	2.2	2.4
10	–	–	–	1.6	1.6	1.7	2.1	2.5	15	6.0	2.0	2.2
11	–	–	–	1.5	1.6	1.7	2.2	2.5	14	6.4	2.0	2.1
12	–	–	–	1.5	1.6	1.7	2.1	2.6	14	4.7	4.6	2.1
13	–	–	–	1.5	1.7	1.7	2.1	2.7	13	4.7	3.1	2.1
14	–	–	–	1.4	1.6	1.7	2.1	2.6	12	4.7	2.8	2.0
15	–	–	–	1.5	1.5	1.7	2.4	2.7	11	4.8	2.8	2.1
16	–	–	–	1.6	1.5	1.7	2.2	2.7	10	5.2	2.8	2.2
17	–	–	–	1.6	1.4	1.7	2.2	2.6	9.7	4.9	3.3	2.1
18	–	–	–	1.7	1.5	1.6	2.3	2.6	9.1	4.6	2.8	2.0
19	–	–	–	1.7	1.6	1.7	2.3	2.7	8.6	4.4	2.6	2.0
20	–	–	–	1.7	1.6	1.7	2.2	2.8	8.4	4.2	2.6	2.0
21	–	–	–	1.7	1.6	1.7	2.2	2.9	8.2	4.1	2.5	1.9
22	–	–	–	1.7	1.7	1.7	2.2	2.9	8.0	3.9	2.6	1.9
23	–	–	–	1.7	1.6	1.7	2.3	3.0	8.3	3.8	2.5	2.0
24	–	–	–	1.7	1.6	1.7	2.3	3.1	8.8	3.7	2.5	2.0
25	–	–	–	1.7	1.7	1.8	2.3	3.3	7.8	3.6	2.6	1.9
26	–	–	–	1.8	1.6	1.9	2.3	5.4	7.6	3.9	3.1	1.9
27	–	–	–	1.8	1.7	1.8	2.3	7.7	7.2	3.7	2.9	1.9
28	–	–	–	1.8	1.8	1.8	2.3	6.2	7.2	3.3	2.8	1.9
29	–	–	–	1.7	–	1.8	2.3	6.5	7.7	3.1	2.8	1.8
30	–	–	–	1.7	–	1.8	2.4	12	7.9	2.8	2.7	1.9
31	–	–	–	1.7	–	1.9	–	20	–	2.8	3.1	–
Total	–	–	–	–	45.1	54.7	64.9	123.7	372.5	156.4	83.8	65.2
Mean	–	–	–	–	1.61	1.76	2.16	3.99	12.4	5.05	2.70	2.17
Maximum	–	–	–	–	1.8	1.9	2.4	20	23	8.5	4.6	2.9
Minimum	–	–	–	–	1.4	1.6	1.9	2.3	7.2	2.8	2.0	1.8
Acre-foot	–	–	–	–	89	108	129	245	739	310	166	129

90 Surface-Water Resources in the Great Basin National Park Area, White Pine County, Nevada

Table B9. Daily mean discharge values for the continual-recording gage Snake Creek at Nevada–Utah State line near Garrison, Utah (gage station 10243234).—Continued

[2004 water year is defined as beginning on October 1, 2003 and ending September 30, 2004. Abbreviation: e, estimate. Symbol: —, data not collected at this site on this day]

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
Discharge, in cubic feet per second, mean values												
Water year 2004												
1	1.9	1.6	e1.7	e1.8	e1.6	e1.6	e2.0	3.2	8.7	e8.2	3.3	1.9
2	1.8	1.7	e1.7	e1.8	e1.6	e1.6	e2.0	3.2	8.7	e8.0	3.4	1.9
3	1.9	1.7	e1.7	e1.7	e1.6	e1.6	e2.1	3.2	8.5	e8.0	3.3	2.2
4	1.9	1.6	e1.7	e1.8	e1.6	e1.5	e2.2	3.2	9.0	e7.8	3.2	2.0
5	2.0	1.6	e1.7	e1.8	e1.6	e1.7	e2.3	3.1	10	e7.6	2.9	2.0
6	1.9	1.6	1.8	e1.9	e1.5	e1.6	e2.4	3.1	11	e7.4	e2.9	2.0
7	1.9	1.6	1.9	e1.9	e1.5	e1.7	e2.3	3.2	11	e7.2	e2.9	1.9
8	1.9	1.8	1.8	e1.9	e1.5	e1.7	e2.2	3.2	10	e6.9	e2.8	1.9
9	1.9	2.0	1.7	e1.9	e1.5	e1.7	e2.1	3.6	9.6	e6.4	e2.8	1.8
10	1.9	2.0	1.8	e1.8	e1.4	e1.7	e2.1	4.6	8.7	e6.0	e2.7	1.8
11	2.0	1.9	2.0	e1.8	e1.4	e1.7	e2.2	e6.4	8.4	e5.6	e2.7	1.8
12	e1.9	1.9	1.8	e1.7	e1.4	e1.7	e2.4	e7.6	8.2	e5.3	e2.7	1.8
13	e2.0	2.2	1.9	e1.7	e1.5	e1.6	e2.4	e8.0	8.0	e5.0	e2.7	1.8
14	e1.9	e2.0	1.9	e1.6	e1.5	e1.6	e2.3	e8.4	7.5	e5.0	e2.6	1.8
15	e1.8	e2.1	e1.8	e1.4	e1.5	e1.6	2.3	e8.4	7.4	e5.0	e2.5	1.7
16	e2.0	e2.2	e1.9	e1.3	e1.5	e1.7	2.3	e8.4	7.3	5.5	e2.4	1.5
17	e2.1	e2.3	e2.0	e1.4	e1.6	e1.8	2.4	e8.4	7.8	5.1	e2.4	1.4
18	1.7	e2.2	e1.9	e1.4	e1.6	e1.9	2.5	e8.4	6.3	4.7	2.4	1.5
19	e1.9	e2.1	e1.9	e1.5	e1.6	e2.0	2.5	e8.5	5.8	4.2	2.4	1.5
20	e1.9	2.1	e1.8	e1.6	e1.6	e1.9	2.6	e8.6	5.9	4.5	2.4	1.6
21	e1.9	2.1	e1.8	e1.5	e1.6	e1.9	2.6	e8.8	8.9	4.4	2.4	1.5
22	e1.8	e2.1	e1.8	e1.4	e1.6	e1.9	2.7	e8.8	8.8	4.2	2.2	1.5
23	e1.8	e2.1	e2.0	e1.5	e1.6	e1.7	2.8	e9.2	8.9	4.2	2.2	1.5
24	e1.8	e2.1	e1.8	e1.5	e1.6	e1.7	2.8	9.4	8.8	4.2	2.3	1.4
25	e1.8	e2.2	e2.0	e1.5	e1.6	e1.7	2.9	9.9	8.8	4.0	2.2	1.5
26	e1.8	e2.1	e1.9	e1.5	e1.7	e1.8	2.9	9.6	e8.6	4.0	2.0	1.4
27	e1.8	e2.0	e1.8	e1.5	e1.8	e1.8	2.9	9.3	e8.6	3.8	2.1	1.4
28	e1.8	e2.0	e1.8	e1.5	e1.8	e1.9	3.0	9.2	e8.6	3.8	2.1	1.4
29	e1.8	e1.9	e1.8	e1.5	e1.7	e1.9	3.1	9.3	e8.6	3.5	2.1	1.5
30	1.7	e1.8	e1.8	e1.5	—	e2.0	3.2	9.2	e8.4	3.3	2.0	1.5
31	1.6	—	e1.8	e1.6	—	e2.1	—	8.9	—	3.3	1.9	—
Total	57.8	58.6	56.7	50.2	45.6	54.3	74.5	216.3	254.8	166.1	78.9	50.4
Mean	1.86	1.95	1.83	1.62	1.57	1.75	2.48	6.98	8.49	5.36	2.55	1.68
Maximum	2.1	2.3	2.0	1.9	1.8	2.1	3.2	9.9	11	8.2	3.4	2.2
Minimum	1.6	1.6	1.7	1.3	1.4	1.5	2.0	3.1	5.8	3.3	1.9	1.4
Acre-foot	115	116	112	100	90	108	148	429	505	329	156	100

Table B10. Daily mean discharge values for the continual-recording gage South Fork Big Wash above Great Basin National Park boundary near Baker, Nevada (gage station 10243228).

[2003 water year is defined as beginning on October 1, 2002 and ending September 30, 2003. Abbreviation: e, estimate. Symbol: —, data not collected at this site on this day]

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
Discharge, in cubic feet per second, mean values												
Water year 2003												
1	e0.06	0.03	e0.00	0.00	0.00	0.00	0.00	0.13	18	0.45	0.06	0.17
2	e0.06	0.00	e0.00	0.00	0.00	0.00	0.00	0.18	14	0.40	0.06	0.14
3	e0.05	0.00	e0.00	0.00	0.00	0.00	0.00	0.15	9.3	0.35	0.06	0.12
4	e0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.17	8.8	0.32	0.05	0.11
5	e0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.20	7.6	0.28	0.05	0.12
6	e0.04	0.00	e0.00	0.00	0.00	0.00	0.00	0.27	7.3	0.24	0.04	0.13
7	e0.03	0.00	e0.00	0.00	0.00	0.00	0.00	0.22	6.3	0.20	0.04	0.12
8	e0.03	e0.00	0.00	0.00	0.00	0.00	0.00	0.17	5.7	0.18	0.04	0.11
9	e0.03	e0.00	e0.00	0.00	0.00	0.00	0.00	0.18	5.1	0.15	0.05	0.11
10	0.03	e0.00	e0.00	0.00	0.00	0.00	0.00	0.25	4.7	0.12	0.06	0.15
11	0.04	0.08	0.00	0.00	0.00	0.00	0.00	0.33	4.5	0.09	0.06	0.13
12	0.05	0.10	0.00	0.00	0.00	0.00	0.00	0.45	4.2	0.09	0.06	0.12
13	0.08	0.06	e0.00	0.00	0.00	0.00	0.00	0.50	4.0	0.07	0.07	0.09
14	0.09	0.01	e0.00	0.00	0.00	0.00	0.00	0.54	3.7	0.06	0.06	0.10
15	0.06	0.00	0.00	0.00	0.00	0.00	0.05	0.51	3.2	0.04	0.06	0.10
16	0.06	0.00	e0.00	0.00	0.00	0.00	0.10	0.54	2.8	0.04	0.08	0.09
17	0.05	e0.00	0.00	0.00	0.00	0.00	0.16	0.51	2.6	0.03	0.09	0.09
18	0.04	0.00	0.00	0.00	0.00	0.00	0.15	0.49	2.3	0.03	0.07	0.07
19	0.11	0.00	0.00	0.00	0.00	0.00	0.19	0.66	2.0	0.03	0.07	0.07
20	0.12	0.00	e0.00	0.00	0.00	0.00	0.24	0.76	1.8	0.03	0.11	0.07
21	0.11	0.00	e0.00	0.00	0.00	0.00	0.25	0.88	1.7	0.03	0.13	0.06
22	0.11	0.00	0.00	0.00	0.00	0.00	0.22	1.1	1.5	0.03	0.16	0.06
23	0.11	0.00	0.00	0.00	0.00	0.00	0.16	1.2	1.5	0.03	0.15	0.05
24	0.12	0.00	0.00	0.00	0.00	0.00	0.21	1.4	1.4	0.04	0.12	0.04
25	0.11	0.00	0.00	0.00	0.00	0.00	0.20	2.1	1.1	0.04	0.11	0.05
26	0.11	e0.00	0.00	0.00	0.00	0.00	0.16	4.1	0.92	0.04	0.11	0.05
27	0.12	e0.00	0.00	0.00	0.00	0.00	0.16	12	0.82	0.04	0.11	0.06
28	0.13	e0.00	0.00	0.00	0.00	0.00	0.17	20	0.73	0.03	0.11	0.06
29	0.12	e0.00	0.00	0.00	—	0.00	0.14	21	0.60	0.03	0.11	0.05
30	0.10	0.00	0.00	0.00	—	0.00	0.11	20	0.49	0.04	0.15	0.06
31	0.08	—	0.00	0.00	—	0.00	—	19	—	0.04	0.16	—
Total	2.34	0.28	0.00	0.00	0.00	0.00	2.67	109.99	128.66	3.59	2.66	2.75
Mean	0.08	0.01	0.00	0.00	0.00	0.00	0.09	3.55	4.29	0.12	0.09	0.09
Maximum	0.13	0.10	0.00	0.00	0.00	0.00	0.25	21	18	0.45	0.16	0.17
Minimum	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.49	0.03	0.04	0.04
Acre-foot	4.6	0.6	0.00	0.00	0.00	0.00	5.3	218	255	7.1	5.3	5.5

92 Surface-Water Resources in the Great Basin National Park Area, White Pine County, Nevada

Table B10. Daily mean discharge values for the continual-recording gage South Fork Big Wash above Great Basin National Park boundary near Baker, Nevada (gage station 10243228).—Continued

[2004 water year is defined as beginning on October 1, 2003 and ending September 30, 2004. Abbreviation: e, estimate. Symbol: —, data not collected at this site on this day]

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
Discharge, in cubic feet per second, mean values												
Water year 2004												
1	0.06	0.15	e0.00	0.00	0.00	0.00	0.41	0.82	1.8	0.65	0.03	0.02
2	0.06	0.17	e0.00	0.00	0.00	0.00	0.46	0.83	1.7	0.60	0.04	0.02
3	0.06	0.19	e0.00	0.00	0.00	0.00	0.49	0.89	1.7	0.57	0.05	0.04
4	0.06	0.17	e0.00	0.00	0.00	0.00	0.50	0.97	1.7	0.53	0.03	0.05
5	0.06	0.15	e0.00	0.00	0.00	0.00	0.51	0.94	1.7	0.49	0.03	0.04
6	0.06	0.15	0.00	0.00	0.00	0.00	0.54	1.1	1.6	0.46	0.03	0.03
7	0.06	0.15	0.00	0.00	0.00	0.00	0.55	1.1	1.6	0.42	0.03	0.03
8	0.06	0.13	0.00	0.00	0.00	0.00	0.60	1.1	1.7	0.38	0.03	0.03
9	0.07	0.16	0.00	0.00	0.00	0.00	0.63	1.2	1.7	0.37	0.03	0.02
10	0.07	0.18	e0.00	0.00	0.00	0.00	0.66	1.3	1.8	0.34	0.03	0.02
11	0.08	0.19	e0.00	0.00	0.00	0.00	0.68	1.5	1.8	0.31	0.02	0.03
12	0.09	0.20	e0.00	0.00	0.00	0.01	0.70	1.5	1.8	0.28	0.02	0.03
13	0.09	0.20	e0.00	0.00	0.00	0.01	0.71	1.5	1.8	0.25	0.02	0.03
14	0.12	0.21	0.00	0.00	0.00	0.00	0.74	1.7	1.7	0.24	0.02	0.03
15	0.13	0.20	0.00	0.00	0.00	0.00	0.71	1.9	1.7	0.23	0.03	0.03
16	0.13	0.19	e0.00	0.00	0.00	0.00	0.64	e2.0	1.6	0.22	0.03	0.03
17	0.12	0.19	e0.00	0.00	0.00	0.00	0.59	e1.9	1.7	0.21	0.03	0.03
18	0.13	0.18	e0.00	0.00	0.00	0.00	0.66	1.9	2.0	0.18	0.03	0.03
19	0.10	0.18	e0.00	0.00	0.00	0.00	0.82	1.9	1.6	0.16	0.03	0.04
20	0.07	0.17	0.00	0.00	0.00	0.00	0.84	1.9	1.4	0.15	0.05	0.06
21	0.07	0.16	0.00	0.00	0.00	0.02	0.87	2.0	1.3	0.13	0.05	0.06
22	0.08	0.14	0.00	0.00	0.00	0.05	0.88	2.0	1.2	0.12	0.04	0.07
23	0.08	0.01	0.00	0.00	0.00	0.10	0.88	2.0	1.1	0.11	0.03	0.07
24	0.09	0.00	0.00	0.00	0.00	0.14	0.88	2.0	1.1	0.10	0.03	0.06
25	0.09	0.00	0.00	0.00	0.00	0.19	0.91	2.0	1.0	0.09	0.03	0.06
26	0.09	0.00	0.00	0.00	0.00	0.21	0.94	2.0	0.97	0.08	0.03	0.05
27	0.10	e0.00	0.00	0.00	0.00	0.26	0.89	1.9	0.91	0.07	0.03	0.05
28	0.09	e0.00	0.00	0.00	0.00	0.29	0.88	1.9	0.86	0.06	0.03	0.06
29	0.08	e0.00	0.00	0.00	0.00	0.33	0.85	1.9	0.79	0.05	0.03	0.08
30	0.10	e0.00	0.00	0.00	—	0.36	0.82	1.9	0.73	0.04	0.02	0.09
31	0.14	—	0.00	0.00	—	0.38	—	1.8	—	0.03	0.02	—
Total	2.69	3.82	0.00	0.00	0.00	2.35	21.24	49.35	44.06	7.92	0.95	1.29
Mean	0.09	0.13	0.00	0.00	0.00	0.08	0.71	1.59	1.47	0.26	0.03	0.04
Maximum	0.14	0.21	0.00	0.00	0.00	0.38	0.94	2.0	2.0	0.65	0.05	0.09
Minimum	0.06	0.00	0.00	0.00	0.00	0.00	0.41	0.82	0.73	0.03	0.02	0.02
Acre-foot	5.3	7.6	0.00	0.00	0.00	4.7	42	98	87	16	1.9	2.6

Table B11. Daily mean discharge values for the continual-recording gage Williams Canyon above aqueduct near Minerva, Nevada (gage station 10243630).

[2003 water year is defined as beginning on October 1, 2002 and ending September 30, 2003. Abbreviation: e, estimate. Symbol: –, data not collected at this site on this day]

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
Discharge, in cubic feet per second, mean values												
Water year 2003												
1	e0.34	0.34	e0.36	e0.32	e0.28	0.24	0.27	0.51	13	2.6	0.67	0.38
2	e0.33	0.38	e0.35	e0.33	e0.27	0.23	0.27	0.50	14	2.4	0.64	0.37
3	e0.33	0.36	e0.35	e0.33	e0.27	0.23	0.29	0.54	14	2.3	0.61	0.34
4	e0.33	0.36	e0.35	e0.32	e0.27	0.24	0.29	0.55	14	2.2	0.59	0.35
5	e0.32	0.36	e0.36	e0.32	e0.27	0.23	0.28	0.54	14	2.1	0.57	0.37
6	e0.32	0.35	e0.35	e0.32	e0.26	0.23	e0.30	0.52	13	1.9	0.56	0.36
7	e0.31	0.35	e0.34	e0.31	e0.26	0.24	e0.31	0.55	13	1.8	0.55	0.34
8	e0.31	0.48	e0.34	e0.31	e0.26	0.25	e0.33	0.58	12	1.6	0.54	0.33
9	e0.30	0.43	e0.34	e0.31	e0.26	0.25	e0.34	0.58	11	1.5	0.52	0.34
10	e0.30	0.36	e0.33	e0.31	e0.25	0.26	e0.35	0.64	9.9	1.4	0.49	0.35
11	e0.30	0.36	e0.33	e0.31	e0.25	0.27	0.36	0.80	9.1	1.3	0.47	0.34
12	0.30	0.36	e0.33	e0.30	e0.25	0.28	0.36	0.85	8.5	1.2	0.46	0.32
13	0.32	0.36	e0.32	e0.30	e0.24	0.29	0.37	0.87	7.9	1.2	0.45	0.32
14	0.33	0.36	e0.32	e0.30	e0.24	0.29	0.38	0.92	7.5	1.1	0.44	0.32
15	0.33	0.36	e0.32	e0.30	e0.24	0.30	0.42	0.93	7.1	1.1	0.45	0.30
16	0.33	0.37	e0.31	e0.31	e0.23	0.31	0.43	1.1	6.6	1.0	0.51	0.28
17	0.33	0.37	e0.31	e0.31	e0.23	0.28	0.43	1.3	6.2	1.0	0.47	0.28
18	0.33	0.37	e0.32	e0.31	0.23	0.27	0.44	1.6	5.8	0.99	0.44	0.29
19	0.33	0.37	e0.31	e0.31	0.23	0.28	0.44	2.0	5.4	0.94	0.43	0.28
20	0.33	0.37	0.31	e0.30	0.23	0.28	0.45	2.3	5.1	0.87	0.43	0.27
21	0.33	0.37	0.31	e0.30	0.23	0.29	0.47	2.8	4.8	0.84	0.43	0.27
22	0.34	0.36	0.30	e0.30	0.23	0.30	0.49	3.8	4.5	0.83	0.52	0.26
23	0.34	0.36	0.32	e0.29	0.25	0.31	0.55	5.0	4.3	0.82	0.41	0.25
24	0.34	0.36	e0.33	e0.30	0.23	0.30	0.56	6.1	4.1	0.77	0.39	0.25
25	0.34	0.36	e0.33	0.30	0.24	0.28	0.55	7.0	3.7	0.75	0.38	0.25
26	0.37	e0.37	e0.34	0.29	0.24	0.28	0.54	7.4	3.4	0.72	0.37	0.26
27	0.36	e0.36	e0.33	0.29	0.23	0.27	0.53	8.0	3.2	0.68	0.36	0.26
28	0.35	e0.36	e0.33	0.30	0.23	e0.26	0.53	8.8	3.1	0.66	0.36	0.26
29	0.35	e0.36	e0.32	0.28	–	e0.26	0.52	9.9	2.9	0.65	0.37	0.26
30	0.35	e0.37	e0.32	e0.28	–	0.26	0.52	11	2.7	0.64	0.37	0.26
31	0.35	–	e0.32	e0.28	–	0.26	–	12	–	0.64	0.36	–
Total	10.24	11.05	10.2	9.44	6.9	8.32	12.37	99.98	233.8	38.5	14.61	9.11
Mean	0.33	0.37	0.33	0.3	0.25	0.27	0.41	3.23	7.79	1.24	0.47	0.3
Maximum	0.37	0.48	0.36	0.33	0.28	0.31	0.56	12	14	2.6	0.67	0.38
Minimum	0.3	0.34	0.3	0.28	0.23	0.23	0.27	0.5	2.7	0.64	0.36	0.25
Acre-foot	20	22	20	19	14	17	25	198	464	76	29	18

94 Surface-Water Resources in the Great Basin National Park Area, White Pine County, Nevada
Table B11. Daily mean discharge values for the continual-recording gage Williams Canyon above aqueduct near Minerva, Nevada (gage station 10243630).—Continued

[2004 water year is defined as beginning on October 1, 2003 and ending September 30, 2004. Abbreviation: e, estimate. Symbol: —, data not collected at this site on this day]

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
Discharge, in cubic feet per second, mean values												
Water year 2004												
1	0.26	e0.29	e0.25	e0.24	0.21	0.21	0.71	1.3	3.1	1.8	0.65	0.39
2	0.26	e0.28	e0.25	e0.24	0.20	0.21	1.3	1.4	3.2	1.7	0.65	0.36
3	0.27	e0.29	e0.25	e0.24	0.22	0.21	1.5	1.6	3.2	1.6	0.61	0.49
4	0.28	e0.28	e0.26	e0.24	0.22	0.21	1.1	1.8	3.4	1.5	0.59	0.42
5	0.28	e0.29	e0.26	e0.23	0.21	0.21	1.1	2.3	3.8	1.5	0.59	0.40
6	0.27	e0.29	e0.26	e0.24	0.21	0.22	1.3	2.9	4.3	1.4	0.57	0.39
7	0.27	e0.29	e0.26	e0.24	0.22	0.23	1.4	3.6	4.8	1.3	0.56	0.37
8	0.27	e0.29	e0.26	e0.23	0.22	0.25	1.4	4.2	5.0	1.3	0.55	0.34
9	0.27	e0.28	e0.27	e0.23	0.22	0.28	1.4	4.6	5.2	1.2	0.54	0.34
10	0.28	e0.28	e0.26	e0.23	0.21	0.29	1.3	4.8	5.4	1.1	0.53	0.33
11	0.28	e0.28	e0.26	e0.24	0.21	0.28	1.3	4.9	5.3	1.1	0.52	0.33
12	0.28	e0.28	e0.26	e0.23	0.21	0.29	1.3	5.0	5.0	1.0	0.49	0.33
13	0.29	e0.29	e0.25	e0.23	0.19	0.31	1.3	5.0	4.5	0.95	0.50	0.31
14	0.29	e0.29	e0.25	e0.23	0.21	0.34	1.3	4.9	4.0	0.93	0.52	0.31
15	0.29	e0.28	e0.25	e0.22	0.21	0.35	1.4	4.6	3.6	0.96	0.52	0.31
16	0.29	e0.28	e0.25	e0.22	0.21	0.36	1.4	4.2	3.3	0.87	0.50	0.31
17	0.29	e0.28	e0.26	e0.22	0.20	0.39	1.4	3.9	3.6	0.86	0.51	0.30
18	0.28	e0.27	e0.25	e0.23	0.20	0.42	1.5	3.7	3.4	0.81	0.49	0.28
19	0.28	e0.28	e0.25	e0.22	0.20	0.48	1.4	3.6	3.2	0.80	0.48	0.31
20	0.28	e0.27	e0.24	e0.22	0.19	0.54	1.3	3.4	3.2	0.78	0.47	0.34
21	0.27	e0.27	e0.24	e0.22	0.19	0.58	1.3	3.5	3.1	0.75	0.47	0.34
22	0.26	e0.27	e0.24	e0.23	0.20	0.60	1.2	3.6	3.0	0.74	0.46	0.34
23	0.26	e0.26	e0.24	e0.22	0.20	0.61	1.1	3.7	2.9	0.73	0.45	0.32
24	0.27	e0.26	e0.25	e0.21	0.20	0.59	1.0	3.8	2.7	0.72	0.47	0.32
25	0.27	e0.27	e0.26	e0.22	0.20	0.58	0.96	3.9	2.6	0.71	0.45	0.31
26	0.27	e0.26	e0.25	e0.22	0.21	0.60	0.94	3.7	2.5	0.69	0.43	0.30
27	0.27	e0.26	e0.25	e0.22	0.21	0.58	0.98	3.5	2.4	0.69	0.43	0.30
28	0.27	e0.26	e0.26	e0.21	0.21	0.59	1.1	3.4	2.2	0.67	0.42	0.33
29	0.28	e0.27	e0.25	0.20	0.21	0.61	1.2	3.2	2.0	0.66	0.41	0.33
30	e0.28	e0.26	e0.25	0.23	—	0.65	1.3	3.1	1.9	0.64	0.40	0.33
31	e0.28	—	e0.25	0.23	—	0.68	—	3.1	—	0.63	0.39	—
Total	8.54	8.3	7.84	7.03	6.00	12.75	37.19	110.2	105.8	31.09	15.62	10.18
Mean	0.28	0.28	0.25	0.23	0.21	0.41	1.24	3.55	3.53	1.0	0.5	0.34
Maximum	0.29	0.29	0.27	0.24	0.22	0.68	1.5	5.0	5.4	1.8	0.65	0.49
Minimum	0.26	0.26	0.24	0.2	0.19	0.21	0.71	1.3	1.9	0.63	0.39	0.28
Acre-foot	17	16	16	14	12	25	74	219	210	62	31	20

Table B12. Daily mean discharge values for the continual-recording gage Decathlon Canyon below Great Basin National Park boundary near Minerva, Nevada (gage station 10243223).

[2003 water year is defined as beginning on October 1, 2002 and ending September 30, 2003. Abbreviation: e, estimate. Symbol: —, data not collected at this site on this day]

DAY	OCT.	NOV.	DEC.	JAN.	FEB.	MAR.	APR.	MAY	JUNE	JULY	AUG.	SEPT.
Discharge, in cubic feet per second, mean values												
Water year 2003												
1	e0.00	0.00	0.00	0.00	e0.00	0.00	e0.00	0.00	e0.00	e0.00	0.00	0.00
2	e0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	e0.00	e0.00	0.00	0.00
3	e0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	e0.00	e0.00	0.00	0.00
4	e0.00	0.00	0.00	0.00	0.00	0.00	e0.00	0.00	e0.00	e0.00	0.00	0.00
5	e0.00	0.00	0.00	0.00	0.00	0.00	e0.00	0.00	e0.00	e0.00	0.00	0.00
6	e0.00	0.00	0.00	0.00	0.00	0.00	e0.00	0.00	e0.00	e0.00	0.00	0.00
7	e0.00	0.00	0.00	0.00	0.00	0.00	e0.00	0.00	e0.00	e0.00	0.00	0.00
8	e0.00	0.00	0.00	0.00	0.00	0.00	e0.00	0.00	e0.00	e0.00	0.00	0.00
9	e0.00	0.00	0.00	0.00	0.00	0.00	e0.00	0.00	e0.00	e0.00	0.00	0.00
10	e0.00	0.00	0.00	0.00	0.00	0.00	e0.00	0.00	e0.00	e0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	e0.00	e0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	e0.00	e0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	e0.00	e0.00	e0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	e0.00	0.00	0.00	0.00	e0.00	e0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	e0.00	0.00	0.00	e0.00	e0.00	e0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	e0.00	0.00	0.00	e0.00	e0.00	e0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	e0.00	0.00	0.00	0.00	e0.00	e0.00	0.00	0.00
18	0.00	0.00	0.00	e0.00	e0.00	0.00	0.00	e0.00	e0.00	e0.00	0.00	0.00
19	0.00	0.00	0.00	e0.00	0.00	0.00	0.00	e0.00	e0.00	e0.00	0.00	0.00
20	0.00	0.00	0.00	e0.00	0.00	0.00	0.00	e0.00	e0.00	e0.00	0.00	0.00
21	0.00	e0.00	0.00	e0.00	0.00	0.00	0.00	e0.00	e0.00	e0.00	0.00	0.00
22	0.00	e0.00	0.00	e0.00	e0.00	0.00	0.00	e0.00	e0.00	e0.00	0.00	0.00
23	0.00	0.00	0.00	e0.00	e0.00	0.00	0.00	e0.00	e0.00	e0.00	0.00	0.00
24	0.00	0.00	0.00	e0.00	e0.00	0.00	0.00	e0.00	e0.10	0.00	0.00	0.00
25	0.00	0.00	0.00	e0.00	e0.00	0.00	0.00	e0.00	e0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	e0.00	0.00	0.00	0.00	e0.00	e0.00	0.00	0.00	0.00
27	0.00	0.00	0.00	e0.00	0.00	0.00	0.00	e0.00	e0.00	0.00	0.00	0.00
28	0.00	0.00	0.00	e0.00	0.00	0.00	e0.00	e0.00	e0.00	0.00	0.00	0.00
29	0.00	0.00	0.00	e0.00	—	0.00	0.00	e0.00	e0.00	0.00	0.00	0.00
30	0.00	0.00	0.00	e0.00	—	e0.00	0.00	e0.00	e0.00	0.00	0.00	0.00
31	0.00	—	0.00	e0.00	—	e0.00	—	e0.00	—	0.00	0.00	—
Total	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.10	0.00	0.00	0.00
Mean	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Maximum	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.10	0.00	0.00	0.00
Minimum	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Acre-foot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.2	0.00	0.00	0.00

Table B12. Daily mean discharge values for the continual-recording gage Decathion Canyon below Great Basin National Park boundary near Minerva, Nevada (gage station 10243223).—Continued

[2004 water year is defined as beginning on October 1, 2003 and ending September 30, 2004. Abbreviation: e, estimate. Symbol: –, data not collected at this site on this day]

[illegible]

Table B13. Maximum, minimum, and mean water temperature for the continual-recording gage Strawberry Creek above Great Basin National Park boundary near Baker, Nevada (gage station 10243280).

[Water temperature in degrees Celsius. 2003 water year is defined as beginning on October 1, 2002 and ending September 30, 2003. Symbol: –, data not collected at this site on this day]

[illegible]

Table B13. Maximum, minimum, and mean water temperature for the continual-recording gage Strawberry Creek above Great Basin National Park boundary near Baker, Nevada (gage station 10243280).—Continued

[Water temperature in degrees Celsius. 2003 water year is defined as beginning on October 1, 2002 and ending September 30, 2003. Symbol: —, data not collected at this site on this day]

DAY	JUNE			JULY			AUGUST			SEPTEMBER		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2003—Continued												
1	11.0	7.5	9.0	15.0	11.5	13.0	19.0	14.0	16.0	15.5	12.5	14.0
2	11.5	7.5	9.0	15.5	11.0	13.0	17.5	14.5	16.0	16.0	12.5	14.0
3	11.0	7.5	9.0	15.5	11.0	13.0	17.0	13.5	15.0	16.5	12.5	14.5
4	11.0	7.0	9.0	16.0	11.0	13.5	17.0	13.0	15.0	16.0	13.5	14.5
5	10.5	7.0	8.5	16.5	11.0	13.5	18.5	13.0	15.0	15.0	12.5	13.5
6	11.5	6.5	9.0	16.5	12.0	14.0	17.5	12.0	14.5	15.5	12.0	13.5
7	11.5	8.0	9.5	17.0	12.5	14.5	18.5	13.0	15.0	15.5	12.0	14.0
8	11.0	8.0	9.5	17.0	13.0	15.0	20.5	13.5	16.0	15.5	12.0	13.0
9	11.5	9.0	10.0	16.5	12.0	14.5	22.0	14.0	17.0	13.0	10.5	12.0
10	13.0	9.5	11.0	17.0	12.0	15.0	20.5	15.0	17.5	12.0	9.5	10.5
11	11.0	9.0	10.0	18.0	14.0	16.0	19.5	14.5	17.0	12.5	8.5	10.5
12	11.5	8.5	10.0	18.0	14.0	16.0	18.0	14.5	16.0	14.0	9.0	11.5
13	11.5	8.5	10.0	17.5	14.0	15.5	19.5	14.0	16.5	11.5	7.5	9.5
14	13.0	8.5	10.5	18.0	13.5	15.5	18.5	14.5	16.5	10.5	6.5	8.5
15	13.0	9.5	11.0	18.5	14.5	16.5	19.0	15.5	17.0	14.5	8.5	11.5
16	12.0	9.5	11.0	18.0	15.5	16.5	18.5	12.0	15.5	15.0	10.0	12.0
17	13.0	9.0	11.0	18.0	15.0	16.5	17.5	12.5	14.5	12.0	8.5	10.0
18	14.0	9.5	11.5	18.5	15.0	16.5	17.0	13.0	15.0	10.0	6.5	8.0
19	12.5	10.0	11.5	18.0	15.0	16.5	18.0	13.0	15.0	10.0	5.5	8.0
20	12.0	10.0	11.0	18.0	15.0	16.5	17.0	15.0	16.0	10.5	7.0	8.5
21	11.0	9.0	10.5	18.5	15.0	16.5	17.5	14.5	16.0	10.5	6.5	8.5
22	11.5	8.5	10.0	19.0	15.0	17.0	15.5	14.0	15.0	10.5	6.5	8.5
23	10.5	9.0	9.5	19.0	15.5	17.0	16.5	12.5	14.5	11.0	7.0	8.5
24	9.5	7.0	8.5	19.5	15.5	17.0	15.5	13.5	14.5	10.5	7.0	8.5
25	11.0	7.0	9.0	18.0	15.5	16.5	17.5	12.5	14.5	16.5	6.0	11.5
26	12.0	7.5	10.0	18.5	14.0	16.5	16.0	13.0	14.5	16.5	12.5	14.5
27	13.5	9.0	11.0	19.0	15.0	17.0	16.5	13.0	14.5	16.5	13.0	14.5
28	14.0	10.0	12.0	20.0	14.0	16.5	16.5	12.5	14.5	16.5	13.0	14.5
29	15.0	10.5	12.5	21.5	14.0	17.0	15.5	13.0	14.0	16.0	12.0	14.0
30	15.0	11.5	13.0	23.0	14.0	17.5	16.0	12.0	13.5	16.0	13.0	14.5
31	—	—	—	18.5	15.5	17.0	15.5	12.0	13.5	—	—	—
Month	15.0	6.5	10.2	23.0	11.0	15.7	22.0	12.0	15.3	16.5	5.5	11.6

Table B13. Maximum, minimum, and mean water temperature for the continual-recording gage Strawberry Creek above Great Basin National Park boundary near Baker, Nevada (gage station 10243280).—Continued

[Water temperature in degrees Celsius. 2004 water year is defined as beginning on October 1, 2003 and ending September 30, 2004. Symbol: —, data not collected at this site on this day]

DAY	OCTOBER			NOVEMBER			DECEMBER			JANUARY		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2004												
1	16.5	13.5	14.5	2.5	1.5	2.0	2.5	1.5	2.0	1.0	0.5	0.5
2	14.0	12.0	13.0	2.0	0.5	1.5	2.5	1.0	1.5	1.0	1.0	1.0
3	13.0	10.5	11.5	2.0	1.0	2.0	2.0	0.5	1.0	1.0	0.5	0.5
4	12.5	9.5	11.0	2.0	0.0	1.0	2.0	0.5	1.0	0.5	0.5	0.5
5	12.5	9.5	10.5	2.0	0.5	1.0	3.5	1.5	2.5	0.5	0.5	0.5
6	12.0	9.0	10.5	1.5	0.0	1.0	4.0	2.0	3.0	0.5	0.5	0.5
7	11.0	8.5	10.0	2.0	0.0	1.0	3.5	2.0	3.0	0.5	0.5	0.5
8	12.0	8.5	10.0	3.0	0.5	2.0	2.0	0.0	1.0	0.5	0.5	0.5
9	12.5	8.5	10.5	4.0	2.0	3.0	0.0	0.0	0.0	1.0	0.5	0.5
10	10.5	6.5	9.0	3.5	2.5	3.0	0.5	0.0	0.5	1.0	0.5	1.0
11	7.5	4.5	6.0	3.5	1.0	2.0	1.0	0.0	0.5	1.0	0.5	1.0
12	9.5	5.0	7.0	2.5	1.0	2.0	0.5	0.0	0.5	1.0	0.5	1.0
13	7.5	4.5	6.0	2.5	1.0	1.5	1.5	0.0	1.0	1.5	0.5	1.0
14	8.0	3.0	5.5	3.5	1.5	2.5	1.5	0.0	0.5	1.5	0.5	1.0
15	8.0	4.0	6.0	2.5	0.5	1.5	0.5	0.5	0.5	1.0	0.5	1.0
16	9.0	5.0	7.0	3.0	1.5	2.5	0.5	0.5	0.5	1.0	0.5	0.5
17	9.5	6.0	7.5	3.5	2.0	2.5	0.5	0.5	0.5	0.5	0.5	0.5
18	9.5	6.0	7.5	3.5	1.0	2.0	0.5	0.5	0.5	1.0	0.5	0.5
19	9.5	6.5	8.0	3.5	1.5	2.5	1.0	0.5	0.5	1.0	1.0	1.0
20	10.0	6.5	8.0	4.0	2.5	3.5	1.5	0.5	1.0	1.0	1.0	1.0
21	10.0	6.5	8.0	3.5	0.5	2.5	2.0	1.0	1.5	1.0	1.0	1.0
22	10.0	6.5	8.5	0.5	0.0	0.0	1.5	0.5	0.5	1.0	1.0	1.0
23	10.0	7.5	8.5	0.0	0.0	0.0	1.0	0.5	0.5	1.0	1.0	1.0
24	7.5	5.0	6.5	0.5	0.0	0.0	1.5	0.5	1.0	1.0	1.0	1.0
25	6.0	4.0	4.5	1.0	0.0	0.0	1.5	0.5	1.0	1.0	1.0	1.0
26	6.0	2.5	4.5	0.5	0.0	0.0	0.5	0.5	0.5	1.0	1.0	1.0
27	8.0	4.5	6.0	0.5	0.0	0.0	0.5	0.5	0.5	1.0	1.0	1.0
28	9.0	6.0	7.5	0.5	0.0	0.5	0.5	0.5	0.5	1.0	1.0	1.0
29	9.5	6.0	7.5	1.5	0.5	1.0	0.5	0.5	0.5	1.0	1.0	1.0
30	6.0	2.5	4.0	3.0	1.5	2.0	0.5	0.5	0.5	1.0	1.0	1.0
31	2.5	1.5	2.0	—	—	—	1.0	0.5	0.5	1.0	1.0	1.0
Month	16.5	1.5	8.0	4.0	0.0	1.5	4.0	0.0	0.9	1.5	0.5	0.8

Table B13. Maximum, minimum, and mean water temperature for the continual-recording gage Strawberry Creek above Great Basin National Park boundary near Baker, Nevada (gage station 10243280).—Continued

[Water temperature in degrees Celsius. 2004 water year is defined as beginning on October 1, 2003 and ending September 30, 2004. Symbol: —, data not collected at this site on this day]

DAY	FEBRUARY			MARCH			APRIL			MAY		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2004—Continued												
1	1.0	1.0	1.0	1.5	1.5	1.5	8.0	6.0	7.0	14.5	7.0	10.5
2	1.0	1.0	1.0	2.5	1.5	1.5	7.0	4.5	5.5	15.0	8.5	11.5
3	1.5	1.0	1.0	2.5	1.5	2.0	9.0	5.0	7.0	16.0	9.0	12.5
4	1.5	1.5	1.5	3.0	1.5	2.0	11.0	5.0	7.5	17.0	10.5	13.5
5	1.5	1.0	1.5	3.0	1.5	2.0	11.0	6.0	8.5	16.5	11.0	13.5
6	1.0	1.0	1.0	4.0	2.0	3.0	9.5	6.5	7.5	15.5	10.0	12.5
7	1.5	1.0	1.0	5.0	2.0	3.0	10.0	6.0	7.5	14.5	10.0	12.0
8	1.5	1.0	1.0	5.0	2.0	3.5	9.5	7.0	8.0	15.5	10.0	12.5
9	1.5	1.0	1.0	6.0	2.0	4.0	11.0	5.5	8.0	15.5	10.0	13.0
10	1.0	1.0	1.0	6.0	2.5	4.0	7.5	5.0	6.5	15.0	10.0	12.0
11	1.0	1.0	1.0	6.0	2.0	4.0	10.0	3.5	6.5	11.5	8.0	9.5
12	1.0	1.0	1.0	6.0	2.0	4.0	11.5	5.0	8.0	10.5	7.5	9.0
13	1.0	1.0	1.0	7.5	2.5	4.5	12.0	5.5	8.5	13.0	7.0	9.5
14	1.0	1.0	1.0	8.0	3.0	5.0	10.5	5.5	8.0	13.5	7.5	10.5
15	1.5	1.0	1.0	8.0	3.5	5.5	10.0	6.0	7.5	14.0	9.0	11.5
16	2.0	1.0	1.5	8.0	3.0	5.0	10.0	6.5	8.0	14.0	9.5	11.5
17	2.0	1.5	2.0	9.0	3.0	5.5	10.0	6.5	8.0	14.0	10.5	12.5
18	2.5	2.0	2.5	9.5	3.5	6.5	10.5	6.0	7.5	15.5	10.5	12.5
19	3.0	2.0	2.5	11.0	5.0	7.5	8.5	6.0	7.0	14.0	10.0	12.0
20	2.0	1.5	2.0	11.0	4.5	7.5	9.5	5.0	7.5	14.5	9.5	12.0
21	2.0	1.0	1.5	11.0	5.0	8.0	10.5	6.0	8.0	12.5	9.5	11.0
22	2.0	2.0	2.0	10.5	6.0	8.0	8.5	5.0	6.5	13.0	9.5	11.0
23	2.0	1.5	2.0	11.0	6.5	8.5	11.5	5.0	8.0	14.5	10.0	12.0
24	3.0	1.5	2.0	10.0	5.5	7.5	12.5	5.5	8.5	13.0	9.5	11.5
25	3.0	1.5	2.0	11.0	5.5	8.0	12.5	6.5	9.5	11.5	9.5	10.5
26	2.5	1.5	2.0	9.0	5.5	7.0	13.5	6.5	10.0	14.5	8.5	11.5
27	2.0	1.5	1.5	8.0	4.0	5.5	13.5	7.5	10.5	15.5	11.0	13.0
28	2.0	1.5	1.5	8.5	3.5	5.5	13.0	8.0	10.5	15.5	12.5	13.5
29	2.0	1.5	1.5	9.0	3.0	6.0	8.0	6.0	7.0	14.0	10.5	12.0
30	—	—	—	10.5	4.0	7.0	13.0	5.5	8.5	14.5	8.5	11.5
31	—	—	—	11.5	5.5	8.5	—	—	—	15.5	10.5	13.0
Month	3.0	1.0	1.5	11.5	1.5	5.2	13.5	3.5	7.9	17.0	7.0	11.8

Table B13. Maximum, minimum, and mean water temperature for the continual-recording gage Strawberry Creek above Great Basin National Park boundary near Baker, Nevada (gage station 10243280).—Continued

[Water temperature in degrees Celsius. 2004 water year is defined as beginning on October 1, 2003 and ending September 30, 2004. Symbol: —, data not collected at this site on this day]

DAY	JUNE			JULY			AUGUST			SEPTEMBER		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2004—Continued												
1	16.0	11.5	14.0	18.5	14.5	16.5	19.0	16.0	17.5	18.0	13.0	15.0
2	17.0	12.0	14.5	18.5	15.0	16.5	19.0	15.5	17.0	16.5	13.5	15.5
3	18.5	12.5	15.5	18.0	14.5	16.5	21.0	15.0	17.5	15.0	9.5	11.5
4	19.0	14.0	16.5	18.5	15.0	16.5	21.0	16.0	18.0	12.5	8.0	10.0
5	19.5	14.0	16.5	19.0	15.0	17.0	20.5	15.5	18.5	15.0	9.0	11.5
6	19.5	14.5	17.0	20.5	15.5	18.0	20.5	15.5	18.0	15.5	10.0	12.5
7	20.0	14.5	17.0	21.0	17.0	19.0	20.5	14.5	17.5	16.0	11.0	13.0
8	19.0	14.5	16.5	21.5	16.5	19.0	20.5	14.5	17.0	16.0	10.5	13.5
9	17.0	13.0	15.0	21.0	16.5	19.0	20.5	14.5	17.5	16.0	12.0	14.0
10	15.5	11.0	13.0	21.0	16.5	18.5	20.0	15.5	18.0	16.5	13.0	14.5
11	15.0	10.5	12.5	21.5	16.5	19.0	20.0	15.5	18.0	16.5	12.0	14.0
12	16.5	11.5	14.0	—	—	—	20.0	15.0	18.0	17.0	13.5	15.0
13	18.5	12.5	15.5	21.5	18.0	20.0	20.5	16.0	18.0	16.0	12.0	14.0
14	18.5	14.0	16.0	21.0	18.0	20.0	19.5	16.0	17.5	14.0	10.0	12.0
15	18.5	14.0	16.0	21.0	18.0	19.5	18.5	15.0	17.0	13.0	8.0	10.5
16	17.5	14.0	15.5	21.5	17.5	19.0	17.5	15.0	16.5	15.0	10.0	12.0
17	16.0	13.5	14.5	20.5	17.0	18.5	16.0	14.0	14.5	16.0	11.5	13.5
18	17.0	12.5	14.5	21.0	17.0	18.5	17.5	13.5	15.5	14.5	11.5	13.0
19	18.5	13.0	15.5	21.0	17.5	19.0	19.0	14.0	16.0	12.5	9.0	11.0
20	19.0	14.5	16.5	22.0	16.5	19.0	18.0	14.5	16.0	9.0	7.0	8.0
21	18.5	14.5	16.0	21.5	16.5	19.0	17.5	14.0	16.0	8.5	5.5	7.0
22	18.5	13.0	15.5	20.0	17.0	18.5	18.0	13.5	16.0	10.0	5.0	7.0
23	16.5	14.0	15.5	21.0	16.5	18.5	16.0	13.0	14.5	11.5	6.5	8.5
24	18.5	14.0	16.0	21.0	16.0	18.5	16.0	13.0	14.5	12.5	7.5	10.0
25	18.5	15.0	17.0	20.0	16.5	18.5	17.5	13.0	15.0	13.0	8.0	10.0
26	17.5	14.5	16.0	20.0	16.0	18.5	17.0	12.5	15.0	13.5	8.5	11.0
27	18.0	14.0	16.0	19.0	16.0	17.5	16.0	11.5	13.5	13.5	8.0	10.5
28	17.0	14.5	15.5	20.5	15.0	17.5	16.0	10.5	13.0	11.5	8.5	10.0
29	17.5	13.5	15.5	21.0	15.5	18.5	17.0	11.0	14.0	10.5	7.5	9.5
30	18.5	13.5	16.0	21.5	16.5	18.5	16.0	11.5	14.0	10.0	7.0	8.5
31	—	—	—	21.0	16.0	18.5	17.0	12.0	14.5	—	—	—
Month	20.0	10.5	15.5	—	—	—	21.0	10.5	16.2	18.0	5.0	11.5

102 Surface-Water Resources in the Great Basin National Park Area, White Pine County, Nevada

Table B14. Maximum, minimum, and mean water temperature for the continual-recording gage Shingle Creek near Great Basin National Park boundary near Osceola, Nevada (gage station 10243640).

[Water temperature in degrees Celsius. 2003 water year is defined as beginning on October 1, 2002 and ending September 30, 2003. Symbol: –, data not collected at this site on this day]

DAY	OCTOBER			NOVEMBER			DECEMBER			JANUARY		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2003												
1	–	–	–	0.5	0.0	0.0	1.5	1.0	1.0	1.0	0.5	0.5
2	–	–	–	0.5	0.0	0.0	1.0	0.5	1.0	1.0	0.5	1.0
3	–	–	–	0.5	0.0	0.0	0.5	0.0	0.5	1.0	1.0	1.0
4	–	–	–	0.5	0.0	0.0	0.5	0.0	0.0	1.5	1.0	1.0
5	–	–	–	0.5	0.5	0.5	0.5	0.0	0.0	1.5	1.0	1.0
6	–	–	–	1.0	0.5	0.5	0.5	0.0	0.0	1.0	0.5	0.5
7	–	–	–	1.5	1.0	1.0	0.5	0.0	0.5	1.0	0.5	0.5
8	–	–	–	1.5	1.0	1.5	0.5	0.0	0.0	1.0	0.5	0.5
9	–	–	–	2.0	1.0	1.5	0.5	0.0	0.0	1.0	1.0	1.0
10	–	–	–	1.5	1.0	1.0	0.5	0.0	0.5	1.5	1.0	1.0
11	–	–	–	1.0	0.5	0.5	0.5	0.0	0.0	1.0	1.0	1.0
12	5.0	2.5	3.5	1.5	0.5	1.0	0.5	0.0	0.0	1.5	0.5	1.0
13	4.5	2.0	3.5	2.0	1.5	2.0	1.0	0.0	0.5	1.0	1.0	1.0
14	5.0	2.5	4.0	1.5	1.0	1.5	1.0	0.5	1.0	1.0	0.5	1.0
15	4.5	2.5	3.5	1.0	0.5	1.0	1.0	0.5	0.5	1.0	0.5	0.5
16	4.5	2.5	3.5	1.5	0.5	1.0	0.5	0.0	0.5	1.0	0.5	0.5
17	5.0	2.5	3.5	2.0	1.0	1.5	0.5	0.0	0.5	1.5	0.5	1.0
18	4.5	2.5	3.5	1.0	0.5	0.5	0.5	0.0	0.5	1.0	0.5	1.0
19	4.5	2.5	3.5	2.0	0.5	1.0	0.0	0.0	0.0	1.0	0.5	1.0
20	4.5	2.5	3.0	2.0	1.0	1.5	0.5	0.0	0.5	1.0	0.5	1.0
21	4.5	2.5	3.5	2.5	1.5	2.0	1.0	0.5	0.5	1.0	0.5	1.0
22	4.5	3.5	4.0	2.5	1.5	2.0	1.0	0.5	0.5	1.0	0.5	1.0
23	4.0	2.5	3.0	2.5	1.5	2.0	1.0	0.5	0.5	1.5	1.0	1.0
24	4.0	2.0	3.0	2.0	1.0	1.5	0.5	0.5	0.5	1.5	1.0	1.5
25	4.0	2.5	3.5	1.0	0.0	0.5	1.0	0.5	0.5	1.5	1.0	1.5
26	3.5	2.5	3.0	0.5	0.0	0.0	1.0	0.5	0.5	1.5	0.5	1.0
27	3.5	2.5	3.0	0.5	0.0	0.0	1.0	1.0	1.0	2.0	1.0	1.5
28	3.0	1.5	2.5	0.5	0.0	0.0	1.0	1.0	1.0	2.0	1.0	1.5
29	2.0	0.5	1.5	1.0	0.5	0.5	1.0	0.5	1.0	1.0	0.5	0.5
30	1.0	0.5	0.5	1.0	0.5	1.0	1.0	0.5	0.5	1.5	1.0	1.0
31	1.5	0.5	0.5	–	–	–	1.0	1.0	1.0	2.0	1.0	1.5
Month	–	–	–	2.5	0.0	0.9	1.5	0.0	0.5	2.0	0.5	1.0

Table B14. Maximum, minimum, and mean water temperature for the continual-recording gage Shingle Creek near Great Basin National Park boundary near Osceola, Nevada (gage station 10243640).—Continued

[Water temperature in degrees Celsius. 2003 water year is defined as beginning on October 1, 2002 and ending September 30, 2002. Symbol: —, data not collected at this site on this day]

DAY	FEBRUARY			MARCH			APRIL			MAY		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2003—Continued												
1	2.5	1.5	2.0	1.0	1.0	1.0	4.0	2.0	2.5	3.5	1.0	2.0
2	1.5	0.0	0.5	1.0	1.0	1.0	2.0	0.5	1.0	4.0	2.0	3.0
3	0.5	0.0	0.0	1.0	1.0	1.0	0.5	0.0	0.5	3.5	2.5	2.5
4	0.5	0.0	0.0	1.0	1.0	1.0	0.5	0.0	0.5	3.0	2.0	2.5
5	0.5	0.0	0.0	1.0	1.0	1.0	1.0	0.0	0.5	4.0	1.0	2.5
6	0.0	0.0	0.0	1.0	1.0	1.0	1.0	0.0	0.5	4.0	2.0	3.0
7	0.0	0.0	0.0	1.5	1.0	1.0	1.0	0.5	0.5	3.0	2.0	2.5
8	0.0	0.0	0.0	1.5	1.0	1.0	1.5	0.5	1.0	2.0	0.5	1.0
9	0.0	0.0	0.0	1.5	1.0	1.5	3.5	1.0	2.0	1.5	0.5	1.0
10	0.0	0.0	0.0	1.5	1.0	1.5	4.0	1.0	2.5	2.5	0.5	1.5
11	0.0	0.0	0.0	2.0	1.5	1.5	4.5	1.5	3.0	5.0	1.0	2.5
12	0.5	0.0	0.0	2.0	1.5	1.5	5.0	2.5	3.5	6.0	2.0	3.5
13	0.5	0.5	0.5	2.5	1.5	2.0	4.5	3.0	3.5	6.5	3.0	4.5
14	1.0	0.5	1.0	2.5	1.5	2.0	3.0	1.5	2.5	5.0	3.5	4.0
15	1.0	1.0	1.0	2.0	1.0	1.5	2.0	1.0	1.5	7.0	3.5	5.0
16	1.0	1.0	1.0	1.5	0.5	1.0	3.0	0.5	1.5	7.0	3.5	5.0
17	1.0	1.0	1.0	1.5	0.5	1.0	2.0	1.5	1.5	5.5	4.0	5.0
18	1.0	1.0	1.0	1.0	0.5	0.5	2.0	1.0	1.5	6.5	3.5	5.0
19	1.0	0.5	0.5	1.5	0.0	0.5	3.0	0.5	1.5	6.0	3.0	4.5
20	1.0	1.0	1.0	1.0	0.5	0.5	3.5	1.0	2.0	7.0	3.5	5.0
21	1.0	1.0	1.0	2.0	0.5	1.0	3.0	2.5	2.5	8.0	4.0	6.0
22	1.0	0.5	1.0	2.5	1.0	1.5	2.5	1.5	2.0	8.5	4.5	6.5
23	0.5	0.5	0.5	2.5	1.5	2.0	2.5	1.0	1.5	8.0	5.0	6.5
24	1.0	0.5	0.5	2.5	1.5	2.0	4.5	1.5	3.0	8.0	5.5	6.5
25	1.0	1.0	1.0	3.0	1.0	1.5	5.0	2.5	3.5	8.5	5.5	6.5
26	1.0	1.0	1.0	3.0	1.5	2.0	5.0	2.0	3.5	9.0	5.5	7.0
27	1.0	1.0	1.0	1.5	0.5	1.0	4.0	2.5	3.5	9.5	6.0	7.5
28	1.0	1.0	1.0	0.5	0.5	0.5	4.5	2.5	3.5	9.5	6.5	8.0
29	—	—	—	1.0	0.0	0.5	3.5	2.0	2.5	9.5	6.5	8.0
30	—	—	—	2.5	0.5	1.5	2.5	1.5	2.0	10.0	6.5	8.0
31	—	—	—	3.5	1.0	2.0	—	—	—	9.0	6.5	7.5
Month	2.5	0.0	0.6	3.5	0.0	1.2	5.0	0.0	2.0	10.0	0.5	4.6

Table B14. Maximum, minimum, and mean water temperature for the continual-recording gage Shingle Creek near Great Basin National Park boundary near Osceola, Nevada (gage station 10243640).—Continued

[Water temperature in degrees Celsius. 2003 water year is defined as beginning on October 1, 2002 and ending September 30, 2003. Symbol: —, data not collected at this site on this day]

DAY	JUNE			JULY			AUGUST			SEPTEMBER		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2003—Continued												
1	9.5	6.5	8.0	11.0	7.5	9.0	12.0	11.0	11.5	11.0	10.0	10.5
2	9.5	6.5	7.5	11.0	7.5	9.0	11.5	10.5	11.0	11.0	10.0	10.5
3	9.0	6.5	7.5	11.0	7.5	9.5	11.5	10.0	11.0	11.0	10.0	10.5
4	9.0	6.0	7.5	11.5	8.0	9.5	11.5	9.5	10.5	11.0	10.5	10.5
5	9.0	6.0	7.0	12.0	8.0	10.0	11.0	9.5	10.5	11.0	10.0	10.5
6	9.0	5.5	7.5	12.0	8.5	10.0	11.0	9.5	10.5	10.5	9.5	10.0
7	9.5	6.5	8.0	12.0	8.5	10.0	11.0	9.5	10.0	10.5	9.5	10.0
8	8.5	6.5	7.5	12.0	9.0	10.0	11.5	10.0	11.0	10.5	9.5	10.0
9	9.0	6.5	8.0	12.0	8.0	10.0	12.0	10.5	11.5	10.0	8.5	9.0
10	9.0	7.0	8.0	12.0	8.5	10.5	12.5	11.0	11.5	8.5	7.0	8.0
11	9.0	6.5	7.5	12.5	9.0	11.0	12.0	11.0	11.5	8.0	6.5	7.5
12	9.0	6.5	7.5	12.5	9.0	10.5	12.0	11.0	11.5	9.0	7.0	8.0
13	9.5	6.5	8.0	12.0	9.0	10.5	12.0	10.5	11.5	8.5	7.0	7.5
14	10.5	6.5	8.0	12.5	9.5	11.0	12.0	10.5	11.5	7.5	5.5	6.5
15	10.5	6.5	8.5	12.5	9.5	11.0	12.0	11.0	11.5	8.0	6.5	7.5
16	9.0	7.0	8.0	12.5	10.5	11.5	12.0	11.0	11.5	10.0	7.5	8.5
17	10.0	7.0	8.5	13.0	10.5	11.5	11.5	10.0	11.0	8.0	5.5	6.5
18	11.0	7.5	9.0	12.0	10.5	11.5	11.5	9.5	10.5	6.5	3.5	5.0
19	9.5	7.5	8.5	12.5	10.5	11.5	11.5	10.0	11.0	7.0	4.0	5.5
20	9.0	7.0	8.0	12.5	10.5	11.5	11.5	11.0	11.0	8.0	5.0	6.5
21	8.5	7.0	7.5	12.0	10.5	11.5	11.5	10.5	11.0	8.0	5.5	6.5
22	8.5	6.0	7.0	11.5	10.5	11.0	11.5	11.0	11.5	8.0	5.5	6.5
23	7.5	6.0	7.0	12.0	10.5	11.0	11.5	10.5	11.0	8.5	6.0	7.0
24	7.0	5.0	6.0	13.0	10.5	11.5	11.5	10.5	11.0	9.0	6.5	7.5
25	8.5	5.0	6.5	12.5	11.0	12.0	11.0	10.0	10.5	8.5	6.5	7.5
26	9.5	5.5	7.5	12.5	10.5	11.5	11.0	10.0	10.5	9.0	6.5	7.5
27	10.5	6.5	8.0	13.0	11.0	12.0	11.0	9.5	10.0	9.0	7.0	8.0
28	10.5	7.0	9.0	12.5	11.0	12.0	11.0	9.5	10.0	9.0	7.0	8.0
29	11.5	7.5	9.5	12.5	11.0	12.0	10.5	10.0	10.5	9.0	6.5	8.0
30	11.0	8.0	9.5	12.5	10.5	11.5	10.5	9.0	10.0	9.0	7.0	8.0
31	—	—	—	12.5	11.0	11.5	11.0	9.5	10.0	—	—	—
Month	11.5	5.0	7.8	13.0	7.5	10.9	12.5	9.0	10.9	11.0	3.5	8.1

Table B14. Maximum, minimum, and mean water temperature for the continual-recording gage Shingle Creek near Great Basin National Park boundary near Osceola, Nevada (gage station 10243640).—Continued

[Water temperature in degrees Celsius. 2004 water year is defined as beginning on October 1, 2003 and ending September 30, 2004. Symbol: —, data not collected at this site on this day]

DAY	OCTOBER			NOVEMBER			DECEMBER			JANUARY		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2004												
1	9.5	8.0	8.5	1.5	1.0	1.5	2.0	1.5	1.5	1.0	0.5	0.5
2	9.0	7.0	8.0	1.0	0.5	1.0	1.5	1.0	1.0	1.0	0.5	1.0
3	8.0	7.0	7.5	1.0	0.5	1.0	1.5	0.5	1.0	1.0	0.5	1.0
4	8.0	6.0	7.0	1.0	0.5	0.5	1.0	0.5	1.0	0.5	0.5	0.5
5	7.5	6.5	7.0	1.5	0.5	1.0	2.0	1.0	1.5	0.5	0.0	0.0
6	8.0	6.5	7.0	1.5	0.5	1.0	2.5	1.5	2.0	1.0	0.5	0.5
7	8.0	6.5	7.0	1.5	0.5	1.0	2.0	1.5	2.0	1.0	1.0	1.0
8	8.0	6.5	7.0	2.0	1.0	1.5	1.5	0.0	0.5	1.0	1.0	1.0
9	8.5	6.5	7.5	2.0	1.5	2.0	0.5	0.0	0.0	1.0	1.0	1.0
10	8.0	5.5	7.0	2.5	1.5	2.0	0.5	0.0	0.0	1.0	1.0	1.0
11	5.5	3.5	4.5	1.5	0.5	1.0	0.5	0.0	0.0	1.0	0.5	1.0
12	6.5	4.5	5.5	1.5	1.0	1.0	0.5	0.0	0.0	1.0	0.5	0.5
13	6.0	4.0	4.5	1.5	1.0	1.5	1.0	0.0	0.5	1.0	0.5	1.0
14	5.5	3.0	4.0	2.0	1.5	1.5	1.0	0.5	1.0	1.0	0.5	1.0
15	5.5	3.5	4.5	1.5	0.5	1.5	0.5	0.0	0.0	1.0	0.5	1.0
16	6.0	4.0	5.0	2.0	1.0	1.5	0.0	0.0	0.0	1.0	0.5	1.0
17	6.5	4.0	5.5	2.0	1.5	2.0	0.0	0.0	0.0	1.0	0.5	0.5
18	7.0	5.0	5.5	2.0	1.0	1.5	1.0	0.0	0.5	1.0	0.5	0.5
19	7.5	6.0	6.5	2.0	1.0	1.5	1.0	1.0	1.0	1.0	1.0	1.0
20	7.0	5.0	6.0	2.5	1.5	2.0	1.5	1.0	1.5	1.0	0.5	1.0
21	6.5	5.0	5.5	2.0	0.5	2.0	1.5	1.0	1.5	0.5	0.5	0.5
22	7.0	5.0	6.0	0.5	0.5	0.5	1.0	0.5	1.0	0.5	0.0	0.0
23	6.5	5.0	6.0	0.5	0.5	0.5	1.0	0.5	0.5	0.5	0.5	0.5
24	6.0	4.0	5.0	0.5	0.5	0.5	1.0	1.0	1.0	1.0	0.5	1.0
25	5.0	4.0	4.5	1.0	0.5	0.5	1.0	0.5	1.0	1.0	0.5	0.5
26	5.5	4.0	4.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0
27	6.0	4.5	5.0	0.5	0.0	0.0	0.5	0.0	0.0	1.0	0.0	0.5
28	6.5	5.0	5.5	1.0	0.0	0.5	0.5	0.0	0.0	1.0	0.5	1.0
29	6.5	5.0	6.0	1.5	1.0	1.5	0.5	0.5	0.5	1.0	0.5	1.0
30	5.0	2.5	3.5	2.0	1.5	2.0	1.0	0.5	1.0	1.0	1.0	1.0
31	2.5	1.5	2.0	—	—	—	1.0	1.0	1.0	1.0	0.5	1.0
Month	9.5	1.5	5.8	2.5	0.0	1.2	2.5	0.0	0.7	1.0	0.0	0.7

Table B14. Maximum, minimum, and mean water temperature for the continual-recording gage Shingle Creek near Great Basin National Park boundary near Osceola, Nevada (gage station 10243640).—Continued

[Water temperature in degrees Celsius. 2004 water year is defined as beginning on October 1, 2003 and ending September 30, 2004. Symbol: —, data not collected at this site on this day]

DAY	FEBRUARY			MARCH			APRIL			MAY		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2004—Continued												
1	0.5	0.0	0.0	1.0	0.0	0.5	3.5	2.5	3.0	8.0	2.5	5.0
2	0.5	0.5	0.5	1.0	1.0	1.0	4.5	1.5	3.0	8.5	3.5	5.5
3	1.0	0.5	1.0	1.0	0.5	0.5	5.5	2.5	3.0	9.0	4.0	6.5
4	1.0	1.0	1.0	1.0	1.0	1.0	5.0	2.0	3.5	9.0	4.5	6.5
5	1.0	0.5	1.0	1.0	0.5	1.0	5.0	2.5	3.5	9.5	5.0	7.0
6	1.0	0.5	0.5	1.5	1.0	1.5	5.0	1.5	3.0	8.5	4.5	6.0
7	1.0	0.5	1.0	1.5	1.0	1.5	4.0	2.0	3.0	8.5	4.0	6.0
8	0.5	0.5	0.5	2.0	1.0	1.5	5.0	3.0	4.0	9.0	4.5	6.5
9	0.5	0.0	0.5	2.0	1.0	1.5	6.0	2.5	3.5	9.0	4.0	6.0
10	0.5	0.0	0.5	2.0	1.5	2.0	3.5	1.5	2.5	8.5	4.5	6.0
11	1.0	0.5	0.5	2.0	1.0	1.5	4.5	1.0	2.5	5.0	3.0	4.0
12	0.5	0.5	0.5	2.5	1.0	1.5	6.0	1.5	3.5	5.5	2.5	3.5
13	0.5	0.5	0.5	2.5	1.0	2.0	6.0	2.0	3.5	7.0	2.5	4.5
14	1.0	0.5	0.5	3.0	1.5	2.0	4.5	2.0	3.0	8.0	3.5	5.0
15	1.0	0.5	1.0	3.0	1.5	2.0	4.5	2.0	3.0	7.5	4.0	5.5
16	1.0	1.0	1.0	3.5	1.0	2.0	4.5	2.5	3.5	7.5	4.0	5.5
17	1.5	1.0	1.5	3.5	1.0	2.0	3.5	2.5	3.0	7.5	5.0	6.0
18	1.5	1.0	1.5	4.0	1.5	2.5	4.0	1.5	2.5	8.5	4.5	6.0
19	1.5	1.0	1.5	4.5	2.0	3.0	3.0	1.5	2.0	7.5	4.0	5.5
20	1.0	0.5	0.5	4.5	2.0	3.0	3.5	1.5	2.5	8.0	4.0	5.5
21	1.0	0.5	0.5	5.0	2.5	3.5	4.0	2.0	3.0	7.0	3.5	5.0
22	1.0	1.0	1.0	5.0	2.5	3.5	4.0	1.0	2.5	6.0	4.0	5.0
23	1.5	1.0	1.0	5.5	3.0	4.0	5.5	1.0	3.0	7.0	4.0	5.5
24	1.5	1.0	1.0	5.0	2.5	3.5	6.0	1.5	3.5	7.0	3.5	5.0
25	1.0	1.0	1.0	5.5	2.5	4.0	6.5	2.0	4.0	6.0	4.0	5.0
26	1.0	0.5	0.5	3.5	2.0	3.0	7.5	2.5	4.5	8.0	3.5	5.5
27	1.0	0.5	1.0	3.0	1.0	2.0	7.0	3.0	5.0	8.0	5.0	6.5
28	1.0	0.5	0.5	3.5	1.0	2.0	6.5	3.0	4.5	7.0	6.0	6.5
29	1.0	0.5	0.5	4.0	1.0	2.5	3.5	1.0	2.5	7.5	4.5	5.5
30	—	—	—	5.5	1.5	3.0	6.5	1.5	3.5	8.5	3.5	5.5
31	—	—	—	6.0	3.0	4.0	—	—	—	8.5	4.5	6.5
Month	1.5	0.0	0.8	6.0	0.0	2.2	7.5	1.0	3.2	9.5	2.5	5.6

Table B15. Maximum, minimum, and mean water temperature for the continual-recording gage Lehman Creek near Baker, Nevada (gage station 10243260).

[Water temperature in degrees Celsius. 2003 water year is defined as beginning on October 1, 2002 and ending September 30, 2003. Symbol: –, data not collected at this site on this day]

DAY	OCTOBER			NOVEMBER			DECEMBER			JANUARY		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2003												
1	–	–	–	0.0	0.0	0.0	2.0	0.5	1.0	0.0	0.0	0.0
2	–	–	–	0.0	0.0	0.0	2.0	0.0	1.0	0.0	0.0	0.0
3	–	–	–	0.0	0.0	0.0	1.0	0.0	0.0	0.5	0.0	0.5
4	–	–	–	0.0	0.0	0.0	1.0	0.0	0.0	1.0	0.5	0.5
5	–	–	–	0.0	0.0	0.0	0.5	0.0	0.0	1.5	0.5	1.0
6	–	–	–	1.5	0.0	0.5	0.5	0.0	0.0	1.0	0.0	0.5
7	–	–	–	3.0	0.5	1.5	0.5	0.0	0.0	1.0	0.0	0.5
8	–	–	–	3.5	2.0	3.0	0.0	0.0	0.0	1.0	0.0	0.5
9	9.5	5.0	–	4.5	1.0	3.0	0.0	0.0	0.0	1.5	0.0	0.5
10	9.0	5.5	–	3.5	1.0	2.0	0.0	0.0	0.0	1.5	0.5	1.0
11	8.5	5.0	–	3.0	0.0	1.0	0.0	0.0	0.0	2.0	0.0	1.0
12	7.0	3.0	4.5	3.0	0.0	1.5	0.0	0.0	0.0	1.5	0.0	0.5
13	7.0	2.0	4.0	4.0	1.5	2.5	0.5	0.0	0.0	2.0	0.0	1.0
14	7.5	3.5	5.0	3.5	0.0	2.0	2.0	0.0	1.0	2.0	0.0	1.0
15	7.5	3.0	5.0	2.5	0.0	1.0	2.0	0.0	1.0	2.0	0.0	0.5
16	7.5	3.0	5.0	3.0	0.0	1.5	0.5	0.0	0.0	0.5	0.0	0.0
17	7.5	3.0	5.0	3.5	0.0	2.0	0.0	0.0	0.0	1.0	0.0	0.0
18	7.5	3.5	5.0	1.5	0.0	0.5	0.0	0.0	0.0	0.5	0.0	0.0
19	7.5	3.0	5.0	3.0	0.0	1.0	0.0	0.0	0.0	1.0	0.0	0.5
20	7.5	3.5	5.0	3.5	0.0	1.5	0.0	0.0	0.0	2.0	0.0	0.5
21	7.5	3.0	5.0	4.5	1.0	2.5	0.0	0.0	0.0	1.5	0.0	0.5
22	7.5	3.5	5.5	4.5	1.5	2.5	0.0	0.0	0.0	2.0	0.0	1.0
23	7.0	3.0	4.5	4.0	1.0	2.0	0.0	0.0	0.0	3.0	0.5	1.5
24	6.5	3.0	4.5	3.0	0.0	1.5	0.0	0.0	0.0	3.0	0.5	1.5
25	6.0	3.0	4.5	0.5	0.0	0.0	0.0	0.0	0.0	3.0	0.5	1.5
26	5.5	4.0	4.5	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	1.5
27	7.0	3.5	5.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	1.5	2.5
28	6.0	2.0	4.0	0.0	0.0	0.0	0.5	0.0	0.0	3.5	1.0	2.5
29	4.0	1.0	2.5	0.0	0.0	0.0	0.5	0.0	0.5	3.5	0.0	1.5
30	3.5	0.0	1.5	0.5	0.0	0.5	0.0	0.0	0.0	4.5	1.0	2.5
31	2.5	0.0	0.5	–	–	–	0.0	0.0	0.0	5.0	1.5	3.0
Month	–	–	–	4.5	0.0	1.1	2.0	0.0	0.1	5.0	0.0	1.0

Table B15. Maximum, minimum, and mean water temperature for the continual-recording gage Lehman Creek near Baker, Nevada (gage station 10243260).—Continued

[Water temperature in degrees Celsius. 2004 water year is defined as beginning on October 1, 2003 and ending September 30, 2004. Symbol: —, data not collected at this site on this day]

DAY	OCTOBER			NOVEMBER			DECEMBER			JANUARY		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2004												
1	14.0	9.0	11.0	2.0	0.5	1.5	2.0	1.0	1.5	0.0	0.0	0.0
2	12.0	8.5	10.0	3.0	0.0	1.5	3.0	0.5	1.0	0.0	0.0	0.0
3	12.0	8.0	9.5	2.0	1.0	1.5	2.0	0.0	1.0	0.0	0.0	0.0
4	12.0	7.0	9.0	2.0	0.0	1.0	2.0	0.0	1.0	0.0	0.0	0.0
5	12.5	7.5	9.5	1.5	0.0	1.0	3.5	1.0	2.5	0.0	0.0	0.0
6	12.0	7.5	9.5	2.0	0.0	1.0	3.5	2.0	2.5	0.0	0.0	0.0
7	11.5	7.5	9.5	2.0	0.0	1.0	4.0	1.5	2.5	0.0	0.0	0.0
8	12.5	7.5	9.5	4.0	1.0	2.0	1.5	0.0	0.5	0.0	0.0	0.0
9	13.0	7.5	9.5	4.5	2.0	3.0	1.0	0.0	0.0	0.0	0.0	0.0
10	10.5	5.5	8.5	3.5	1.5	2.5	0.0	0.0	0.0	0.0	0.0	0.0
11	8.5	3.5	5.5	4.5	0.5	2.0	0.0	0.0	0.0	0.0	0.0	0.0
12	10.0	5.0	7.0	3.0	0.0	1.5	0.5	0.0	0.0	0.0	0.0	0.0
13	8.0	4.0	6.0	2.0	0.0	1.0	0.5	0.0	0.0	0.0	0.0	0.0
14	8.5	3.0	5.5	4.5	1.5	2.5	1.0	0.0	0.5	0.0	0.0	0.0
15	9.0	3.5	6.0	3.0	0.0	1.5	0.5	0.0	0.0	0.0	0.0	0.0
16	9.5	5.0	7.0	3.0	1.5	2.0	0.0	0.0	0.0	0.0	0.0	0.0
17	10.5	5.0	7.5	3.5	1.5	2.0	0.0	0.0	0.0	0.0	0.0	0.0
18	10.0	5.5	7.5	4.5	1.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0
19	10.5	6.5	8.0	4.5	1.0	2.5	0.0	0.0	0.0	0.0	0.0	0.0
20	11.0	6.5	8.0	4.5	1.0	2.5	1.0	0.0	0.5	0.0	0.0	0.0
21	11.0	6.0	8.0	3.5	0.0	2.0	1.5	1.0	1.0	0.0	0.0	0.0
22	11.0	6.5	8.0	0.5	0.0	0.0	1.0	0.0	0.5	0.0	0.0	0.0
23	10.5	6.5	8.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24	8.5	4.5	6.0	0.0	0.0	0.0	1.0	0.0	0.5	0.0	0.0	0.0
25	6.5	2.5	4.0	0.0	0.0	0.0	1.0	0.0	0.5	0.0	0.0	0.0
26	7.0	2.0	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	8.5	3.0	5.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28	10.0	5.5	7.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29	10.5	5.0	7.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30	5.0	1.5	3.5	1.5	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
31	1.5	0.5	1.0	—	—	—	0.0	0.0	0.0	0.0	0.0	0.0
Month	14.0	0.5	7.3	4.5	0.0	1.3	4.0	0.0	0.5	0.0	0.0	0.0

112 Surface-Water Resources in the Great Basin National Park Area, White Pine County, Nevada

Table B15. Maximum, minimum, and mean water temperature for the continual-recording gage Lehman Creek near Baker, Nevada (gage station 10243260).—Continued

[Water temperature in degrees Celsius. 2004 water year is defined as beginning on October 1, 2003 and ending September 30, 2004. Symbol: —, data not collected at this site on this day]

DAY	FEBRUARY			MARCH			APRIL			MAY		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2004—Continued												
1	0.0	0.0	0.0	0.5	0.0	0.0	6.0	3.5	5.5	12.0	4.5	7.5
2	0.0	0.0	0.0	0.0	0.0	0.0	4.5	2.0	3.5	12.5	5.5	9.0
3	0.0	0.0	0.0	0.0	0.0	0.0	7.5	3.0	5.0	14.0	6.5	10.0
4	0.0	0.0	0.0	1.0	0.0	0.0	10.0	3.0	6.5	14.0	7.5	10.0
5	0.0	0.0	0.0	2.0	0.0	0.5	10.5	4.0	7.0	13.0	7.5	10.0
6	0.0	0.0	0.0	3.5	0.0	1.5	8.0	4.5	6.0	11.5	6.5	8.5
7	0.0	0.0	0.0	4.5	0.0	1.5	10.0	4.5	6.5	10.5	5.5	8.0
8	0.0	0.0	0.0	5.0	0.0	2.0	8.5	6.0	7.0	11.0	6.0	8.0
9	0.0	0.0	0.0	5.5	0.5	2.5	10.5	4.0	6.5	11.0	6.0	8.5
10	0.0	0.0	0.0	5.5	1.0	2.5	6.0	3.5	4.5	11.0	6.0	7.5
11	0.0	0.0	0.0	5.5	0.0	2.0	9.0	1.5	4.5	7.0	4.0	5.5
12	0.0	0.0	0.0	6.0	0.0	2.5	10.5	3.0	6.0	6.5	3.5	5.0
13	0.0	0.0	0.0	7.0	1.0	3.0	11.0	4.0	7.0	9.0	3.5	5.5
14	0.0	0.0	0.0	7.0	1.5	4.0	10.0	3.5	6.5	10.0	3.5	6.5
15	0.0	0.0	0.0	8.0	1.5	4.0	8.5	4.0	6.0	10.0	5.0	7.5
16	0.0	0.0	0.0	8.0	1.0	4.0	10.0	4.5	6.5	10.0	6.0	8.0
17	1.0	0.0	0.0	8.5	1.5	4.5	8.5	5.0	6.5	10.0	6.5	8.0
18	1.0	0.5	0.5	9.5	2.0	5.0	8.5	3.5	5.5	12.0	6.5	8.5
19	3.0	0.5	1.0	10.5	3.5	6.0	6.0	3.5	5.0	9.5	5.0	7.5
20	1.5	0.0	0.5	10.5	3.5	6.5	8.0	2.5	5.0	10.5	5.0	7.5
21	1.5	0.0	0.5	11.0	4.0	7.0	9.0	4.0	6.0	9.0	5.0	7.0
22	1.0	0.0	0.5	10.0	4.5	7.0	7.0	3.0	4.5	9.0	5.5	7.0
23	0.5	0.0	0.5	10.0	5.5	7.5	10.0	3.0	6.0	11.0	6.0	7.5
24	3.0	0.0	1.0	10.5	4.5	7.0	11.0	3.5	6.5	9.5	5.5	7.0
25	1.5	0.0	1.0	10.5	3.5	6.5	11.0	4.0	7.5	7.5	5.5	6.5
26	1.0	0.0	0.5	6.5	4.0	5.5	12.0	4.5	8.0	10.5	4.5	7.5
27	0.5	0.0	0.0	8.0	2.0	4.5	12.5	5.5	8.5	10.5	6.5	8.5
28	0.5	0.0	0.0	7.5	1.5	4.0	11.5	5.5	8.0	12.0	7.5	9.5
29	1.0	0.0	0.0	8.5	1.0	4.5	5.5	3.0	4.0	9.0	6.0	7.5
30	—	—	—	10.0	2.0	5.5	10.5	3.0	6.0	10.5	4.5	7.5
31	—	—	—	11.5	4.5	7.5	—	—	—	12.0	6.5	8.5
Month	3.0	0.0	0.2	11.5	0.0	3.8	12.5	1.5	6.0	14.0	3.5	7.8

114 Surface-Water Resources in the Great Basin National Park Area, White Pine County, Nevada

Table B16. Maximum, minimum, and mean water temperature for the continual-recording gage Rowland Spring at Great Basin National Park near Baker, Nevada (gage station 10243265).

[Water temperature in degrees Celsius. 2003 water year is defined as beginning on October 1, 2002 and ending September 30, 2003. Symbol: —, data not collected at this site on this day]

DAY	OCTOBER			NOVEMBER			DECEMBER			JANUARY		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2003												
1	—	—	—	—	—	—	9.0	8.5	9.0	8.5	8.5	8.5
2	—	—	—	—	—	—	9.0	8.5	8.5	9.0	8.5	8.5
3	—	—	—	—	—	—	8.5	8.5	8.5	8.5	8.5	8.5
4	—	—	—	—	—	—	8.5	8.5	8.5	9.0	8.5	8.5
5	—	—	—	—	—	—	8.5	8.5	8.5	9.0	8.5	8.5
6	—	—	—	—	—	—	9.0	8.5	8.5	8.5	8.5	8.5
7	—	—	—	—	—	—	8.5	8.5	8.5	8.5	8.5	8.5
8	—	—	—	—	—	—	8.5	8.5	8.5	8.5	8.5	8.5
9	—	—	—	—	—	—	9.0	8.5	8.5	9.0	8.5	8.5
10	—	—	—	—	—	—	8.5	8.5	8.5	9.0	8.0	8.5
11	—	—	—	—	—	—	9.0	8.5	8.5	9.0	8.0	8.5
12	—	—	—	—	—	—	8.5	8.5	8.5	9.0	8.5	8.5
13	—	—	—	—	—	—	9.0	8.5	8.5	8.5	8.5	8.5
14	—	—	—	—	—	—	9.0	8.5	8.5	9.0	8.5	8.5
15	—	—	—	—	—	—	9.0	8.5	8.5	8.5	8.5	8.5
16	—	—	—	—	—	—	9.0	8.5	8.5	8.5	8.5	8.5
17	—	—	—	—	—	—	8.5	8.5	8.5	8.5	8.5	8.5
18	—	—	—	—	—	—	9.0	8.5	8.5	8.5	8.5	8.5
19	—	—	—	—	—	—	8.5	8.5	8.5	8.5	8.5	8.5
20	—	—	—	—	—	—	9.0	8.5	8.5	8.5	8.5	8.5
21	—	—	—	9.0	8.5	9.0	9.0	8.5	9.0	9.0	8.5	8.5
22	—	—	—	9.0	8.5	9.0	9.0	8.5	9.0	9.0	8.5	8.5
23	—	—	—	9.0	8.5	9.0	9.0	8.5	9.0	9.0	8.5	8.5
24	—	—	—	9.0	8.5	8.5	9.0	8.5	8.5	9.0	8.5	8.5
25	—	—	—	8.5	8.5	8.5	8.5	8.5	8.5	9.0	8.5	8.5
26	—	—	—	9.0	8.5	8.5	9.0	8.5	8.5	9.0	8.0	8.5
27	—	—	—	9.0	8.5	8.5	9.0	8.5	8.5	9.0	8.5	9.0
28	—	—	—	9.0	8.5	9.0	9.0	8.5	9.0	9.0	8.5	9.0
29	—	—	—	9.0	8.5	9.0	9.0	8.5	8.5	9.0	8.5	8.5
30	—	—	—	9.0	8.5	9.0	9.0	8.5	8.5	9.0	8.5	8.5
31	—	—	—	—	—	—	9.0	8.5	8.5	9.0	8.5	8.5
Month	—	—	—	—	—	—	9.0	8.5	8.6	9.0	8.0	8.5

Table B16. Maximum, minimum, and mean water temperature for the continual-recording gage Rowland Spring at Great Basin National Park near Baker, Nevada (gage station 10243265).—Continued

[Water temperature in degrees Celsius. 2003 water year is defined as beginning on October 1, 2002 and ending September 30, 2003. Symbol: —, data not collected at this site on this day]

DAY	FEBRUARY			MARCH			APRIL			MAY		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2003—Continued												
1	9.0	8.5	9.0	9.0	8.0	8.5	9.0	8.5	9.0	8.5	8.5	8.5
2	9.0	8.0	8.5	8.5	7.5	8.0	9.0	8.5	8.5	8.5	8.5	8.5
3	8.5	8.0	8.5	8.5	8.0	8.0	9.0	8.5	8.5	8.5	8.5	8.5
4	9.0	8.5	8.5	9.0	8.0	8.5	10.0	8.5	8.5	8.5	8.5	8.5
5	8.5	8.5	8.5	9.0	8.0	8.0	9.5	8.5	8.5	8.5	8.5	8.5
6	9.0	8.5	8.5	9.0	8.0	8.5	9.5	8.5	8.5	8.5	8.5	8.5
7	8.5	8.5	8.5	9.0	8.0	8.5	9.0	8.5	8.5	8.5	8.5	8.5
8	8.5	8.5	8.5	9.0	8.0	8.5	9.0	8.5	8.5	8.5	8.5	8.5
9	8.5	8.0	8.5	9.0	8.0	8.5	9.5	8.5	9.0	8.5	8.5	8.5
10	8.5	8.0	8.5	9.0	8.5	9.0	9.0	8.5	9.0	8.5	8.5	8.5
11	9.0	8.0	8.5	9.0	8.5	8.5	9.0	8.5	9.0	8.5	8.5	8.5
12	9.0	8.0	8.5	9.0	8.5	8.5	9.0	8.5	9.0	8.5	8.5	8.5
13	9.0	8.5	8.5	9.5	8.5	9.0	9.0	8.5	9.0	8.5	8.5	8.5
14	9.0	8.5	8.5	9.5	8.5	9.0	9.0	8.5	8.5	8.5	8.5	8.5
15	9.0	8.5	8.5	9.5	8.5	9.0	9.0	8.0	8.5	8.5	8.5	8.5
16	9.0	8.0	8.5	9.5	8.5	8.5	9.0	8.5	8.5	8.5	8.5	8.5
17	9.0	8.0	8.5	9.0	8.5	8.5	9.0	8.5	8.5	8.5	8.5	8.5
18	9.0	8.0	8.5	9.0	8.5	8.5	9.0	8.5	8.5	8.5	8.5	8.5
19	9.0	8.5	8.5	9.0	8.0	8.5	9.0	8.5	8.5	8.5	8.5	8.5
20	9.0	8.0	8.5	9.0	8.0	8.5	9.0	8.5	8.5	8.5	8.5	8.5
21	9.0	8.0	8.0	9.5	8.5	8.5	9.0	8.5	8.5	8.5	8.5	8.5
22	9.0	8.0	8.5	9.5	8.5	8.5	9.0	8.5	8.5	8.5	8.5	8.5
23	9.0	8.0	8.5	9.0	8.5	8.5	9.0	8.5	8.5	8.5	8.5	8.5
24	9.0	8.0	8.5	9.0	8.5	8.5	9.0	8.5	8.5	8.5	8.5	8.5
25	9.0	8.0	8.5	9.0	8.5	8.5	9.0	8.5	8.5	8.5	8.5	8.5
26	9.5	8.0	8.5	9.0	8.5	9.0	9.0	8.5	8.5	8.5	8.5	8.5
27	9.0	8.0	8.5	9.0	8.5	8.5	8.5	8.5	8.5	9.0	8.5	9.0
28	9.0	8.0	8.5	9.0	8.5	8.5	8.5	8.5	8.5	9.0	9.0	9.0
29	—	—	—	9.0	8.5	8.5	8.5	8.5	8.5	9.0	9.0	9.0
30	—	—	—	9.0	8.5	8.5	8.5	8.0	8.5	9.0	9.0	9.0
31	—	—	—	9.0	8.5	9.0	—	—	—	9.0	9.0	9.0
Month	9.5	8.0	8.5	9.5	7.5	8.5	10.0	8.0	8.6	9.0	8.5	8.6

Table B16. Maximum, minimum, and mean water temperature for the continual-recording gage Rowland Spring at Great Basin National Park near Baker, Nevada (gage station 10243265).—Continued

[Water temperature in degrees Celsius. 2003 water year is defined as beginning on October 1, 2002 and ending September 30, 2003. Symbol: —, data not collected at this site on this day]

DAY	JUNE			JULY			AUGUST			SEPTEMBER		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2003—Continued												
1	9.0	9.0	9.0	9.0		9.0	10.0	10.0	10.0	10.0	10.0	10.0
2	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0
3	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0
4	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0
5	9.0	9.0	9.0	9.5	9.0	9.5	10.0	10.0	10.0	10.0	10.0	10.0
6	9.0	9.0	9.0	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0
7	9.0	9.0	9.0	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0
8	9.0	9.0	9.0	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0
9	9.0	9.0	9.0	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0
10	9.0	9.0	9.0	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0
11	9.0	9.0	9.0	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0
12	9.0	9.0	9.0	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0
13	9.0	9.0	9.0	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0
14	9.0	9.0	9.0	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0
15	9.0	9.0	9.0	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0
16	9.0	9.0	9.0	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0
17	9.0	9.0	9.0	10.0	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0
18	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
19	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
20	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
21	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
22	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
23	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
24	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
25	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
26	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
27	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
28	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
29	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
30	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
31	—	—	—	10.0	10.0	10.0	10.0	10.0	10.0	—	—	—
Month	9.0	9.0	9.0	10.0	9.0	9.7	10.0	10.0	10.0	10.0	10.0	10.0

Table B16. Maximum, minimum, and mean water temperature for the continual-recording gage Rowland Spring at Great Basin National Park near Baker, Nevada (gage station 10243265).—Continued

[Water temperature in degrees Celsius. 2004 water year is defined as beginning on October 1, 2003 and ending September 30, 2004. Symbol: —, data not collected at this site on this day]

DAY	OCTOBER			NOVEMBER			DECEMBER			JANUARY		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2004												
1	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	10.0	9.5	9.5
2	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	10.0	9.5	9.5
3	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	10.0	9.5	9.5
4	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5
5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5
6	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	10.0	10.0	9.5	9.5
7	10.0	9.5	10.0	10.0	10.0	10.0	10.0	9.5	9.5	10.0	9.5	9.5
8	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	10.0	9.5	9.5
9	10.0	9.5	10.0	10.0	10.0	10.0	10.0	9.5	9.5	10.0	9.5	9.5
10	10.0	9.5	10.0	10.0	10.0	10.0	10.0	9.5	10.0	10.0	9.5	9.5
11	10.0	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5
12	10.0	9.5	9.5	10.0	9.5	10.0	10.0	10.0	10.0	10.0	9.5	9.5
13	10.0	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5
14	10.0	9.5	9.5	10.0	10.0	10.0	10.0	9.5	10.0	10.0	9.5	9.5
15	10.0	9.5	9.5	10.0	10.0	10.0	10.0	9.5	9.5	10.0	9.5	9.5
16	10.0	9.5	9.5	10.0	10.0	10.0	10.0	9.5	9.5	10.0	9.5	9.5
17	10.0	9.5	9.5	10.0	10.0	10.0	10.0	9.5	9.5	10.0	9.5	9.5
18	10.0	9.5	9.5	10.0	10.0	10.0	10.0	9.5	9.5	10.0	9.5	9.5
19	10.0	9.5	9.5	10.0	10.0	10.0	10.0	9.5	9.5	10.0	10.0	10.0
20	10.0	9.5	9.5	10.0	10.0	10.0	9.5	9.5	9.5	10.0	9.5	10.0
21	10.0	9.5	9.5	10.0	9.5	10.0	9.5	9.5	9.5	10.0	10.0	10.0
22	10.0	9.5	10.0	10.0	10.0	10.0	9.5	9.5	9.5	10.0	9.5	9.5
23	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	10.0	9.5	9.5
24	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	10.0	10.0	10.0
25	10.0	9.5	10.0	10.0	10.0	10.0	9.5	9.0	9.5	10.0	9.5	10.0
26	10.0	9.5	10.0	10.0	10.0	10.0	9.5	9.0	9.5	10.0	9.5	10.0
27	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	10.0	10.0	10.0
28	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	10.0	10.0	10.0
29	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.5	9.5	10.0	10.0	10.0
30	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.5	9.5	10.0	9.5	10.0
31	10.0	10.0	10.0	—	—	—	10.0	9.5	9.5	10.0	9.5	10.0
Month	10.0	9.5	9.8	10.0	9.5	10.0	10.0	9.0	9.6	10.0	9.5	9.7

Table B16. Maximum, minimum, and mean water temperature for the continual-recording gage Rowland Spring at Great Basin National Park near Baker, Nevada (gage station 10243265).—Continued

[Water temperature in degrees Celsius. 2004 water year is defined as beginning on October 1, 2003 and ending September 30, 2004. Symbol: —, data not collected at this site on this day]

DAY	FEBRUARY			MARCH			APRIL			MAY		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2004—Continued												
1	10.0	9.5	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	9.0	9.0
2	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0	9.0	9.0
3	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0	9.0	9.0
4	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.5	9.0	9.0	9.0
5	10.0	10.0	10.0	10.0	10.0	10.0	9.5	9.0	9.0	9.0	8.5	9.0
6	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.5
7	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	8.5
8	10.0	10.0	10.0	10.0	10.0	10.0	9.0	9.0	9.0	9.0	8.5	9.0
9	10.0	10.0	10.0	10.0	9.5	10.0	9.0	9.0	9.0	9.0	8.5	9.0
10	10.0	10.0	10.0	10.0	9.5	10.0	9.0	9.0	9.0	9.0	8.5	8.5
11	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	9.0	9.0	8.5	8.5
12	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	9.0	9.0	8.5	8.5
13	10.0	10.0	10.0	10.0	9.5	9.5	9.5	9.0	9.0	9.0	8.5	8.5
14	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	9.0	9.0	8.5	8.5
15	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	9.0	9.0	8.5	8.5
16	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	9.0	8.5	8.5	8.5
17	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	9.0	8.5	8.5	8.5
18	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	9.0	8.5	8.5	8.5
19	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	9.0	8.5	8.5	8.5
20	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	9.0	8.5	8.5	8.5
21	10.0	9.5	10.0	10.0	9.5	9.5	9.0	9.0	9.0	8.5	8.5	8.5
22	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	9.0	9.0	8.5	8.5
23	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	9.0	8.5	8.5	8.5
24	10.0	10.0	10.0	10.0	9.5	9.5	9.0	9.0	9.0	8.5	8.5	8.5
25	10.0	10.0	10.0	9.5	9.5	9.5	9.0	9.0	9.0	8.5	8.5	8.5
26	10.0	10.0	10.0	9.5	9.0	9.5	9.0	9.0	9.0	8.5	8.5	8.5
27	10.0	9.5	10.0	9.5	9.0	9.5	9.0	9.0	9.0	8.5	8.5	8.5
28	10.0	10.0	10.0	9.5	9.0	9.5	9.0	9.0	9.0	8.5	8.5	8.5
29	10.0	10.0	10.0	9.5	9.0	9.5	9.0	9.0	9.0	8.5	8.5	8.5
30	—	—	—	9.5	9.0	9.5	9.0	9.0	9.0	8.5	8.5	8.5
31	—	—	—	9.5	9.0	9.5	—	—	—	8.5	8.5	8.5
Month	10.0	9.5	10.0	10.0	9.0	9.7	9.5	9.0	9.0	9.0	8.5	8.6

Table B16. Maximum, minimum, and mean water temperature for the continual-recording gage Rowland Spring at Great Basin National Park near Baker, Nevada (gage station 10243265).—Continued

[Water temperature in degrees Celsius. 2004 water year is defined as beginning on October 1, 2003 and ending September 30, 2004. Symbol: —, data not collected at this site on this day]

DAY	JUNE			JULY			AUGUST			SEPTEMBER		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2004—Continued												
1	8.5	8.5	8.5	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0
2	8.5	8.5	8.5	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0
3	8.5	8.5	8.5	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0
4	9.0	8.5	8.5	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0
5	9.0	8.5	8.5	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0
6	9.0	8.5	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0
7	9.0	9.0	9.0	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0
8	9.0	9.0	9.0	9.5	9.0	9.5	10.0	10.0	10.0	10.0	10.0	10.0
9	9.0	9.0	9.0	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0
10	9.0	9.0	9.0	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0
11	9.0	9.0	9.0	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0
12	9.0	9.0	9.0	—	—	—	10.0	10.0	10.0	10.0	10.0	10.0
13	9.0	9.0	9.0	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0
14	9.0	9.0	9.0	10.0	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0
15	9.0	9.0	9.0	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0
16	9.0	9.0	9.0	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0
17	9.0	9.0	9.0	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0
18	9.0	9.0	9.0	9.5	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0
19	9.0	9.0	9.0	9.5	9.5	9.5	10.5	10.0	10.0	10.0	10.0	10.0
20	9.0	9.0	9.0	10.0	9.5	9.5	10.5	10.0	10.0	10.0	10.0	10.0
21	9.0	9.0	9.0	10.0	9.5	9.5	10.5	10.0	10.0	10.0	10.0	10.0
22	9.0	9.0	9.0	10.0	9.5	9.5	11.0	10.0	10.0	10.0	10.0	10.0
23	9.0	9.0	9.0	10.0	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0
24	9.0	9.0	9.0	10.0	9.5	9.5	10.5	10.0	10.0	10.0	10.0	10.0
25	9.0	9.0	9.0	10.0	9.5	9.5	10.0	10.0	10.0	10.0	10.0	10.0
26	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
27	9.0	9.0	9.0	10.0	10.0	10.0	10.5	10.0	10.0	10.0	10.0	10.0
28	9.0	9.0	9.0	10.0	10.0	10.0	10.5	10.0	10.0	10.0	10.0	10.0
29	9.0	9.0	9.0	10.0	10.0	10.0	10.5	10.0	10.0	10.0	10.0	10.0
30	9.0	9.0	9.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
31	—	—	—	10.0	10.0	10.0	10.0	10.0	10.0	—	—	—
Month	9.0	8.5	8.9	—	—	—	11.0	10.0	10.0	10.0	10.0	10.0

Table B17. Maximum, minimum, and mean water temperature for the continual-recording gage Baker Creek at Narrows near Baker, Nevada (gage station 10243240).—Continued

[Water temperature in degrees Celsius. 2003 water year is defined as beginning on October 1, 2002 and ending September 30, 2003. Symbol: —, data not collected at this site on this day]

DAY	JUNE			JULY			AUGUST			SEPTEMBER		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2003—Continued												
1	9.0	5.5	7.0	13.0	8.5	10.5	17.5	13.0	15.0	14.5	11.5	13.0
2	9.0	5.0	7.0	13.5	8.5	10.5	17.5	13.5	15.0	15.5	11.5	13.5
3	9.0	5.0	7.0	13.5	8.5	10.5	16.5	12.5	14.5	15.5	11.5	13.5
4	9.0	5.0	6.5	14.0	8.5	11.0	16.5	12.0	14.0	14.5	12.0	13.0
5	9.0	5.0	6.5	14.0	9.0	11.0	17.0	11.5	14.0	14.0	11.5	12.5
6	9.5	5.0	7.0	14.5	9.0	11.5	15.5	12.0	13.5	14.0	10.5	12.5
7	10.0	5.5	7.5	14.5	9.5	12.0	16.0	11.5	14.0	14.5	11.0	13.0
8	9.0	5.5	7.5	15.0	10.0	12.0	18.5	13.0	15.0	14.5	11.5	12.5
9	9.5	6.5	8.0	14.5	9.0	11.5	18.5	13.5	16.0	12.5	10.0	11.0
10	11.0	7.0	8.5	15.5	9.5	12.0	19.5	14.0	16.5	11.5	8.5	10.0
11	9.5	6.5	8.0	16.0	10.5	13.0	17.5	13.5	16.0	11.5	7.0	9.5
12	9.5	6.5	8.0	16.0	10.5	13.0	17.0	13.5	15.5	13.0	8.5	10.5
13	10.5	6.0	8.0	15.0	10.5	13.0	18.0	13.5	15.5	11.0	7.0	9.0
14	11.5	6.0	8.5	16.0	10.5	13.0	18.0	13.5	15.5	10.0	5.0	7.5
15	11.5	7.0	9.0	17.0	11.5	14.0	19.0	14.0	16.0	12.5	7.5	10.0
16	10.0	7.0	8.5	17.0	12.0	14.5	18.5	14.0	15.5	12.5	9.0	11.0
17	11.0	7.0	9.0	16.0	12.5	14.5	17.5	12.5	15.0	12.0	7.0	9.0
18	11.5	7.5	9.5	17.0	12.0	14.5	17.0	12.0	14.5	9.0	4.5	7.0
19	10.5	8.0	9.0	16.0	12.5	14.0	17.5	12.0	14.5	9.5	5.0	7.5
20	10.0	7.5	8.5	16.0	12.5	14.0	16.0	13.5	15.0	11.0	6.5	8.5
21	9.5	7.0	8.5	16.5	12.5	14.5	17.0	13.5	15.0	11.0	6.5	8.5
22	10.5	6.5	8.5	18.0	12.5	15.0	15.0	13.5	14.0	11.5	7.0	9.0
23	9.0	7.0	8.0	17.5	13.0	15.0	16.5	12.0	14.0	11.5	7.5	9.5
24	8.0	5.5	6.5	19.0	13.5	15.5	16.0	12.5	14.0	11.5	7.5	9.5
25	10.0	5.5	7.5	17.0	14.0	15.5	16.0	11.5	13.5	11.0	7.0	9.0
26	11.0	6.0	8.5	17.5	12.5	15.0	15.0	12.0	13.5	11.0	7.0	9.0
27	12.0	7.5	9.5	18.0	13.0	15.5	16.0	11.5	13.5	12.0	7.5	9.5
28	12.0	8.0	10.0	18.0	12.5	15.5	14.5	11.5	13.0	12.0	8.0	10.0
29	13.0	8.0	10.5	18.5	12.5	15.5	14.5	12.0	13.5	12.0	8.5	10.0
30	13.5	8.5	10.5	18.5	12.5	15.5	15.5	10.5	13.0	13.0	9.5	11.0
31	—	—	—	17.0	13.5	15.0	15.0	10.5	13.0	—	—	—
Month	13.5	5.0	8.2	19.0	8.5	13.5	19.5	10.5	14.5	15.5	4.5	10.3

Table B17. Maximum, minimum, and mean water temperature for the continual-recording gage Baker Creek at Narrows near Baker, Nevada (gage station 10243240).—Continued

[Water temperature in degrees Celsius. 2004 water year is defined as beginning on October 1, 2003 and ending September 30, 2004. Symbol: —, data not collected at this site on this day]

DAY	OCTOBER			NOVEMBER			DECEMBER			JANUARY		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2004												
1	12.5	9.5	11.0	4.5	3.0	4.0	2.5	1.0	2.0	0.5	0.5	0.5
2	11.0	8.0	10.0	4.5	3.0	4.0	2.5	1.5	2.0	0.5	0.5	0.5
3	10.5	7.5	9.0	4.5	3.0	4.0	2.0	1.0	1.5	0.5	0.5	0.5
4	10.0	7.0	8.5	4.5	2.5	3.0	2.0	1.0	1.5	0.5	0.0	0.0
5	10.5	7.0	8.5	4.0	2.5	3.0	4.0	2.0	3.0	0.5	0.0	0.0
6	10.0	7.0	8.5	4.0	2.5	3.0	4.5	2.5	3.5	0.5	0.0	0.0
7	10.0	7.0	8.5	4.0	2.5	3.0	4.0	2.0	3.0	0.5	0.0	0.5
8	10.5	7.0	8.5	5.5	3.0	4.0	2.0	0.5	1.0	0.5	0.5	0.5
9	10.5	7.5	9.0	6.5	4.5	5.0	1.0	0.5	1.0	0.5	0.5	0.5
10	9.0	5.0	7.5	5.5	4.0	5.0	1.0	0.5	1.0	0.5	0.5	0.5
11	6.0	2.5	4.0	5.0	3.0	4.0	1.0	0.5	0.5	0.5	0.5	0.5
12	8.0	3.5	5.5	5.0	2.5	3.5	1.0	0.5	1.0	0.5	0.5	0.5
13	6.0	3.0	4.5	4.0	2.5	3.0	0.5	0.5	0.5	0.5	0.5	0.5
14	6.0	1.5	3.5	4.5	3.0	3.5	0.5	0.5	0.5	0.5	0.5	0.5
15	6.5	2.0	4.5	4.0	2.5	3.0	0.5	0.5	0.5	0.5	0.5	0.5
16	6.5	3.5	5.0	4.5	3.0	3.5	0.5	0.0	0.5	0.5	0.5	0.5
17	7.0	3.5	5.5	5.0	3.5	4.0	0.5	0.0	0.5	0.5	0.0	0.0
18	7.5	3.5	5.5	4.5	2.5	3.5	0.5	0.0	0.5	0.5	0.0	0.0
19	8.5	5.0	6.5	5.0	2.5	3.5	0.5	0.0	0.0	0.5	0.0	0.0
20	8.0	4.5	6.5	5.5	3.5	4.5	1.0	0.0	0.5	0.5	0.5	0.5
21	13.5	4.5	8.0	4.5	2.0	3.5	1.5	1.0	1.0	0.5	0.0	0.0
22	13.0	9.5	11.5	2.0	1.5	2.0	1.5	0.0	0.5	0.5	0.0	0.0
23	13.0	10.0	11.5	2.0	1.5	1.5	0.5	0.0	0.5	0.5	0.0	0.0
24	10.5	7.5	9.0	2.0	1.5	1.5	1.0	0.5	0.5	0.5	0.0	0.0
25	8.5	6.0	7.0	1.5	1.5	1.5	1.0	0.0	0.5	0.5	0.5	0.5
26	8.5	5.5	7.0	1.5	1.5	1.5	0.0	0.0	0.0	0.5	0.0	0.0
27	10.5	6.0	8.5	1.5	1.0	1.0	0.5	0.0	0.0	0.5	0.0	0.0
28	11.5	8.5	9.5	1.5	1.0	1.0	0.0	0.0	0.0	0.5	0.0	0.5
29	12.0	8.0	10.5	1.5	1.0	1.0	0.0	0.0	0.0	0.5	0.5	0.5
30	8.0	4.0	6.0	1.5	1.0	1.0	0.5	0.0	0.0	0.5	0.5	0.5
31	4.0	3.5	3.5	—	—	—	0.5	0.5	0.5	0.5	0.0	0.0
Month	13.5	1.5	7.5	6.5	1.0	3.0	4.5	0.0	0.9	0.5	0.0	0.3

Table B17. Maximum, minimum, and mean water temperature for the continual-recording gage Baker Creek at Narrows near Baker, Nevada (gage station 10243240).—Continued

[Water temperature in degrees Celsius. 2004 water year is defined as beginning on October 1, 2003 and ending September 30, 2004. Symbol: —, data not collected at this site on this day]

DAY	FEBRUARY			MARCH			APRIL			MAY		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2004—Continued												
1	0.5	0.0	0.0	0.0	0.0	0.0	6.0	3.0	5.0	12.0	4.5	8.0
2	0.5	0.5	0.5	0.0	0.0	0.0	4.5	1.5	3.0	12.5	5.5	9.0
3	0.5	0.5	0.5	0.5	0.0	0.5	8.0	3.0	5.0	14.0	6.5	9.5
4	0.5	0.5	0.5	1.0	0.0	0.5	10.0	3.0	6.0	13.5	7.0	10.0
5	0.5	0.5	0.5	1.0	0.0	0.5	10.0	3.5	6.5	12.5	7.5	9.5
6	0.5	0.0	0.0	1.5	0.5	1.0	8.0	4.5	6.0	11.5	6.5	8.5
7	0.5	0.0	0.5	2.5	0.0	1.0	10.0	4.5	7.0	11.0	6.0	8.0
8	0.5	0.0	0.5	2.5	0.0	1.5	8.5	5.5	7.0	11.5	6.0	8.5
9	0.5	0.5	0.5	3.0	1.0	2.0	10.5	4.0	6.5	11.5	6.0	8.5
10	0.5	0.5	0.5	3.0	1.5	2.0	6.0	3.0	4.5	10.5	6.0	8.0
11	0.5	0.0	0.5	3.5	0.0	2.0	8.5	1.5	4.5	8.0	4.5	6.0
12	0.5	0.0	0.0	3.5	0.5	2.0	10.5	2.5	6.0	7.5	4.5	6.0
13	0.5	0.0	0.0	4.5	1.0	2.5	10.5	4.0	7.0	9.5	4.5	6.5
14	0.5	0.0	0.5	5.0	1.5	3.0	9.5	3.5	6.0	11.0	4.5	7.5
15	0.5	0.5	0.5	6.0	1.5	3.5	8.5	4.0	6.0	10.5	6.0	8.0
16	0.5	0.5	0.5	6.0	1.0	3.5	9.5	4.0	6.5	10.5	6.0	8.5
17	1.0	0.5	0.5	6.5	1.5	3.5	7.5	5.0	6.0	10.5	7.0	8.5
18	1.0	1.0	1.0	7.5	2.0	4.5	10.0	3.5	5.5	11.5	7.0	9.0
19	1.0	0.5	1.0	9.0	3.5	5.5	6.5	3.5	5.0	9.5	5.5	7.5
20	1.0	0.5	0.5	9.5	3.0	6.0	8.5	3.0	5.5	10.5	6.0	7.5
21	1.0	0.5	0.5	10.0	3.5	6.5	9.0	4.5	6.0	9.5	6.0	7.5
22	1.0	0.5	0.5	9.5	4.0	6.5	7.5	3.0	5.0	10.0	6.0	7.5
23	1.0	0.5	0.5	9.5	5.0	7.0	10.0	3.0	6.0	11.0	6.5	8.0
24	1.5	0.5	1.0	10.0	4.0	6.5	11.0	3.5	7.0	9.0	6.0	7.5
25	1.5	0.0	0.5	10.0	3.5	6.5	11.5	4.0	7.5	8.5	6.0	7.0
26	1.0	0.0	0.5	7.0	4.0	5.5	12.0	4.5	8.0	11.0	5.5	8.0
27	0.0	0.0	0.0	7.0	2.0	4.5	13.0	5.5	9.0	11.5	7.0	9.0
28	0.0	0.0	0.0	7.0	1.5	4.0	12.0	5.5	8.5	12.0	8.0	9.5
29	0.0	0.0	0.0	7.5	1.0	4.0	5.5	3.5	4.5	10.0	7.0	8.0
30	—	—	—	9.0	2.0	5.5	11.0	3.5	6.5	11.0	5.0	8.0
31	—	—	—	10.5	4.5	7.0	—	—	—	12.0	6.5	9.0
Month	1.5	0.0	0.4	10.5	0.0	3.5	13.0	1.5	6.1	14.0	4.5	8.1

Table B18. Maximum, minimum, and mean water temperature for the continual-recording gage Snake Creek above pipeline near Baker, Nevada (gage station 10243230).

[Water temperature in degrees Celsius. 2003 water year is defined as beginning on October 1, 2002 and ending September 30, 2003. Symbol: –, data not collected at this site on this day]

DAY	OCTOBER			NOVEMBER			DECEMBER			JANUARY		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2003												
1	–	–	–	0.0	0.0	0.0	1.0	0.5	0.5	0.5	0.0	0.5
2	–	–	–	0.0	0.0	0.0	1.0	0.0	0.5	1.0	0.5	0.5
3	–	–	–	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.5	1.0
4	–	–	–	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.5	1.0
5	–	–	–	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0
6	–	–	–	0.5	0.0	0.0	0.0	0.0	0.0	1.0	0.5	0.5
7	–	–	–	1.0	0.5	1.0	0.0	0.0	0.0	0.5	0.0	0.5
8	–	–	–	1.0	0.0	0.5	0.0	0.0	0.0	1.0	0.5	0.5
9	–	–	–	2.0	0.5	1.0	0.0	0.0	0.0	1.0	0.5	1.0
10	–	–	–	2.0	0.5	1.0	0.0	0.0	0.0	1.0	1.0	1.0
11	7.0	4.0	–	1.0	0.0	0.5	0.0	0.0	0.0	1.5	0.5	1.0
12	5.0	2.0	3.5	1.0	0.0	0.5	0.0	0.0	0.0	1.0	0.5	1.0
13	4.5	1.0	3.0	2.5	1.0	1.5	0.0	0.0	0.0	1.0	0.5	1.0
14	5.5	2.0	3.5	1.5	0.5	1.0	0.5	0.0	0.0	1.0	0.5	1.0
15	5.0	1.5	3.0	1.0	0.0	0.5	0.5	0.0	0.5	1.0	0.5	0.5
16	5.0	1.5	3.0	1.5	0.0	0.5	0.5	0.0	0.0	0.5	0.0	0.5
17	5.0	1.5	3.0	2.0	0.5	1.5	0.0	0.0	0.0	1.0	0.5	0.5
18	5.0	1.5	3.0	0.5	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.5
19	4.5	1.0	3.0	1.5	0.0	0.5	0.0	0.0	0.0	1.0	0.0	0.5
20	5.0	1.5	3.0	2.0	0.5	1.0	0.0	0.0	0.0	1.0	0.5	0.5
21	5.0	2.0	3.5	2.5	1.0	1.5	0.0	0.0	0.0	1.0	0.5	0.5
22	5.0	2.5	4.0	2.5	1.0	1.5	0.0	0.0	0.0	1.0	0.5	1.0
23	4.5	1.5	3.0	2.5	1.0	1.5	0.0	0.0	0.0	1.5	1.0	1.0
24	4.5	1.5	3.0	1.5	0.0	1.0	0.0	0.0	0.0	1.5	1.0	1.0
25	4.0	1.5	3.0	0.5	0.0	0.0	0.5	0.0	0.0	1.5	0.5	1.0
26	3.0	2.0	3.0	0.0	0.0	0.0	0.5	0.0	0.0	1.0	0.0	1.0
27	4.5	2.0	3.0	0.0	0.0	0.0	0.5	0.5	0.5	2.0	1.0	1.5
28	4.0	1.0	2.5	0.0	0.0	0.0	1.0	0.5	0.5	1.5	1.0	1.5
29	2.5	0.0	1.0	0.0	0.0	0.0	0.5	0.0	0.5	1.5	0.5	1.0
30	1.5	0.0	0.5	0.5	0.0	0.5	0.5	0.0	0.0	2.0	1.0	1.5
31	1.5	0.0	0.5	–	–	–	0.5	0.5	0.5	2.5	1.0	1.5
Month	–	–	–	2.5	0.0	0.6	1.0	0.0	0.1	2.5	0.0	0.9

Table B18. Maximum, minimum, and mean water temperature for the continual-recording gage Snake Creek above pipeline near Baker, Nevada (gage station 10243230).—Continued

[Water temperature in degrees Celsius. 2003 water year is defined as beginning on October 1, 2002 and ending September 30, 2003. Symbol: —, data not collected at this site on this day]

DAY	JUNE			JULY			AUGUST			SEPTEMBER		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2003—Continued												
1	8.5	5.0	6.5	11.0	6.5	8.5	12.0	10.0	11.0	11.5	9.5	10.5
2	9.0	5.0	6.5	11.0	6.5	8.5	13.5	10.0	11.5	12.0	9.5	10.5
3	9.0	5.0	6.5	11.0	6.0	8.5	12.0	9.5	11.0	12.0	9.0	10.5
4	8.5	4.5	6.5	11.0	6.0	8.5	12.0	8.5	10.5	11.5	9.5	10.5
5	8.0	4.5	6.0	11.5	6.5	9.0	13.0	9.0	10.5	11.5	9.5	10.5
6	8.5	4.5	6.5	11.5	7.0	9.0	11.5	9.5	10.5	11.5	9.0	10.0
7	9.0	5.0	7.0	11.5	7.0	9.0	12.5	9.0	10.5	11.5	8.5	10.0
8	8.5	5.5	7.0	12.0	8.0	9.5	14.0	10.0	11.5	11.5	9.5	10.0
9	9.0	6.0	7.5	11.5	6.5	9.0	14.0	10.5	12.0	9.5	7.5	8.5
10	9.5	6.5	7.5	12.0	6.5	9.0	13.5	10.5	12.0	8.5	6.5	7.5
11	8.5	6.0	7.0	12.5	8.0	10.0	13.5	10.0	12.0	9.0	5.0	7.0
12	8.5	5.5	7.0	12.5	7.5	10.0	13.5	10.5	12.0	10.5	6.0	8.0
13	9.0	5.5	7.0	12.0	8.0	9.5	14.0	10.0	12.0	8.5	5.0	7.0
14	9.5	5.5	7.0	12.5	7.5	9.5	13.0	10.0	11.5	7.5	3.5	5.5
15	10.0	5.5	7.5	13.0	8.5	10.5	14.5	11.0	12.5	9.5	6.0	7.5
16	9.0	6.0	7.5	11.5	8.5	10.5	13.0	11.0	12.0	10.0	7.5	8.5
17	9.0	6.0	7.5	12.5	9.0	10.5	13.5	9.5	11.5	9.0	5.5	7.5
18	10.0	6.0	7.5	12.5	9.0	10.5	13.0	8.5	11.0	6.5	3.5	5.0
19	8.5	6.5	7.5	12.0	9.0	10.5	13.5	9.0	11.0	7.5	3.5	5.5
20	8.5	6.0	7.0	12.0	9.0	10.5	12.5	11.0	11.5	8.5	4.5	6.5
21	8.0	5.5	7.0	11.5	9.0	10.5	13.0	10.5	11.5	8.5	4.5	6.5
22	8.5	4.5	6.5	14.0	9.5	11.0	12.0	11.0	11.5	8.5	4.5	6.5
23	7.0	5.5	6.5	12.5	9.5	11.0	13.0	9.5	11.0	9.5	5.0	7.0
24	6.5	4.0	5.0	14.5	10.5	12.0	12.5	10.0	11.0	9.5	6.0	7.5
25	7.5	4.0	6.0	13.5	11.0	12.0	12.5	9.0	10.5	9.0	5.5	7.0
26	9.5	4.5	6.5	13.0	9.5	11.0	12.0	9.5	10.5	9.0	5.5	7.0
27	10.0	5.5	7.5	13.5	10.0	11.5	11.5	9.0	10.5	9.5	6.0	7.5
28	10.5	6.0	8.0	13.5	9.5	11.5	12.0	8.5	10.5	10.0	6.5	8.0
29	11.0	6.5	8.5	13.5	9.5	11.5	11.5	9.5	10.5	10.0	6.5	8.0
30	11.0	6.5	8.5	13.5	9.0	11.0	12.0	8.5	10.5	10.5	7.0	8.5
31	—	—	—	13.5	10.0	11.5	11.5	8.5	10.0	—	—	—
Month	11.0	4.0	7.0	14.5	6.0	10.2	14.5	8.5	11.2	12.0	3.5	8.0

Table B18. Maximum, minimum, and mean water temperature for the continual-recording gage Snake Creek above pipeline near Baker, Nevada (gage station 10243230).—Continued

[Water temperature in degrees Celsius. 2004 water year is defined as beginning on October 1, 2003 and ending September 30, 2004. Symbol: —, data not collected at this site on this day]

DAY	OCTOBER			NOVEMBER			DECEMBER			JANUARY		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2004												
1	10.5	8.0	9.5	2.0	0.0	1.0	1.5	1.0	1.0	0.5	0.0	0.5
2	9.0	7.0	8.0	1.0	0.0	0.5	1.5	0.5	1.0	1.0	0.0	0.5
3	8.5	6.5	7.5	1.5	0.0	0.5	1.0	0.0	0.5	0.5	0.0	0.5
4	8.5	5.5	7.0	0.5	0.0	0.0	1.0	0.0	0.5	0.0	0.0	0.0
5	8.5	5.5	7.0	0.5	0.0	0.0	2.0	1.0	1.5	0.0	0.0	0.0
6	8.5	6.0	7.0	1.0	0.0	0.0	2.0	1.5	2.0	0.0	0.0	0.0
7	8.5	5.5	7.5	1.0	0.0	0.5	2.0	1.0	1.5	0.0	0.0	0.0
8	9.0	6.0	7.5	2.0	0.5	1.5	1.0	0.0	0.0	0.5	0.0	0.5
9	9.5	6.5	8.0	2.5	1.5	2.0	0.0	0.0	0.0	0.5	0.0	0.5
10	8.5	5.0	7.5	2.0	1.0	2.0	0.0	0.0	0.0	1.0	0.0	0.5
11	6.0	2.5	4.0	1.0	0.0	0.5	0.0	0.0	0.0	0.5	0.0	0.5
12	7.5	4.0	5.5	1.5	0.0	0.5	0.0	0.0	0.0	0.5	0.0	0.5
13	6.0	3.5	4.5	1.0	0.0	0.5	0.5	0.0	0.0	0.5	0.0	0.5
14	6.0	2.0	4.0	2.0	0.0	1.0	0.5	0.0	0.5	0.5	0.0	0.0
15	6.5	2.5	4.5	1.0	0.0	0.5	0.0	0.0	0.0	0.5	0.0	0.5
16	7.0	3.5	5.5	1.5	0.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0
17	7.5	4.0	5.5	2.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0
18	8.0	4.0	6.0	1.5	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0
19	8.0	5.5	6.5	2.0	0.0	1.0	0.0	0.0	0.0	0.5	0.0	0.5
20	8.0	4.5	6.0	2.5	1.5	2.0	1.0	0.0	0.5	0.5	0.0	0.5
21	7.5	4.5	6.0	2.0	0.0	1.5	1.0	1.0	1.0	0.0	0.0	0.0
22	7.5	4.5	6.0	0.0	0.0	0.0	1.0	0.0	0.5	0.0	0.0	0.0
23	7.5	4.0	5.5	0.0	0.0	0.0	1.0	0.0	0.5	0.0	0.0	0.0
24	5.5	2.5	4.0	0.0	0.0	0.0	1.0	1.0	1.0	0.0	0.0	0.0
25	4.5	2.0	3.0	0.0	0.0	0.0	1.0	0.0	0.5	0.0	0.0	0.0
26	5.0	2.0	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	6.0	3.0	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28	7.5	5.0	6.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29	7.5	5.0	6.5	0.5	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.5
30	5.0	2.0	3.5	1.0	0.5	1.0	0.0	0.0	0.0	1.0	0.0	0.5
31	2.0	1.0	1.0	—	—	—	0.5	0.0	0.5	0.5	0.0	0.0
Month	10.5	1.0	5.7	2.5	0.0	0.6	2.0	0.0	0.4	1.0	0.0	0.2

Table B18. Maximum, minimum, and mean water temperature for the continual-recording gage Snake Creek above pipeline near Baker, Nevada (gage station 10243230).—Continued

[Water temperature in degrees Celsius. 2004 water year is defined as beginning on October 1, 2003 and ending September 30, 2004. Symbol: —, data not collected at this site on this day]

DAY	FEBRUARY			MARCH			APRIL			MAY		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2004—Continued												
1	0.0	0.0	0.0	0.0	0.0	0.0	4.5	2.5	3.5	9.0	2.5	5.5
2	0.0	0.0	0.0	0.5	0.0	0.5	4.5	2.0	3.0	10.0	3.0	6.5
3	0.0	0.0	0.0	0.5	0.0	0.0	5.5	2.0	3.0	11.0	4.0	7.0
4	0.0	0.0	0.0	0.5	0.0	0.5	6.0	1.5	3.5	11.5	5.5	8.0
5	0.5	0.0	0.5	1.0	0.0	0.5	5.5	2.0	3.5	11.5	6.0	8.0
6	0.0	0.0	0.0	1.0	0.5	1.0	5.5	2.0	3.5	10.0	5.0	7.0
7	0.5	0.0	0.5	1.5	0.0	0.5	5.0	2.5	3.5	9.5	4.5	6.5
8	0.0	0.0	0.0	2.0	0.0	1.0	6.0	3.0	4.5	10.0	4.5	7.0
9	0.0	0.0	0.0	2.0	0.5	1.0	6.5	2.0	4.0	10.0	4.5	7.0
10	0.0	0.0	0.0	2.0	1.0	1.0	4.0	2.0	2.5	9.0	4.5	6.0
11	0.0	0.0	0.0	2.0	0.0	1.0	5.5	0.5	2.5	6.5	3.0	4.5
12	0.0	0.0	0.0	2.0	0.0	1.0	6.5	1.0	3.5	5.5	2.5	4.0
13	0.0	0.0	0.0	2.5	0.5	1.5	7.5	2.0	4.0	7.5	2.5	4.5
14	0.0	0.0	0.0	2.5	1.0	1.5	6.0	2.0	3.5	8.5	2.5	5.5
15	0.0	0.0	0.0	2.5	1.0	1.5	5.5	2.0	3.5	8.0	3.5	5.5
16	0.5	0.0	0.5	3.0	0.5	1.5	5.5	2.5	4.0	8.0	4.0	6.0
17	1.0	0.0	0.5	3.0	1.0	1.5	4.5	2.5	3.5	8.5	4.5	6.5
18	1.0	0.5	1.0	3.5	1.0	2.0	5.5	1.5	3.0	9.0	5.0	6.5
19	1.0	0.5	1.0	4.0	1.5	2.5	4.0	2.0	2.5	8.0	3.5	5.5
20	0.5	0.0	0.0	4.5	1.5	2.5	6.0	1.5	3.0	8.0	3.5	5.5
21	1.0	0.0	0.5	5.0	2.0	3.0	5.5	2.5	3.5	7.5	3.5	5.5
22	0.5	0.0	0.5	5.5	2.0	3.5	4.0	1.0	2.5	7.5	4.0	5.5
23	1.0	0.5	0.5	6.0	2.5	4.0	6.5	1.5	3.5	8.5	4.5	6.0
24	1.0	0.0	0.5	5.5	2.5	3.5	7.5	1.0	4.0	7.0	4.0	5.5
25	1.0	0.0	0.5	6.0	2.5	4.0	8.0	2.0	4.5	6.5	4.0	5.0
26	0.5	0.0	0.5	4.5	2.0	3.0	8.5	2.0	5.0	8.0	3.5	5.5
27	0.5	0.0	0.0	4.0	0.5	2.0	8.5	2.5	5.5	9.0	5.0	6.5
28	0.0	0.0	0.0	4.0	0.0	2.0	8.5	3.5	5.5	8.0	5.5	7.0
29	0.0	0.0	0.0	4.5	0.0	2.0	3.5	1.5	2.5	7.5	4.5	5.5
30	—	—	—	5.5	1.0	3.0	8.0	1.5	4.0	8.5	3.0	5.5
31	—	—	—	7.0	3.0	4.5	—	—	—	9.0	5.0	6.5
Month	1.0	0.0	0.2	7.0	0.0	1.8	8.5	0.5	3.6	11.5	2.5	6.0

Table B19. Maximum, minimum, and mean water temperature for the continual-recording gage Snake Creek at Great Basin National Park boundary near Baker, Nevada (gage station 10243232).

[Water temperature in degrees Celsius. 2003 water year is defined as beginning on October 1, 2002 and ending September 30, 2003. Symbol: –, data not collected at this site on this day]

[illegible]

Table B19. Maximum, minimum, and mean water temperature for the continual-recording gage Snake Creek at Great Basin National Park boundary near Baker, Nevada (gage station 10243232).—Continued

[Water temperature in degrees Celsius. 2003 water year is defined as beginning on October 1, 2002 and ending September 30, 2003. Symbol: –, data not collected at this site on this day]

[illegible]

Table B19. Maximum, minimum, and mean water temperature for the continual-recording gage Snake Creek at Great Basin National Park boundary near Baker, Nevada (gage station 10243232).—Continued

[Water temperature in degrees Celsius. 2003 water year is defined as beginning on October 1, 2002 and ending September 30, 2003. Symbol: —, data not collected at this site on this day]

DAY	JUNE			JULY			AUGUST			SEPTEMBER		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2003—Continued												
1	12.0	6.5	9.0	13.5	9.0	11.0	16.0	12.0	14.0	—	—	—
2	12.0	6.5	9.0	14.0	8.0	10.5	16.5	11.5	14.0	—	—	—
3	11.5	6.5	9.0	14.0	8.5	11.0	14.5	11.0	13.0	—	—	—
4	11.5	6.5	8.5	14.0	8.5	11.0	14.5	10.5	12.5	—	—	—
5	11.0	6.0	8.5	14.0	8.5	11.0	15.5	10.5	12.5	—	—	—
6	11.5	6.0	8.5	14.5	9.0	11.5	14.0	10.5	12.0	—	—	—
7	12.0	7.0	9.0	14.5	9.0	11.5	15.5	10.0	12.5	—	—	—
8	10.5	7.0	9.0	14.5	9.0	11.5	15.5	11.5	13.5	—	—	—
9	12.0	8.0	9.5	14.0	9.0	11.5	16.5	11.5	14.0	—	—	—
10	13.0	8.0	10.0	14.5	9.0	12.0	17.0	12.0	14.5	—	—	—
11	10.5	7.5	9.0	15.5	10.5	12.5	16.0	12.0	13.5	—	—	—
12	11.5	7.5	9.5	15.5	10.0	12.5	15.5	11.5	13.5	—	—	—
13	12.0	7.5	9.5	14.0	10.5	12.0	16.5	11.5	14.0	—	—	—
14	13.0	7.0	10.0	15.0	10.0	12.0	16.0	11.5	13.5	—	—	—
15	13.0	7.5	10.0	15.5	10.5	13.0	17.5	12.0	14.0	—	—	—
16	12.5	8.0	10.0	14.5	11.0	13.0	16.0	12.0	13.5	—	—	—
17	12.5	8.0	10.0	14.5	11.5	13.0	16.0	11.0	13.0	—	—	—
18	13.0	8.5	10.5	15.5	11.5	13.0	15.5	10.5	13.0	—	—	—
19	11.5	9.0	10.0	15.0	11.5	13.0	15.5	10.5	13.0	—	—	—
20	11.5	8.5	9.5	14.0	11.0	12.5	14.5	11.5	13.0	—	—	—
21	10.5	8.0	9.0	15.0	11.0	13.0	17.0	11.5	13.5	—	—	—
22	11.5	6.5	9.0	16.5	11.5	13.5	13.5	11.5	12.5	—	—	—
23	9.0	7.5	8.5	16.5	11.5	13.5	15.5	11.0	13.0	—	—	—
24	9.0	6.5	7.5	16.0	12.0	14.0	14.0	11.5	12.5	—	—	—
25	11.5	6.0	8.5	15.5	12.5	13.5	16.5	10.5	13.0	—	—	—
26	12.0	6.5	9.0	16.0	11.5	13.5	16.5	11.0	13.5	—	—	—
27	13.0	7.5	10.0	16.5	11.5	14.0	18.5	10.5	13.5	—	—	—
28	13.0	8.0	10.5	16.5	11.5	13.5	17.0	10.5	13.5	—	—	—
29	14.0	8.5	11.0	16.5	11.5	13.5	16.0	11.0	13.5	—	—	—
30	14.0	9.0	11.0	16.5	11.0	13.5	17.5	10.0	13.0	—	—	—
31	—	—	—	16.5	12.0	14.0	—	—	—	—	—	—
Month	14.0	6.0	9.4	16.5	8.0	12.5	—	—	—	—	—	—

Table B19. Maximum, minimum, and mean water temperature for the continual-recording gage Snake Creek at Great Basin National Park boundary near Baker, Nevada (gage station 10243232).—Continued

[Water temperature in degrees Celsius. 2004 water year is defined as beginning on October 1, 2003 and ending September 30, 2004. Symbol: –, data not collected at this site on this day]

[illegible]

Table B19. Maximum, minimum, and mean water temperature for the continual-recording gage Snake Creek at Great Basin National Park boundary near Baker, Nevada (gage station 10243232).—Continued

[Water temperature in degrees Celsius. 2004 water year is defined as beginning on October 1, 2003 and ending September 30, 2004. Symbol: —, data not collected at this site on this day]

DAY	JUNE			JULY			AUGUST			SEPTEMBER		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2004—Continued												
1	11.0	6.5	9.0	13.0	8.5	10.5	13.0	10.5	12.0	—	—	—
2	12.0	7.5	9.5	11.5	8.0	10.0	14.5	11.0	12.5	—	—	—
3	13.0	7.5	10.0	12.5	8.0	10.0	16.0	10.5	13.0	—	—	—
4	12.5	8.0	10.0	12.0	8.5	10.5	16.5	11.0	13.0	—	—	—
5	13.0	8.0	10.0	12.5	9.0	10.5	16.5	11.5	13.0	—	—	—
6	13.0	8.0	10.0	14.0	9.0	11.5	16.5	11.0	13.0	—	—	—
7	13.0	8.0	10.0	15.0	9.5	12.0	16.5	10.0	12.5	—	—	—
8	12.5	8.5	10.0	15.0	10.0	12.0	16.5	10.0	12.5	—	—	—
9	11.0	7.5	9.0	14.5	10.0	12.0	—	—	—	—	—	—
10	10.5	6.5	8.0	14.5	9.5	12.0	—	—	—	—	—	—
11	10.0	6.0	8.0	15.0	9.5	12.0	—	—	—	—	—	—
12	11.0	6.5	9.0	15.5	9.5	12.5	—	—	—	—	—	—
13	13.0	7.0	10.0	14.0	11.5	13.0	—	—	—	—	—	—
14	13.0	8.0	10.0	14.5	11.5	13.0	—	—	—	—	—	—
15	13.0	8.0	10.0	14.5	12.0	13.0	—	—	—	—	—	—
16	12.5	8.0	10.0	14.5	11.5	12.5	—	—	—	—	—	—
17	11.5	8.5	9.5	14.5	11.0	12.5	—	—	—	—	—	—
18	13.0	8.0	10.0	16.0	11.5	13.5	—	—	—	—	—	—
19	13.5	8.0	10.5	14.5	11.5	13.0	—	—	—	—	—	—
20	13.0	8.5	10.5	16.0	11.5	13.5	—	—	—	—	—	—
21	12.0	8.5	10.0	16.0	11.0	13.0	—	—	—	—	—	—
22	12.0	7.0	9.5	14.0	11.0	12.5	—	—	—	—	—	—
23	11.0	8.0	9.5	15.0	11.0	12.5	—	—	—	—	—	—
24	11.0	8.0	9.5	14.5	11.0	12.5	—	—	—	—	—	—
25	11.5	9.0	10.0	14.5	11.0	12.5	—	—	—	—	—	—
26	11.5	8.5	10.0	15.5	11.0	13.0	—	—	—	—	—	—
27	12.0	8.5	10.0	12.5	11.0	12.0	—	—	—	—	—	—
28	11.5	8.5	10.0	14.5	10.0	12.0	—	—	—	—	—	—
29	11.5	8.5	10.0	15.5	11.0	13.0	—	—	—	—	—	—
30	12.5	8.0	10.0	16.0	10.5	13.0	—	—	—	—	—	—
31	—	—	—	16.0	10.5	13.0	—	—	—	—	—	—
Month	13.5	6.0	9.7	16.0	8.0	12.2	—	—	—	—	—	—

Table B20. Maximum, minimum, and mean water temperature for the continual-recording gage Snake Creek below Spring Creek near Garrison, Utah (gage station 10243233).—Continued

[Water temperature in degrees Celsius. 2003 water year is defined as beginning on October 1, 2002 and ending September 30, 2003. Symbol: —, data not collected at this site on this day]

DAY	JUNE			JULY			AUGUST			SEPTEMBER		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2003—Continued												
1	13.5	8.5	11.0	17.0	11.5	13.5	18.5	14.0	15.5	17.0	13.5	15.0
2	13.5	8.5	11.0	17.0	11.0	13.5	19.0	14.0	15.5	17.0	13.5	15.0
3	13.5	8.0	10.5	17.0	11.5	13.5	17.5	13.5	15.0	17.5	13.5	15.0
4	13.5	8.0	10.5	17.5	11.5	13.5	17.5	13.0	14.5	16.0	13.5	14.5
5	13.5	8.0	10.5	17.5	11.5	13.5	18.0	13.0	15.0	16.0	13.5	14.5
6	14.0	8.0	10.5	17.5	11.5	14.0	16.5	13.5	14.5	16.5	13.5	14.5
7	14.5	8.5	11.0	18.0	12.0	14.0	17.0	12.5	14.5	17.0	13.0	14.5
8	12.5	9.0	11.0	18.0	12.0	14.0	17.5	13.5	15.0	16.0	13.5	14.0
9	14.5	10.0	11.5	17.5	11.5	14.0	18.5	13.5	15.5	14.0	12.5	13.0
10	15.5	10.0	12.0	18.0	12.0	14.0	18.5	14.0	16.0	15.5	11.5	13.0
11	12.5	9.5	11.0	18.5	12.5	15.0	17.5	13.5	15.0	16.0	11.5	13.0
12	14.0	10.0	11.5	18.5	12.5	15.0	17.5	13.5	15.0	16.5	12.0	14.0
13	14.5	9.5	11.5	17.0	12.5	14.5	18.5	13.5	15.5	15.0	11.0	12.5
14	15.5	9.5	12.0	18.0	12.0	14.5	18.0	13.5	15.5	15.5	10.0	12.5
15	16.0	10.0	12.0	18.5	12.5	15.0	18.5	14.0	16.0	16.0	12.0	13.5
16	14.5	10.0	12.0	17.0	13.5	15.0	18.0	14.0	15.5	16.0	12.5	14.0
17	15.0	10.0	12.5	17.0	13.5	15.0	18.5	13.5	15.0	14.5	11.5	13.0
18	15.0	10.5	12.5	18.5	13.5	15.0	18.0	13.0	15.0	14.5	10.5	12.0
19	14.5	10.5	12.0	17.5	13.5	15.0	16.5	13.0	15.0	14.5	10.5	12.5
20	14.0	10.5	12.0	17.0	13.5	15.0	16.5	14.0	15.0	15.5	11.5	13.0
21	13.0	10.5	11.5	18.0	13.5	15.5	18.5	14.0	15.5	15.5	11.5	13.0
22	14.0	9.5	11.5	19.0	13.5	15.5	16.5	14.0	15.0	15.5	11.5	13.0
23	12.0	10.0	11.0	19.0	13.5	15.5	17.5	13.5	15.5	16.0	11.5	13.5
24	12.0	9.0	10.0	19.0	14.0	15.5	16.0	14.0	15.0	16.0	11.5	13.5
25	14.5	8.5	11.0	17.5	14.0	15.5	18.5	13.0	15.0	15.5	11.5	13.0
26	15.5	9.5	12.0	19.0	13.5	15.5	17.0	13.5	15.0	15.5	11.5	13.0
27	16.5	10.0	12.5	19.0	14.0	15.5	17.5	13.5	15.0	16.0	12.0	13.5
28	16.0	11.0	13.0	19.0	13.5	15.5	17.0	13.5	15.0	16.0	12.0	14.0
29	17.0	11.0	13.5	19.0	13.5	15.5	17.0	13.5	15.0	16.0	12.0	13.5
30	17.0	11.5	13.5	19.0	13.5	15.5	17.5	13.0	15.0	16.0	12.5	14.0
31	—	—	—	19.0	14.0	15.5	17.5	12.5	14.5	—	—	—
Month	17.0	8.0	11.6	19.0	11.0	14.7	19.0	12.5	15.1	17.5	10.0	13.6

Table B20. Maximum, minimum, and mean water temperature for the continual-recording gage Snake Creek below Spring Creek near Garrison, Utah (gage station 10243233).—Continued

[Water temperature in degrees Celsius. 2004 water year is defined as beginning on October 1, 2003 and ending September 30, 2004. Symbol: —, data not collected at this site on this day]

DAY	OCTOBER			NOVEMBER			DECEMBER			JANUARY		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2004												
1	15.5	13.0	14.0	9.5	8.0	9.0	9.5	8.0	8.5	6.5	5.0	6.0
2	15.0	12.0	13.5	10.0	8.0	9.0	9.5	7.5	8.5	7.5	6.0	7.0
3	15.0	12.0	13.5	10.0	8.5	9.0	9.5	7.5	8.0	7.0	5.0	6.5
4	15.0	12.0	13.5	10.0	7.5	8.5	9.0	7.0	8.0	5.5	4.0	4.5
5	15.5	12.0	13.5	10.0	8.0	8.5	9.5	8.5	9.0	5.5	4.0	4.5
6	15.5	12.0	13.5	9.5	7.5	8.5	9.5	8.0	8.5	6.0	4.5	5.0
7	14.5	12.0	13.0	10.0	7.0	8.5	9.5	8.0	8.5	7.5	5.5	6.5
8	15.5	12.0	13.5	10.5	8.0	9.0	8.5	7.0	7.5	7.0	6.0	6.5
9	15.5	12.0	13.5	10.5	9.5	10.0	8.0	6.5	7.0	7.5	5.5	6.5
10	14.0	10.5	12.5	10.5	9.0	10.0	8.5	6.5	7.5	7.5	6.0	6.5
11	13.5	9.5	11.5	11.0	8.5	9.5	8.5	8.0	8.0	8.0	6.0	6.5
12	14.5	10.5	12.0	10.0	7.5	9.0	8.0	7.0	7.5	7.0	6.0	6.5
13	13.0	10.0	11.5	10.0	7.5	9.0	9.5	7.0	8.0	7.0	5.5	6.5
14	13.5	9.5	11.0	10.5	9.0	9.5	8.0	6.5	7.0	7.0	5.0	6.0
15	13.5	9.5	11.5	10.5	8.0	9.5	7.0	6.0	6.5	6.5	5.0	6.0
16	14.0	10.0	12.0	10.5	9.5	9.5	7.5	5.0	6.0	7.0	5.0	6.0
17	14.0	10.0	12.0	10.5	9.0	9.5	8.0	6.0	6.5	6.5	5.0	6.0
18	14.5	10.5	12.5	11.0	8.0	9.5	7.5	6.5	7.0	6.0	4.5	5.0
19	14.5	11.5	12.5	10.5	8.5	9.5	8.5	6.5	7.5	7.0	5.5	6.0
20	14.5	11.0	12.5	10.5	8.5	9.5	9.0	7.0	8.0	7.0	6.0	6.5
21	14.5	11.0	12.5	10.0	6.0	8.5	9.5	8.0	8.5	7.5	6.5	7.0
22	14.5	10.5	12.5	7.5	5.5	6.5	8.5	7.0	7.5	6.5	6.0	6.0
23	14.0	11.0	12.0	7.0	5.0	6.0	8.0	6.5	7.5	6.5	5.0	5.5
24	12.5	9.5	11.0	8.5	6.0	7.0	9.0	7.0	8.0	8.0	5.5	6.5
25	11.5	9.0	10.0	8.5	7.0	7.5	8.5	6.5	8.0	7.0	6.0	6.5
26	12.0	8.5	10.0	8.0	6.5	7.0	7.0	5.5	6.5	6.5	5.0	5.5
27	12.5	9.5	11.0	8.0	6.0	7.0	6.0	4.5	5.5	8.0	5.5	6.5
28	13.5	10.0	11.5	9.5	6.5	8.0	6.0	4.5	5.5	8.5	7.0	7.5
29	13.5	10.0	11.5	10.0	7.5	8.5	6.0	5.0	5.5	8.5	6.5	7.5
30	10.0	8.5	9.5	10.0	8.5	9.0	7.0	5.5	6.5	8.5	7.0	7.5
31	9.0	8.5	8.5	—	—	—	7.0	6.5	6.5	7.5	6.0	6.5
Month	15.5	8.5	12.0	11.0	5.0	8.6	9.5	4.5	7.4	8.5	4.0	6.2

Table B20. Maximum, minimum, and mean water temperature for the continual-recording gage Snake Creek below Spring Creek near Garrison, Utah (gage station 10243233).—Continued

[Water temperature in degrees Celsius. 2004 water year is defined as beginning on October 1, 2003 and ending September 30, 2004. Symbol: —, data not collected at this site on this day]

DAY	FEBRUARY			MARCH			APRIL			MAY		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2004—Continued												
1	7.0	5.0	6.0	—	—	—	11.5	10.0	11.0	15.5	10.5	12.5
2	6.5	5.5	6.0	—	—	—	11.5	10.0	10.5	15.5	11.0	13.0
3	7.0	6.0	6.5	—	—	—	12.5	10.0	11.0	16.0	11.5	13.5
4	8.0	6.5	7.0	—	—	—	13.5	10.0	11.5	16.0	12.0	14.0
5	7.5	6.5	7.0	—	—	—	14.0	10.0	12.0	15.5	12.0	13.5
6	7.0	5.0	6.0	—	—	—	12.5	10.5	11.5	15.5	11.5	13.0
7	7.0	6.0	6.5	—	—	—	13.5	11.0	12.0	14.5	11.5	13.0
8	7.0	5.0	6.0	—	—	—	13.0	11.5	12.0	15.5	11.5	13.0
9	7.0	6.0	6.5	—	—	—	14.0	10.5	12.0	15.5	11.5	13.0
10	6.5	5.0	6.0	—	—	—	12.5	10.5	11.5	14.0	10.5	12.0
11	6.5	5.0	5.5	—	—	—	13.5	10.0	11.5	12.5	9.5	10.5
12	6.0	4.5	5.0	—	—	—	14.0	10.0	12.0	11.5	9.0	10.0
13	6.5	4.5	5.0	—	—	—	14.0	10.5	12.0	12.0	8.5	10.0
14	7.0	5.0	6.0	—	—	—	13.0	10.5	11.5	13.5	8.5	11.0
15	7.5	5.0	6.5	—	—	—	13.0	10.5	11.5	13.0	9.5	11.0
16	8.0	6.0	7.0	12.0	8.0	10.0	13.0	10.5	11.5	12.5	9.5	11.0
17	8.5	7.0	7.5	13.0	8.5	10.5	12.0	10.5	11.0	13.0	10.0	11.5
18	8.5	7.5	8.0	12.5	8.5	10.5	12.5	10.0	11.0	14.0	10.0	11.5
19	8.5	8.0	8.0	13.5	10.0	11.5	12.5	10.0	11.0	13.0	9.5	11.0
20	8.5	7.0	7.5	13.5	10.0	11.5	13.0	10.0	11.5	13.0	9.5	11.0
21	8.0	7.0	7.5	14.0	10.5	12.0	13.5	10.5	12.0	12.0	9.0	10.5
22	8.0	7.0	7.5	13.5	10.5	12.0	11.5	10.0	11.0	12.5	9.5	10.5
23	8.0	7.5	8.0	14.0	11.5	12.5	14.0	10.0	11.5	12.0	9.5	10.5
24	9.0	7.5	8.0	13.5	10.5	12.0	14.5	10.0	12.0	12.0	9.0	10.5
25	—	—	—	13.5	10.5	12.0	14.5	10.5	12.0	11.0	9.0	10.0
26	—	—	—	12.5	10.5	11.5	15.0	10.5	12.5	12.5	8.5	10.5
27	—	—	—	12.5	9.5	11.0	14.5	10.5	12.5	13.0	9.5	11.5
28	—	—	—	12.0	9.0	10.5	14.0	10.5	12.0	13.5	10.5	11.5
29	—	—	—	12.5	9.0	10.5	12.0	10.0	11.0	11.5	9.5	10.5
30	—	—	—	13.0	9.5	11.0	14.5	10.5	12.0	12.5	8.0	10.5
31	—	—	—	13.5	10.5	11.5	—	—	—	13.5	9.0	11.0
Month	—	—	—	—	—	—	15.0	10.0	11.6	16.0	8.0	11.5

Table B20. Maximum, minimum, and mean water temperature for the continual-recording gage Snake Creek below Spring Creek near Garrison, Utah (gage station 10243233).—Continued

[Water temperature in degrees Celsius. 2004 water year is defined as beginning on October 1, 2003 and ending September 30, 2004. Symbol: —, data not collected at this site on this day]

DAY	JUNE			JULY			AUGUST			SEPTEMBER		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2004—Continued												
1	13.5	10.0	11.5	14.5	11.5	12.5	15.5	13.5	14.0	17.0	13.0	14.5
2	14.0	10.0	12.0	14.5	11.0	12.5	17.0	13.5	14.5	16.0	13.0	14.0
3	14.5	10.5	12.5	15.5	10.5	12.5	17.5	13.0	15.0	13.5	11.5	12.0
4	14.5	11.0	12.5	14.5	11.5	13.0	18.0	13.5	15.0	14.0	10.5	12.0
5	14.5	10.5	12.5	14.5	11.5	13.0	17.5	13.5	15.0	16.0	11.5	13.0
6	14.5	11.0	12.5	16.0	11.5	13.5	17.5	13.5	15.0	16.5	12.0	14.0
7	14.5	11.0	12.5	16.5	12.0	14.0	17.5	12.5	14.5	16.5	12.0	14.0
8	14.5	11.0	12.5	16.5	12.5	14.0	17.5	12.5	14.5	16.5	12.0	14.0
9	13.5	10.5	12.0	16.0	12.5	14.0	18.5	12.5	15.0	16.0	13.0	14.5
10	13.5	10.0	11.0	16.0	12.0	14.0	17.5	12.5	14.5	17.0	12.5	14.5
11	12.5	9.5	11.0	16.5	12.0	14.0	18.5	12.5	15.0	17.0	13.0	14.5
12	13.5	10.0	11.5	17.0	12.0	14.5	18.0	12.5	15.0	16.5	13.5	14.5
13	15.0	10.5	12.5	16.0	13.5	14.5	18.0	13.5	15.0	16.0	12.5	14.0
14	15.5	11.0	13.0	16.0	13.5	14.5	17.0	13.0	14.5	15.5	12.0	13.5
15	15.5	11.5	13.0	16.5	13.5	14.5	16.0	13.5	14.5	15.5	11.0	13.0
16	14.5	11.0	12.5	16.5	13.5	14.5	16.5	13.0	14.5	16.0	12.0	13.5
17	14.0	11.5	12.5	17.0	13.0	14.5	14.5	12.5	13.5	16.0	13.0	14.0
18	15.0	11.0	13.0	17.5	13.5	15.0	17.0	12.5	14.5	15.5	12.5	13.5
19	16.0	11.5	13.5	17.0	13.5	15.0	17.0	13.0	14.5	14.0	11.5	12.5
20	15.5	12.0	13.5	17.5	13.5	15.0	17.0	13.5	14.5	13.5	10.5	12.0
21	14.5	11.5	12.5	17.5	13.0	15.0	16.0	13.5	14.5	13.5	10.0	11.5
22	14.5	10.0	12.5	17.0	13.0	14.5	16.5	12.5	14.0	14.0	10.0	11.5
23	13.5	10.5	12.0	17.0	13.0	14.5	15.5	12.5	14.0	14.5	10.5	12.5
24	13.5	11.0	12.0	16.5	12.5	14.5	15.5	13.0	14.0	15.0	11.5	13.0
25	14.0	11.5	12.5	17.0	13.0	14.5	17.0	12.5	14.5	15.5	11.5	13.0
26	14.0	11.5	12.5	17.5	13.0	15.0	16.5	12.5	14.0	15.5	11.5	13.5
27	14.5	11.0	12.5	15.0	13.0	14.0	16.0	12.0	13.5	15.0	11.5	13.0
28	14.0	11.5	12.5	17.0	12.5	14.5	16.5	11.5	13.5	14.0	11.5	12.5
29	14.0	11.0	12.5	17.5	13.0	15.0	16.5	12.0	14.0	13.5	11.5	12.5
30	14.5	10.5	12.5	17.5	12.5	15.0	16.0	12.0	14.0	13.5	10.5	12.0
31	—	—	—	17.5	12.5	15.0	17.0	12.5	14.5	—	—	—
Month	16.0	9.5	12.4	17.5	10.5	14.2	18.5	11.5	14.4	17.0	10.0	13.2

Table B21. Maximum, minimum, and mean water temperature for the continual-recording gage Snake Creek at Nevada–Utah State line near Garrison, Utah (gage station 10243234).

[Water temperature in degrees Celsius. 2003 water year is defined as beginning on October 1, 2002 and ending September 30, 2003. Symbol: –, data not collected at this site on this day]

[illegible]

Table B21. Maximum, minimum, and mean water temperature for the continual-recording gage Snake Creek at Nevada–Utah State line near Garrison, Utah (gage station 10243234).—Continued

[Water temperature in degrees Celsius. 2003 water year is defined as beginning on October 1, 2002 and ending September 30, 2003. Symbol: –, data not collected at this site on this day]

DAY	JUNE			JULY			AUGUST			SEPTEMBER		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2003—Continued												
1	14.5	9.5	12.0	16.5	12.5	14.5	18.5	16.5	17.5	16.5	15.5	16.0
2	14.5	9.5	12.0	16.5	12.5	14.5	18.5	16.5	17.5	17.0	15.5	16.0
3	14.0	9.5	11.5	16.5	12.5	14.5	18.0	16.0	17.0	17.0	15.5	16.0
4	13.5	9.0	11.5	16.5	13.0	14.5	17.5	15.5	16.5	16.5	16.0	16.0
5	13.5	9.0	11.5	16.5	13.0	15.0	17.0	15.0	16.0	16.5	15.5	16.0
6	14.0	9.0	11.5	16.5	13.0	15.0	16.5	15.0	16.0	16.5	15.0	16.0
7	14.5	10.0	12.0	17.0	13.5	15.0	16.5	15.0	15.5	16.5	15.0	16.0
8	13.5	10.0	12.0	17.0	13.5	15.5	17.5	15.0	16.5	16.5	14.5	15.5
9	14.5	11.0	12.5	17.0	13.0	15.0	18.0	16.0	17.0	15.0	12.5	13.5
10	15.0	11.0	13.0	17.0	13.0	15.5	18.5	16.5	17.5	15.0	11.0	13.0
11	13.0	10.5	12.0	18.0	14.5	16.0	18.0	16.5	17.0	15.0	10.5	13.0
12	13.5	10.5	12.0	18.0	14.5	16.0	17.5	16.0	17.0	16.0	11.0	13.5
13	14.5	10.0	12.5	17.0	14.5	16.0	18.0	16.0	17.0	13.5	10.5	12.0
14	15.0	10.5	13.0	17.5	14.0	16.0	18.0	16.0	17.0	13.5	9.0	11.5
15	15.5	11.0	13.0	18.0	14.5	16.0	18.5	16.5	17.5	15.5	11.0	13.0
16	15.0	11.0	13.0	17.5	15.0	16.5	18.0	16.5	17.5	16.0	12.5	14.0
17	15.5	11.0	13.5	17.5	15.5	16.5	18.0	16.0	17.0	14.0	10.5	12.5
18	15.5	11.5	13.5	18.0	15.5	16.5	17.5	15.5	16.5	13.0	8.0	10.5
19	14.5	12.0	13.0	17.0	15.5	16.5	17.0	15.5	16.5	13.5	8.0	11.0
20	14.0	11.5	12.5	17.0	15.5	16.5	17.0	16.0	16.5	14.5	9.5	12.0
21	13.5	11.5	12.5	18.5	15.0	16.5	18.0	16.5	17.0	15.0	9.5	12.5
22	14.0	10.5	12.5	18.0	16.0	17.0	17.5	16.5	16.5	15.0	9.5	12.5
23	13.0	11.0	12.0	18.5	16.0	17.0	17.5	16.0	16.5	16.0	10.5	13.0
24	12.0	10.0	11.0	18.5	16.5	17.5	17.0	16.0	16.5	15.5	10.5	13.0
25	14.0	9.5	11.5	18.0	16.5	17.0	17.0	15.5	16.5	15.0	10.0	12.5
26	14.5	10.5	12.5	18.5	16.0	17.0	17.0	16.0	16.5	15.0	10.0	13.0
27	16.0	11.0	13.5	18.5	16.0	17.5	17.0	15.5	16.5	16.0	11.0	13.5
28	16.0	12.0	14.0	18.5	16.0	17.0	16.5	15.0	16.0	16.0	11.0	14.0
29	16.5	12.5	14.5	18.5	16.0	17.0	16.5	15.5	16.0	16.0	11.5	14.0
30	16.5	13.0	14.5	18.5	16.0	17.0	16.5	15.0	16.0	16.5	12.5	14.5
31	–	–	–	18.5	16.5	17.5	16.5	15.0	16.0	–	–	–
Month	16.5	9.0	12.5	18.5	12.5	16.1	18.5	15.0	16.7	17.0	8.0	13.7

Table B21. Maximum, minimum, and mean water temperature for the continual-recording gage Snake Creek at Nevada–Utah State line near Garrison, Utah (gage station 10243234).—Continued

[Water temperature in degrees Celsius. 2004 water year is defined as beginning on October 1, 2003 and ending September 30, 2004. Symbol: –, data not collected at this site on this day]

DAY	OCTOBER			NOVEMBER			DECEMBER			JANUARY		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2004												
1	16.5	13.0	14.5	6.5	5.5	6.0	6.0	5.0	5.5	2.5	1.0	2.0
2	15.5	12.5	14.0	7.0	6.0	6.5	6.5	4.5	5.5	3.5	2.0	3.0
3	15.0	12.0	13.5	7.5	6.0	6.5	6.0	4.0	5.0	3.5	1.0	2.5
4	15.0	11.0	13.0	7.0	5.0	6.0	6.0	3.5	5.0	1.0	0.0	0.0
5	15.0	11.5	13.5	6.5	5.0	6.0	7.0	5.5	6.0	0.0	0.0	0.0
6	15.0	11.5	13.5	6.0	4.5	5.5	7.0	5.5	6.5	0.0	0.0	0.0
7	14.5	11.5	13.0	6.5	4.5	5.5	7.5	5.5	6.5	3.5	0.0	1.5
8	15.0	11.5	13.5	7.5	5.0	6.5	6.0	3.5	4.5	3.5	2.0	3.0
9	15.0	12.0	13.5	8.0	6.5	7.0	4.5	2.0	3.5	3.5	0.5	2.5
10	13.0	10.0	12.0	8.0	7.0	7.5	5.5	2.5	4.0	3.5	2.0	2.5
11	11.5	8.0	10.0	7.5	6.0	7.0	5.5	4.0	4.5	3.5	1.0	2.5
12	13.0	9.0	11.0	7.0	5.5	6.5	5.0	3.0	4.0	2.5	1.0	1.5
13	11.5	9.0	10.0	7.0	5.5	6.5	6.0	3.5	4.5	1.5	0.5	1.0
14	11.5	7.0	9.5	8.0	6.5	7.0	5.0	2.5	4.0	0.5	0.5	0.5
15	11.5	8.0	10.0	7.5	5.5	7.0	3.5	1.5	2.5	0.5	0.5	0.5
16	12.5	9.5	11.0	8.0	7.0	7.5	3.0	1.0	1.5	0.5	0.0	0.5
17	12.5	9.0	11.0	8.0	6.5	7.0	3.5	1.0	2.5	0.5	0.0	0.0
18	13.0	9.5	11.5	8.0	5.5	6.5	4.0	1.5	2.5	0.0	0.0	0.0
19	13.5	11.0	12.0	8.0	6.0	7.0	4.5	1.5	3.0	0.0	0.0	0.0
20	13.0	10.0	11.5	8.5	6.0	7.5	6.0	3.5	5.0	0.0	0.0	0.0
21	13.0	10.0	11.5	7.0	3.0	6.0	6.5	5.0	5.5	1.0	0.0	0.5
22	13.0	9.5	11.5	3.0	1.5	2.5	5.5	3.5	4.5	1.0	0.5	1.0
23	12.5	10.0	11.5	1.5	1.0	1.0	4.5	2.5	3.5	1.0	0.0	0.5
24	11.5	9.0	10.0	3.5	1.0	2.0	5.5	3.5	4.5	1.0	0.0	0.5
25	9.5	8.0	8.5	4.0	2.5	3.5	5.5	3.5	5.0	1.0	0.0	1.0
26	9.5	7.0	8.0	4.0	2.5	3.0	3.5	1.0	2.5	1.0	0.0	0.5
27	10.5	7.5	9.0	4.0	1.5	2.5	1.0	0.5	1.0	2.0	0.5	1.0
28	11.0	8.5	10.0	5.0	2.0	3.5	0.5	0.5	0.5	2.5	2.0	2.0
29	12.0	9.5	10.5	6.0	4.0	5.0	0.5	0.5	0.5	2.5	1.0	2.0
30	9.5	7.0	8.0	7.0	5.0	6.0	0.5	0.5	0.5	2.5	2.0	2.5
31	7.0	6.0	6.5	–	–	–	1.0	0.5	0.5	2.5	0.5	1.5
Month	16.5	6.0	11.2	8.5	1.0	5.6	7.5	0.5	3.7	3.5	0.0	1.2

Table B21. Maximum, minimum, and mean water temperature for the continual-recording gage Snake Creek at Nevada–Utah State line near Garrison, Utah (gage station 10243234).—Continued

[Water temperature in degrees Celsius. 2004 water year is defined as beginning on October 1, 2003 and ending September 30, 2004. Symbol: –, data not collected at this site on this day]

DAY	JUNE			JULY			AUGUST			SEPTEMBER		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2004—Continued												
1	–	–	–	–	–	–	17.0	14.0	15.5	17.0	13.0	15.5
2	–	–	–	–	–	–	18.0	14.5	16.0	16.0	13.5	15.0
3	–	–	–	–	–	–	18.5	13.5	16.0	15.0	11.0	12.5
4	–	–	–	–	–	–	18.5	14.5	16.5	13.0	10.0	11.5
5	–	–	–	–	–	–	18.5	14.5	16.5	15.0	11.0	12.5
6	–	–	–	–	–	–	18.5	14.5	16.5	16.0	11.5	14.0
7	–	–	–	–	–	–	18.5	13.0	15.5	16.0	12.5	14.0
8	–	–	–	–	–	–	18.5	13.0	15.5	16.5	12.5	14.5
9	–	–	–	–	–	–	18.5	13.0	16.0	17.0	13.5	15.0
10	–	–	–	–	–	–	18.5	13.5	16.0	17.0	13.5	15.0
11	–	–	–	–	–	–	19.0	13.5	16.0	18.0	13.5	15.5
12	–	–	–	–	–	–	19.0	13.5	16.0	17.0	14.0	15.5
13	–	–	–	–	–	–	18.5	14.5	16.5	16.5	13.0	15.0
14	–	–	–	18.0	15.0	16.5	18.0	14.0	16.0	15.0	11.5	13.5
15	–	–	–	18.5	15.0	16.0	17.0	14.5	15.5	14.5	10.0	12.5
16	–	–	–	18.5	14.5	16.0	17.0	14.5	15.5	16.0	11.5	14.0
17	–	–	–	19.0	14.5	16.0	15.0	13.5	14.5	16.0	13.5	14.5
18	–	–	–	18.5	15.0	17.0	17.0	13.0	15.0	15.0	13.0	14.0
19	–	–	–	18.5	14.5	16.5	17.5	13.5	15.5	13.5	11.5	12.5
20	–	–	–	18.5	14.5	16.5	17.5	14.0	15.5	12.0	9.5	11.0
21	–	–	–	18.0	14.0	16.0	17.0	14.0	15.5	11.5	9.0	10.5
22	–	–	–	17.5	13.5	16.0	17.0	13.0	15.0	12.0	8.0	10.0
23	–	–	–	18.0	14.0	16.0	16.0	13.5	14.5	13.0	9.0	11.0
24	–	–	–	17.0	13.5	15.5	15.5	13.5	14.5	14.0	10.0	12.0
25	–	–	–	17.0	13.5	15.5	17.0	13.0	15.0	14.0	10.5	12.5
26	–	–	–	18.5	13.5	16.0	16.5	13.0	14.5	14.5	11.0	13.0
27	–	–	–	16.0	14.0	15.0	15.5	12.0	13.5	14.5	11.5	13.0
28	–	–	–	18.0	12.5	15.0	16.0	11.0	13.5	13.0	11.5	12.5
29	–	–	–	18.5	13.5	16.0	16.5	11.5	14.0	12.5	11.0	12.0
30	–	–	–	18.5	13.5	16.0	16.5	12.5	14.5	12.5	9.5	11.0
31	–	–	–	18.5	13.5	16.0	17.0	12.5	15.0	–	–	–
Month	–	–	–	–	–	–	19.0	11.0	15.3	18.0	8.0	13.2

Table B22. Maximum, minimum, and mean water temperature for the continual-recording gage South Fork Big Wash above Great Basin National Park boundary near Baker, Nevada (gage station 10243228).—Continued

[Water temperature in degrees Celsius. 2003 water year is defined as beginning on October 1, 2002 and ending September 30, 2003. Symbol: —, data not collected at this site on this day]

DAY	JUNE			JULY			AUGUST			SEPTEMBER		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2003—Continued												
1	10.0	7.0	8.0	12.5	8.5	10.0	14.0	10.5	12.0	12.5	9.5	11.0
2	10.5	6.5	8.0	13.0	8.0	10.0	15.5	10.5	12.5	13.5	9.5	11.5
3	10.5	6.5	8.0	13.0	8.0	10.0	13.5	9.5	11.5	14.0	9.0	11.0
4	10.0	6.5	8.0	13.5	8.0	10.5	14.0	9.0	11.5	13.5	10.0	11.0
5	10.0	6.5	7.5	13.5	8.5	10.5	14.5	9.0	11.5	12.5	9.5	11.0
6	10.5	6.5	8.0	14.0	8.5	11.0	13.5	10.0	11.5	12.5	9.0	10.5
7	10.5	6.5	8.0	14.0	9.0	11.0	15.0	10.0	12.0	13.5	9.0	11.0
8	10.0	7.0	8.0	14.0	9.0	11.0	16.0	10.5	13.0	12.5	10.0	11.0
9	10.5	7.5	8.5	14.0	8.0	10.5	16.0	11.0	13.0	10.5	8.0	9.5
10	10.5	7.5	8.5	14.5	8.5	11.0	16.0	10.5	13.0	10.0	6.5	8.5
11	10.0	7.0	8.0	15.0	10.0	11.5	15.0	10.0	12.5	10.5	6.0	8.0
12	10.0	7.0	8.0	15.0	9.0	11.5	15.0	10.5	12.5	12.0	7.0	9.5
13	10.5	7.0	8.5	14.0	9.0	11.5	15.5	10.5	12.5	9.5	5.5	7.5
14	10.5	7.0	8.5	14.5	9.0	11.5	14.5	10.0	12.5	10.0	4.0	7.0
15	11.0	7.0	9.0	15.0	10.0	12.0	16.0	11.0	13.0	12.0	7.0	9.5
16	10.5	7.5	9.0	14.5	10.0	12.0	14.0	10.5	12.0	12.0	8.5	10.5
17	10.5	7.5	9.0	14.5	10.0	12.0	14.5	9.5	11.5	10.0	6.0	8.0
18	11.0	7.5	9.0	14.5	10.0	11.5	14.5	8.5	11.0	8.5	4.0	6.0
19	10.0	8.0	9.0	14.0	9.5	11.5	15.5	9.0	12.0	10.0	4.5	7.0
20	10.0	8.0	8.5	15.0	9.5	11.5	13.0	10.5	11.5	10.5	6.0	8.0
21	10.0	7.0	8.5	14.5	9.0	11.5	15.5	10.5	12.5	10.5	5.5	8.0
22	10.5	6.5	8.5	15.5	10.0	12.0	12.5	11.0	11.5	11.0	6.0	8.0
23	8.5	7.0	8.0	14.5	9.5	11.5	14.5	9.5	11.5	11.5	6.5	8.5
24	8.5	6.5	7.5	16.0	10.5	12.5	13.0	10.0	11.0	11.0	6.5	8.5
25	10.5	6.5	8.0	14.5	11.0	12.5	14.0	8.5	11.0	11.0	6.5	8.5
26	11.0	6.5	8.5	14.0	9.5	11.5	13.5	9.5	11.5	11.0	6.5	8.5
27	12.0	7.0	9.5	15.5	10.0	12.0	13.0	9.0	11.0	12.0	7.0	9.5
28	12.0	8.0	10.0	15.5	10.0	12.0	13.5	8.5	11.0	12.0	7.0	9.5
29	12.5	8.0	10.0	15.5	10.0	12.0	13.0	9.5	11.0	11.5	6.5	9.0
30	12.5	8.5	10.0	15.5	9.5	12.0	13.5	8.5	11.0	12.5	8.5	10.5
31	—	—	—	16.0	10.5	13.0	13.0	8.5	10.5	—	—	—
Month	12.5	6.5	8.5	16.0	8.0	11.4	16.0	8.5	11.8	14.0	4.0	9.2

Table B22. Maximum, minimum, and mean water temperature for the continual-recording gage South Fork Big Wash above Great Basin National Park boundary near Baker, Nevada (gage station 10243228).—Continued

[Water temperature in degrees Celsius. 2004 water year is defined as beginning on October 1, 2003 and ending September 30, 2002. Symbol: —, data not collected at this site on this day]

DAY	FEBRUARY			MARCH			APRIL			MAY		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2004—Continued												
1	—	—	—	—	—	—	6.5	6.5	6.5	9.0	6.0	7.0
2	—	—	—	—	—	—	6.5	6.5	6.5	9.0	6.5	7.5
3	—	—	—	—	—	—	7.0	6.5	6.5	10.0	6.5	7.5
4	—	—	—	—	—	—	7.0	6.5	6.5	10.0	7.0	8.0
5	—	—	—	—	—	—	7.0	6.5	7.0	9.5	7.0	8.0
6	—	—	—	—	—	—	7.0	7.0	7.0	9.0	6.5	7.5
7	—	—	—	—	—	—	7.0	7.0	7.0	9.0	6.5	7.5
8	—	—	—	—	—	—	7.0	7.0	7.0	9.0	7.0	7.5
9	—	—	—	—	—	—	7.0	7.0	7.0	9.0	6.5	7.5
10	—	—	—	—	—	—	7.0	7.0	7.0	9.0	6.5	7.5
11	—	—	—	—	—	—	7.0	7.0	7.0	8.5	6.0	7.0
12	—	—	—	—	—	—	7.0	6.5	7.0	7.5	6.5	6.5
13	—	—	—	—	—	—	7.0	6.5	7.0	8.5	6.0	7.0
14	—	—	—	—	—	—	7.0	6.5	7.0	8.5	6.5	7.0
15	—	—	—	—	—	—	7.0	7.0	7.0	8.5	6.5	7.5
16	—	—	—	—	—	—	7.0	7.0	7.0	8.5	6.5	7.5
17	—	—	—	—	—	—	7.0	6.5	7.0	8.5	7.0	7.5
18	—	—	—	—	—	—	7.0	6.5	7.0	8.5	7.0	7.5
19	—	—	—	—	—	—	7.0	6.5	6.5	8.5	6.5	7.5
20	—	—	—	—	—	—	7.5	6.5	6.5	8.5	6.5	7.5
21	—	—	—	—	—	—	7.5	6.5	7.0	8.5	6.5	7.5
22	—	—	—	—	—	—	7.0	6.5	6.5	8.0	7.0	7.5
23	—	—	—	7.0	6.0	6.0	8.0	6.5	6.5	8.5	7.0	7.5
24	—	—	—	6.5	6.0	6.0	8.0	6.0	7.0	8.0	7.0	7.5
25	—	—	—	7.0	6.0	6.0	8.0	6.0	7.0	8.0	7.0	7.5
26	—	—	—	6.5	6.0	6.0	8.5	6.0	7.0	8.5	6.5	7.5
27	—	—	—	6.5	6.0	6.5	8.5	6.5	7.0	8.5	7.0	8.0
28	—	—	—	6.5	6.5	6.5	8.5	6.5	7.0	8.5	7.5	8.0
29	—	—	—	6.5	6.5	6.5	7.0	6.0	6.5	8.5	7.0	7.5
30	—	—	—	6.5	6.5	6.5	8.5	6.0	7.0	8.5	6.5	7.5
31	—	—	—	6.5	6.5	6.5	—	—	—	8.5	7.0	7.5
Month	—	—	—	—	—	—	8.5	6.0	6.8	10.0	6.0	7.5

Table B22. Maximum, minimum, and mean water temperature for the continual-recording gage South Fork Big Wash above Great Basin National Park boundary near Baker, Nevada (gage station 10243228).—Continued

[Water temperature in degrees Celsius. 2004 water year is defined as beginning on October 1, 2003 and ending September 30, 2004. Symbol: —, data not collected at this site on this day]

DAY	JUNE			JULY			AUGUST			SEPTEMBER		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2004—Continued												
1	9.0	7.0	8.0	10.5	8.0	9.0	12.5	9.0	11.0	14.0	8.5	11.0
2	9.0	7.0	8.0	10.0	8.0	9.0	14.0	9.5	11.5	13.5	10.0	11.5
3	9.5	7.0	8.0	10.5	8.0	9.0	15.0	9.0	11.5	11.5	5.5	7.5
4	9.5	7.5	8.0	10.0	8.0	9.0	15.5	9.5	12.0	9.0	5.0	7.0
5	9.5	7.5	8.5	10.0	8.5	9.0	15.5	11.0	13.0	11.5	6.0	8.5
6	9.5	7.5	8.5	10.5	8.0	9.5	15.5	10.5	12.5	12.5	7.0	9.5
7	9.5	8.0	8.5	11.0	8.5	9.5	14.5	8.0	11.0	12.5	7.5	10.0
8	9.5	8.0	8.5	11.5	8.5	9.5	14.5	8.0	11.5	12.5	8.0	10.5
9	9.0	7.5	8.0	11.5	8.5	9.5	15.0	8.5	11.5	13.5	9.0	11.5
10	8.5	7.0	7.5	11.5	8.5	10.0	14.5	9.5	12.0	13.0	9.5	11.5
11	9.0	7.0	8.0	12.0	8.0	10.0	15.5	9.0	12.0	13.5	9.0	11.5
12	9.0	7.5	8.0	12.5	8.0	10.0	14.5	9.0	12.0	14.0	10.5	12.0
13	9.5	7.0	8.0	12.0	9.5	10.5	15.5	10.5	13.0	12.5	9.0	11.0
14	9.5	7.5	8.0	12.5	9.5	10.5	13.5	10.0	12.0	11.0	7.0	9.0
15	9.5	8.0	8.5	12.0	9.5	10.5	13.5	10.5	12.0	10.5	5.5	8.0
16	9.5	7.5	8.0	11.0	9.5	10.0	14.0	10.0	11.5	12.0	7.0	9.5
17	9.0	8.0	8.0	12.5	9.0	10.5	11.5	8.5	10.0	12.5	10.0	11.5
18	10.0	7.5	8.5	13.5	9.5	11.0	13.5	8.5	11.0	11.5	10.0	10.5
19	9.5	7.5	8.5	12.0	9.5	10.5	13.0	9.0	11.0	10.0	7.0	8.5
20	9.5	8.0	8.5	14.0	9.0	11.0	13.0	9.5	11.0	7.0	5.0	6.0
21	9.5	8.0	8.5	13.0	9.0	11.0	13.5	9.5	11.0	6.5	4.0	5.5
22	10.0	7.5	8.5	12.5	9.0	10.5	13.5	9.0	11.0	7.5	3.0	5.0
23	9.0	8.0	8.5	12.5	9.0	10.5	12.5	9.0	10.5	9.0	4.5	6.5
24	9.5	8.0	8.5	13.0	9.0	10.5	12.0	9.0	10.5	9.5	5.5	7.5
25	9.5	8.0	8.5	12.5	9.0	10.5	13.5	9.0	11.5	10.0	6.0	8.0
26	9.5	8.0	8.5	14.0	9.0	11.5	12.5	9.5	11.0	10.0	6.5	8.5
27	10.0	8.0	8.5	11.5	9.0	10.5	11.5	8.0	9.5	10.0	7.0	8.5
28	10.0	8.0	8.5	13.0	8.5	10.5	12.0	6.5	9.0	9.0	7.0	8.5
29	10.0	8.0	8.5	14.5	9.0	11.5	13.0	7.0	10.0	8.5	6.5	7.5
30	10.5	8.0	9.0	14.5	10.0	12.0	12.5	7.5	10.0	9.0	5.0	7.0
31	—	—	—	15.0	9.0	12.0	13.5	8.0	10.5	—	—	—
Month	10.5	7.0	8.3	15.0	8.0	10.3	15.5	6.5	11.2	14.0	3.0	8.9

Table B23. Maximum, minimum, and mean water temperature for the continual-recording gage Williams Canyon above aqueduct near Minerva, Nevada (gage station 10243630).

[Water temperature in degrees Celsius. 2003 water year is defined as beginning on October 1, 2002 and ending September 30, 2003. Symbol: –, data not collected at this site on this day]

DAY	OCTOBER			NOVEMBER			DECEMBER			JANUARY		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2003												
1	–	–	–	0.0	0.0	0.0	1.5	0.5	1.0	0.0	0.0	0.0
2	–	–	–	0.0	0.0	0.0	1.5	0.0	0.5	0.0	0.0	0.0
3	–	–	–	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0
4	–	–	–	0.0	0.0	0.0	0.5	0.0	0.0	0.5	0.0	0.5
5	–	–	–	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.5
6	–	–	–	0.5	0.0	0.5	0.5	0.0	0.0	0.5	0.0	0.5
7	–	–	–	1.5	0.5	1.0	0.5	0.0	0.0	0.5	0.0	0.0
8	–	–	–	2.5	1.0	2.0	0.0	0.0	0.0	0.5	0.0	0.5
9	–	–	–	3.5	1.5	2.5	0.0	0.0	0.0	1.0	0.0	0.5
10	–	–	–	2.0	1.0	1.5	0.0	0.0	0.0	1.0	0.0	0.5
11	–	–	–	2.0	0.5	1.0	0.0	0.0	0.0	1.0	0.5	1.0
12	6.0	3.0	4.5	2.0	0.0	1.0	0.0	0.0	0.0	1.0	0.5	1.0
13	5.5	2.5	4.0	3.5	1.5	2.0	0.0	0.0	0.0	1.0	0.0	0.5
14	6.5	3.5	4.5	2.5	1.0	1.5	0.5	0.0	0.5	1.0	0.0	0.5
15	6.0	3.0	4.5	2.0	0.0	1.0	0.5	0.0	0.5	1.0	0.0	0.5
16	6.0	2.5	4.0	2.0	0.5	1.0	0.5	0.0	0.0	0.5	0.0	0.5
17	6.0	3.0	4.5	2.5	0.5	1.5	0.0	0.0	0.0	1.0	0.0	0.5
18	6.0	2.5	4.0	1.0	0.0	0.5	0.0	0.0	0.0	1.0	0.0	0.5
19	6.0	2.5	4.0	2.0	0.0	1.0	0.0	0.0	0.0	1.0	0.0	0.5
20	6.0	3.0	4.0	2.5	0.5	1.5	0.0	0.0	0.0	1.0	0.0	0.5
21	5.5	3.0	4.0	3.0	0.5	1.5	0.0	0.0	0.0	1.0	0.0	0.5
22	5.5	4.0	4.5	3.5	1.0	2.0	0.0	0.0	0.0	1.0	0.0	0.5
23	5.0	3.0	4.0	3.0	1.0	2.0	0.0	0.0	0.0	1.5	0.5	1.0
24	4.5	2.5	3.5	2.5	0.5	1.5	0.0	0.0	0.0	2.0	1.0	1.5
25	5.0	3.0	4.0	0.5	0.0	0.0	0.0	0.0	0.0	2.0	1.0	1.5
26	4.5	3.5	4.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	1.0
27	4.5	3.0	3.5	0.0	0.0	0.0	0.0	0.0	0.0	2.5	1.0	1.5
28	4.5	2.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	1.0	1.5
29	3.5	1.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	1.0
30	2.5	0.5	1.5	0.5	0.0	0.0	0.0	0.0	0.0	3.0	1.0	1.5
31	2.5	0.0	1.0	–	–	–	0.0	0.0	0.0	3.0	1.0	2.0
Month	–	–	–	3.5	0.0	0.9	1.5	0.0	0.1	3.0	0.0	0.7

Table B23. Maximum, minimum, and mean water temperature for the continual-recording gage Williams Canyon above aqueduct near Minerva, Nevada (gage station 10243630).—Continued

[Water temperature in degrees Celsius. 2003 water year is defined as beginning on October 1, 2002 and ending September 30, 2003. Symbol: —, data not collected at this site on this day]

DAY	FEBRUARY			MARCH			APRIL			MAY		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2003—Continued												
1	3.5	1.5	2.5	1.0	0.5	0.5	6.0	3.0	4.0	6.0	2.0	4.0
2	1.5	0.0	0.5	0.5	0.5	0.5	3.0	0.5	1.5	6.0	3.5	4.5
3	0.0	0.0	0.0	1.0	0.5	0.5	1.5	0.5	0.5	4.5	3.0	3.5
4	0.0	0.0	0.0	1.0	0.5	0.5	1.5	0.5	0.5	4.0	2.5	3.5
5	0.0	0.0	0.0	1.0	0.5	0.5	1.5	0.5	0.5	6.0	2.0	4.0
6	0.0	0.0	0.0	1.0	0.5	1.0	1.0	0.5	0.5	6.0	3.0	4.0
7	0.0	0.0	0.0	1.0	0.5	1.0	2.0	0.5	1.0	4.5	3.0	4.0
8	0.0	0.0	0.0	1.5	0.5	1.0	3.5	0.5	1.5	3.0	0.5	1.5
9	0.0	0.0	0.0	2.0	1.0	1.0	5.5	1.0	3.0	2.5	0.5	1.5
10	0.0	0.0	0.0	2.0	1.0	1.5	6.5	2.0	4.0	4.5	1.0	2.5
11	0.0	0.0	0.0	2.5	1.0	1.5	7.0	2.5	4.5	6.5	2.0	4.0
12	0.0	0.0	0.0	3.0	1.0	2.0	7.5	4.0	5.5	8.0	3.0	5.0
13	0.0	0.0	0.0	3.5	1.5	2.5	7.0	4.0	5.5	9.0	4.0	6.0
14	0.5	0.0	0.0	4.0	2.0	3.0	4.5	2.5	4.0	6.5	5.0	6.0
15	0.5	0.5	0.5	2.5	0.5	2.0	3.5	1.5	2.0	9.5	5.0	7.0
16	0.5	0.5	0.5	1.0	0.5	1.0	5.0	1.0	2.5	9.5	5.0	7.0
17	0.5	0.5	0.5	2.0	0.5	1.0	3.5	2.0	2.5	7.0	5.5	6.5
18	1.0	0.5	0.5	1.5	0.5	0.5	3.5	1.5	2.0	8.5	4.5	6.0
19	0.5	0.5	0.5	2.5	0.5	1.0	4.0	1.0	2.5	7.5	3.5	5.5
20	1.0	0.5	0.5	2.0	0.5	1.0	5.5	1.5	3.5	8.5	4.0	6.0
21	1.0	0.5	0.5	3.0	0.5	1.5	5.0	3.5	4.0	9.5	5.0	7.0
22	1.0	0.5	0.5	4.5	1.0	2.5	3.5	1.5	2.5	9.5	5.0	7.0
23	0.5	0.5	0.5	3.5	2.0	3.0	3.5	1.0	2.5	8.0	5.5	7.0
24	0.5	0.5	0.5	4.0	1.5	3.0	6.0	2.0	4.0	8.0	6.0	6.5
25	0.5	0.5	0.5	5.0	1.0	2.5	7.0	3.5	5.0	8.5	5.5	6.5
26	0.5	0.5	0.5	4.5	2.0	3.0	7.0	3.0	5.0	8.5	6.0	7.0
27	0.5	0.5	0.5	3.5	0.5	2.0	6.0	3.5	4.5	9.0	6.0	7.5
28	0.5	0.5	0.5	1.5	0.5	0.5	7.0	3.5	5.0	9.0	6.0	7.5
29	—	—	—	2.0	0.5	1.0	5.5	3.0	4.0	8.5	6.5	7.0
30	—	—	—	4.5	0.5	2.5	4.5	3.0	3.5	8.0	6.5	7.0
31	—	—	—	6.0	1.5	3.5	—	—	—	7.5	6.5	7.0
Month	3.5	0.0	0.4	6.0	0.5	1.6	7.5	0.5	3.0	9.5	0.5	5.5

Table B23. Maximum, minimum, and mean water temperature for the continual-recording gage Williams Canyon above aqueduct near Minerva, Nevada (gage station 10243630).—Continued

[Water temperature in degrees Celsius. 2003 water year is defined as beginning on October 1, 2002 and ending September 30, 2003. Symbol: —, data not collected at this site on this day]

DAY	JUNE			JULY			AUGUST			SEPTEMBER		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2003—Continued												
1	7.5	6.5	7.0	9.5	7.5	8.5	12.5	11.0	11.5	13.0	11.0	12.0
2	7.5	6.0	6.5	9.5	7.5	8.5	12.5	10.5	11.5	13.0	11.0	12.0
3	7.5	6.0	6.5	9.5	7.5	8.5	12.0	10.0	11.0	13.5	11.0	12.0
4	7.5	5.5	6.5	10.0	8.0	9.0	12.5	9.5	11.0	13.0	12.0	12.0
5	7.0	5.5	6.5	10.0	8.0	9.0	12.5	10.0	11.0	12.0	11.0	11.5
6	7.5	5.5	6.5	10.5	8.0	9.5	11.5	10.0	10.5	12.0	10.5	11.0
7	7.5	6.0	6.5	10.5	8.0	9.5	12.0	9.5	11.0	12.5	10.5	11.5
8	7.0	6.5	6.5	10.5	8.0	9.0	13.0	10.5	11.5	12.5	11.0	11.5
9	7.5	6.5	6.5	10.5	7.0	9.0	13.5	11.0	12.0	11.0	9.5	10.0
10	7.5	6.5	7.0	11.0	7.0	9.0	14.0	11.5	12.5	10.0	8.5	9.5
11	7.0	6.5	6.5	11.5	8.0	9.5	13.5	11.0	12.0	10.0	7.5	9.0
12	7.5	6.5	6.5	11.5	7.5	9.5	13.0	11.0	12.0	11.0	8.5	9.5
13	7.5	6.0	7.0	11.0	8.0	9.5	13.5	11.0	12.5	10.0	8.0	9.0
14	8.0	6.0	7.0	11.0	8.0	9.5	13.5	11.0	12.5	9.5	7.0	8.0
15	8.0	6.5	7.0	12.0	8.5	10.0	13.0	11.5	12.5	10.5	8.0	9.5
16	8.0	6.5	7.0	11.0	9.0	10.0	13.5	11.5	12.0	11.5	9.0	10.0
17	8.0	7.0	7.5	12.0	9.0	10.5	13.0	10.5	12.0	10.0	7.0	8.5
18	8.5	7.0	7.5	11.0	9.0	10.0	13.0	10.5	11.5	8.5	4.5	6.5
19	8.0	7.0	7.5	11.5	9.5	10.5	13.5	10.5	12.0	9.0	5.5	7.0
20	7.5	7.0	7.0	12.0	9.5	11.0	12.5	11.5	12.0	10.0	6.5	8.0
21	7.5	6.5	7.0	11.5	9.5	10.5	13.0	11.5	12.0	10.0	6.5	8.5
22	7.5	6.0	7.0	11.0	9.5	10.5	12.5	11.5	12.0	11.0	7.0	8.5
23	7.0	6.5	7.0	11.5	9.5	10.5	13.5	11.0	12.0	11.5	7.5	9.0
24	7.0	5.5	6.0	13.0	10.0	11.0	12.5	11.5	12.0	11.5	7.5	9.5
25	7.5	5.5	6.5	12.5	10.5	11.5	13.5	10.5	12.0	11.5	7.5	9.0
26	8.0	6.0	7.0	12.5	10.0	11.5	12.5	11.5	12.0	11.0	7.5	9.0
27	9.0	6.5	7.5	13.5	11.0	12.0	12.5	10.0	11.5	11.5	7.5	9.5
28	9.0	7.0	8.0	13.0	10.5	11.5	13.0	10.5	11.5	12.0	8.5	10.0
29	9.5	7.5	8.5	13.0	10.5	12.0	12.5	11.0	12.0	11.5	8.0	10.0
30	9.5	7.5	8.5	13.0	10.5	11.5	12.5	10.0	11.5	12.0	8.5	10.0
31	—	—	—	13.5	10.5	12.0	13.0	10.0	11.5	—	—	—
Month	9.5	5.5	7.0	13.5	7.0	10.1	14.0	9.5	11.8	13.5	4.5	9.7

Table B23. Maximum, minimum, and mean water temperature for the continual-recording gage Williams Canyon above aqueduct near Minerva, Nevada (gage station 10243630).—Continued

[Water temperature in degrees Celsius. 2004 water year is defined as beginning on October 1, 2003 and ending September 30, 2004. Symbol: —, data not collected at this site on this day]

DAY	OCTOBER			NOVEMBER			DECEMBER			JANUARY		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2004												
1	12.0	9.5	10.5	2.5	1.5	2.0	1.5	1.0	1.5	0.5	0.5	0.5
2	12.0	8.5	10.0	2.0	0.5	1.5	1.5	1.0	1.0	0.5	0.5	0.5
3	10.5	8.5	9.5	2.0	0.5	1.5	1.5	0.5	1.0	0.5	0.5	0.5
4	10.5	7.5	9.0	1.5	0.5	1.0	1.5	0.5	1.0	0.5	0.5	0.5
5	10.5	7.5	9.0	2.0	0.5	1.0	2.5	1.0	2.0	0.5	0.0	0.0
6	11.0	8.0	9.5	1.5	0.5	1.0	3.0	2.0	2.5	0.0	0.0	0.0
7	10.5	8.0	9.5	2.0	0.5	1.0	3.0	1.5	2.5	0.5	0.0	0.5
8	11.0	8.0	9.0	3.0	1.5	2.0	1.5	0.0	0.5	0.5	0.5	0.5
9	11.0	8.0	9.5	3.0	2.0	2.5	0.5	0.0	0.5	0.5	0.5	0.5
10	10.0	6.5	9.0	3.5	2.0	2.5	0.5	0.0	0.0	0.5	0.5	0.5
11	8.0	4.5	6.0	2.5	1.0	1.5	0.5	0.0	0.5	0.5	0.5	0.5
12	8.5	6.0	7.0	2.5	1.0	1.5	0.0	0.0	0.0	0.5	0.5	0.5
13	7.5	5.0	6.0	2.0	1.5	1.5	0.5	0.0	0.5	0.5	0.5	0.5
14	7.5	4.0	5.5	3.0	2.0	2.0	0.5	0.0	0.5	0.5	0.5	0.5
15	8.0	4.5	6.0	2.0	1.0	1.5	0.0	0.0	0.0	0.5	0.5	0.5
16	8.5	5.0	6.5	2.5	1.0	2.0	0.0	0.0	0.0	0.5	0.5	0.5
17	8.5	5.5	7.0	2.5	2.0	2.5	0.0	0.0	0.0	0.5	0.5	0.5
18	9.5	6.0	7.5	2.5	1.0	2.0	0.0	0.0	0.0	0.5	0.5	0.5
19	9.5	7.0	8.0	3.0	1.0	2.0	0.0	0.0	0.0	0.5	0.5	0.5
20	9.5	6.5	7.5	3.5	1.5	2.5	0.5	0.0	0.5	0.5	0.0	0.5
21	9.0	6.0	7.5	3.5	1.0	2.5	1.0	0.5	0.5	0.5	0.0	0.0
22	9.0	6.5	7.5	1.0	0.5	0.5	1.0	0.5	0.5	0.5	0.0	0.0
23	9.0	6.5	7.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0
24	7.0	4.5	6.0	0.5	0.5	0.5	1.0	0.5	1.0	0.5	0.0	0.0
25	6.0	3.5	5.0	0.5	0.5	0.5	1.0	0.5	1.0	0.5	0.0	0.0
26	6.5	3.5	5.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.0	0.0
27	7.0	4.0	5.5	0.5	0.5	0.5	0.5	0.0	0.0	0.5	0.0	0.0
28	7.5	5.0	6.0	0.5	0.5	0.5	0.0	0.0	0.0	0.5	0.0	0.0
29	8.5	6.0	7.0	0.5	0.5	0.5	0.0	0.0	0.0	0.5	0.0	0.0
30	6.0	3.5	4.5	1.0	0.5	0.5	0.5	0.0	0.0	0.5	0.0	0.5
31	3.5	2.0	2.5	—	—	—	0.5	0.5	0.5	0.5	0.0	0.5
Month	12.0	2.0	7.3	3.5	0.5	1.4	3.0	0.0	0.6	0.5	0.0	0.3

Table B23. Maximum, minimum, and mean water temperature for the continual-recording gage Williams Canyon above aqueduct near Minerva, Nevada (gage station 10243630).—Continued

[Water temperature in degrees Celsius. 2004 water year is defined as beginning on October 1, 2003 and ending September 30, 2004. Symbol: —, data not collected at this site on this day]


DAY	FEBRUARY			MARCH			APRIL			MAY		
	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN
Water year 2004—Continued												
1	0.5	0.5	0.5	0.5	0.0	0.5	4.5	3.5	4.0	7.5	3.5	5.5
2	0.5	0.5	0.5	0.5	0.5	0.5	6.0	3.0	4.5	8.0	5.0	6.5
3	0.5	0.5	0.5	0.5	0.0	0.5	5.5	3.0	4.0	9.0	5.5	7.0
4	0.5	0.0	0.0	0.5	0.5	0.5	6.0	3.0	4.5	9.0	6.0	7.5
5	0.0	0.0	0.0	0.5	0.5	0.5	5.5	3.5	4.5	9.0	6.0	7.5
6	0.0	0.0	0.0	1.0	0.5	1.0	5.5	4.0	4.5	7.5	5.5	6.5
7	0.0	0.0	0.0	1.5	0.5	1.0	5.0	3.0	4.0	7.5	5.0	6.0
8	0.0	0.0	0.0	1.5	0.5	1.0	6.0	4.0	5.0	7.5	5.5	6.5
9	0.0	0.0	0.0	2.0	0.5	1.5	6.0	3.5	4.5	7.5	5.0	6.5
10	0.0	0.0	0.0	2.0	1.0	1.5	4.5	3.0	3.5	7.5	5.5	6.0
11	0.0	0.0	0.0	2.0	0.5	1.5	5.0	2.0	3.5	5.5	4.0	4.5
12	0.0	0.0	0.0	2.5	0.5	1.5	6.0	2.5	4.0	5.5	3.5	4.5
13	0.0	0.0	0.0	3.0	0.5	2.0	6.5	3.5	4.5	6.0	4.0	5.0
14	0.0	0.0	0.0	3.5	1.5	2.0	5.0	3.5	4.5	7.0	4.0	5.5
15	0.0	0.0	0.0	4.0	1.0	2.5	5.0	3.5	4.5	7.0	5.0	6.0
16	0.0	0.0	0.0	6.5	1.0	2.5	5.0	3.5	4.5	7.0	5.0	6.0
17	0.5	0.0	0.0	4.5	1.5	2.5	4.5	3.5	4.0	7.0	5.5	6.5
18	0.5	0.5	0.5	5.0	1.5	3.0	4.5	2.5	3.5	7.5	5.5	6.5
19	1.0	0.5	0.5	6.0	2.0	3.5	4.0	3.0	3.5	7.5	5.0	6.0
20	0.5	0.0	0.5	6.5	2.5	4.0	4.5	2.5	3.5	7.0	5.0	6.0
21	0.5	0.0	0.5	6.5	2.5	4.5	5.0	3.5	4.0	7.0	5.0	6.0
22	0.5	0.5	0.5	6.0	3.0	4.5	5.0	3.0	3.5	6.5	4.5	5.5
23	0.5	0.5	0.5	6.5	3.0	5.0	6.0	2.5	4.0	6.5	5.0	5.5
24	1.0	0.5	0.5	6.0	3.0	4.5	6.5	3.0	4.5	6.5	4.5	5.5
25	1.0	0.5	0.5	6.5	3.0	5.0	7.0	3.5	5.0	6.0	4.5	5.5
26	0.5	0.5	0.5	5.5	3.0	4.0	7.5	3.5	5.5	7.0	4.5	5.5
27	0.5	0.5	0.5	4.0	2.0	3.0	7.5	4.5	6.0	7.5	5.5	6.5
28	0.5	0.5	0.5	4.5	1.0	2.5	7.0	4.5	6.0	6.5	6.0	6.5
29	0.5	0.5	0.5	5.0	1.0	3.0	4.5	3.0	3.5	7.0	5.5	6.0
30	—	—	—	6.0	2.5	4.0	6.5	3.0	4.5	7.5	4.5	6.0
31	—	—	—	7.0	4.0	5.0	—	—	—	7.5	5.5	6.5
Month	1.0	0.0	0.3	7.0	0.0	2.5	7.5	2.0	4.3	9.0	3.5	6.0



U.S. Department of the Interior
U.S. Geological Survey

Prepared in cooperation with the
NATIONAL PARK SERVICE

SCIENTIFIC INVESTIGATIONS REPORT 2006-5099
Plate 1
Elliott, P.E., Beck, D.A., and Prudic, D.E., 2006
Characterization of Surface-Water Resources in the Great Basin
National Park Area and Their Susceptibility to Ground-Water
Withdrawals in Adjacent Valleys, White Pine County, Nevada



EXPLANATION

- Area where surface-water resources likely are susceptible to ground-water withdrawals
- Area where surface-water resources potentially are susceptible to ground-water withdrawals

- Geology**
- Alluvial and glacial deposits
 - Tertiary rocks
 - Intrusive rocks
 - Younger undifferentiated rocks
 - Undifferentiated sedimentary rocks
 - Older undifferentiated rocks

- Southern Snake Range décollement
- Humboldt National Forest boundary
- Great Basin National Park boundary
- Spring

GENERALIZED AREAS WHERE SURFACE-WATER RESOURCES LIKELY OR POTENTIALLY ARE SUSCEPTIBLE
TO GROUND-WATER WITHDRAWALS IN ADJACENT VALLEYS, GREAT BASIN NATIONAL PARK AREA, NEVADA

By
Peggy E. Elliott, David A. Beck, and David E. Prudic

